

### **Film Capacitors**

### Metallized Polypropylene Film Capacitors (MKP)

 Series/Type:
 B32774 ... B32778

 Date:
 October 2014

© EPCOS AG 2014. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

### Please read *Cautions and warnings* and *Important notes* at the end of this document.

Metallized polypropylene film capacitors (MKP)

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### **Recommended applications**

- Frequency converters
- Industrial and high-end power supplies
- Solar inverters

### Climatic

- Max. operating temperature: 105 °C (case)
- Climatic category (IEC 60068-1): 40/105/56

### Construction

- Dielectric: Polypropylene (MKP)
- Plastic case (UL 94 V-0)
- Epoxy resin sealing (UL 94 V-0)

### Features

- Capacitance values up to 480 μF
- High CV product, compact
- Good self-healing properties
- Over-voltage capability
- Low losses with high current capability
- High reliability
- Long useful life
- RoHS-compatible

### Terminals

- Parallel wire leads, lead-free tinned
- 2-pin, 4-pin and 12-pin versions
- Standard lead lengths: 6 –1 mm

### Marking

Manufacturer's logo and lot number, date code, rated capacitance (coded), capacitance tolerance (code letter) and rated DC voltage

### Delivery mode

Bulk (untaped)

B32774 ... B32778



B32774 ... B32778

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### **Dimensional drawings**

Dimensions in mm

Number of wires	Lead spacing e ±0.4	Lead diameter $d_1 \pm 0.05$	Туре
2-pin	27.5	0.8	B32774D
2-pin	37.5	1.0	B32776E
2-pin	37.5	1.0	B32776T
4-pin	37.5	1.2	B32776G
4-pin	37.5	1.2	B32776T
4-pin	52.5	1.2	B32778T
4-pin	52.5	1.2	B32778G
12-pin	52.5	1.2	B32778J

### **Dimensional drawings 2-pin versions**

### B32774D, B32776E



	B32774D	B32776E
Lead spacing $e \pm 0.4$ : Lead diameter d <sub>1</sub> :	27.5 0.8	37.5 1.0

(Dimensions in mm)

### B32776T (low profile)



(Dimensions in mm)









MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Dimensional drawings 4-pin versions

### B32776G, B32778G



(Dimensions in mm)

### B32776T, B32778T (low profile)



(Dimensions in mm)

### Dimensional drawing 12-pin version

### B32778J



(Dimensions in mm)







Please read *Cautions and warnings* and *Important notes* at the end of this document.



B32774 ... B32778

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Overview of available types

Lead spacing	27.5 m	m			37.5 m	m				
Туре	B3277	4			B32776	6				
Page	7				8					
V <sub>R</sub> (V DC)	450	800	1100	1300	450	575	800	900	1100	1300
C <sub>R</sub> (μF)										
1.5										
2.0										
2.7										
3.0										
3.3										
3.5										
3.9										
5.0										
6.8										
7.0										
7.5										
8.0										
8.5										
9.0										
10										
12										
13										
14										
15										
16										
20										
22										
25										
30										
35										
40										
45										
50										
60										
65										





### MKP DC link – high density series up to 480 $\mu\text{F}$

Lead spacin	g 52.5 mm					
Туре	B32778					
Page	11					
V <sub>R</sub> (V DC)	450	575	800	900	1100	1300
C <sub>R</sub> (μF)						
14						
20						
25						
27						
30						
35						
38						
40						
42						
45						
50						
55						
58						
60						
70						
75						
80						
90						
100						
110						
120						
130						
150						
170						
180						
200						
210						
270						
360						
480						



27.5

B32774

MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Ordering codes and packing units (lead spacing 27.5 mm)

0 1)		<b>D</b>		1 2)			1 9	1 C	
$C_R^{1)}$	Max. dimensions	P <sub>1</sub>	Ordering code	RMS,max <sup>2)</sup>	210	ESL <sub>typ</sub> <sup>3)</sup>	tan o	tan δ	pcs.
	$w \times h \times l$		(composition see	70 °C	70 °C	70 °C			MOQ
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	
μF	mm	mm		A	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	
$V_{R,70}$	° <sub>C</sub> = 450 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	450 V DC	-					
5.0	$11.0 \times 21.0 \times 31.5$		B32774D4505+000	5.0	21.1	19.0	1.2	10.7	2352
10.0	$15.0\times24.5\times31.5$	_	B32774D4106+000	8.0	10.9	24.0	1.2	11.0	1680
22.0	$22.0\times36.5\times31.5$	—	B32774D4226+000	14.5	5.4	30.0	1.3	12.1	784
$V_{R,70}$	$_{\rm C}$ = 800 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	700 V DC						
3.0	$11.0 \times 21.0 \times 31.5$	_	B32774D8305+000	4.5	24.8	19.0	0.9	7.6	2352
5.0	$14.0 \times 24.5 \times 31.5$	_	B32774D8505+000	6.5	15.3	23.0	0.9	7.7	1848
12.0	$22.0\times36.5\times31.5$	_	B32774D8126+000	13.0	6.8	34.0	1.0	8.3	784
V <sub>R,70</sub>	° <sub>C</sub> = 1100 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	920 V DC						
2.0	$12.5 \times 21.5 \times 31.5$	-	B32774D0205+000	4.5	26.3	19.0	0.7	5.3	2100
3.3	$18.0\times27.5\times31.5$	_	B32774D0335+000	7.0	16.2	22.0	0.7	5.4	1428
5.0	$19.0\times30.0\times31.5$	_	B32774D0505+000	9.0	10.9	27.0	0.7	5.5	896
7.0	$22.0\times36.5\times31.5$	_	B32774D0705+000	12.0	8.1	30.0	0.7	5.8	784
$V_{R,70}$	$_{\rm C}$ = 1300 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	1100 V DC						
1.5	$12.5 \times 21.5 \times 31.5$		B32774D1155K000	4.4	31.3	20.0	0.6	4.8	2100
3.0	$18.0\times27.5\times31.5$	_	B32774D1305K000	7.0	16.0	24.0	0.6	4.9	1428
5.0	$22.0\times36.5\times31.5$	_	B32774D1505K000	10.5	9.8	33.0	0.7	5.1	784

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ K =  $\pm 10\%$ 

1) Capacitance value measured at 1 kHz

<sup>2)</sup> Max ripple current I\_{RMS} at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$ 



B32776

### MKP DC link – high density series – up to 480 $\mu\text{F}$

### Ordering codes and packing units (lead spacing 37.5 mm)

$C_R^{1)}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> 2)	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	pcs.
	w × h × l		(composition see	70 °C	70 °C	70 °Ĉ			MOQ
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	
μF	mm	mm	,	A	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	
$V_{R,70}$	$_{\rm C} = 450 \text{ V DC}, \text{ V}_{\rm op},$	<sub>85 °C</sub> =	450 V DC				1		
12	$24.0 \times 15.0 \times 41.5$	_	B32776T4126K000	7.0	17.1	19.0	2.2	21.0	1040
16	$24.0\times19.0\times41.5$	—	B32776T4166K000	8.0	13.0	18.0	2.3	21.2	780
30	$20.0\times 39.5\times 41.5$	10.2	B32776G4306+000	14.0	7.0	11.0	2.3	21.3	640
30	$20.0\times 39.5\times 41.5$	—	B32776E4306+000	14.0	7.3	28.0	2.4	22.3	640
35	$28.0\times37.0\times42.0$	10.2	B32776G4356+000	16.5	6.0	10.0	2.3	21.4	440
35	$28.0\times37.0\times42.0$	_	B32776E4356+000	16.0	6.4	24.0	2.4	22.6	440
40	$28.0\times37.0\times42.0$	10.2	B32776G4406+000	17.5	5.3	11.0	2.3	21.4	440
40	$28.0\times37.0\times42.0$	—	B32776E4406+000	17.0	5.6	26.0	2.4	22.7	440
40	$43.0\times22.0\times41.5$	20.3	B32776T4406+000	17.0	5.2	13.0	2.3	21.2	280
50	$28.0\times42.5\times41.5$	10.2	B32776G4506+000	20.0	4.3	12.0	2.3	21.7	440
50	$28.0\times42.5\times41.5$	—	B32776E4506+000	19.0	4.7	30.0	2.5	23.8	440
60	$30.0 \times 45.0 \times 42.0$	20.3	B32776G4606+000	23.5	3.6	14.0	2.4	22.3	400
60	$30.0 \times 45.0 \times 42.0$	—	B32776E4606+000	22.0	4.0	32.0	2.5	24.2	400
65	$33.0 \times 48.0 \times 42.0$	20.3	B32776G4656+000	25.5	3.3	14.0	2.3	22.2	180
V <sub>R,70</sub>	$_{\rm C} = 575 \text{ V DC}, \text{ V}_{\rm op},$	<sub>85 °C</sub> =	500 V DC						
8.5	24.0  imes 15.0  imes 41.5	—	B32776T5855+000	6.5	19.9	19.0	1.9	17.2	1040
12	$24.0\times19.0\times41.5$	—	B32776T5126K000	8.0	14.4	18.0	1.9	17.4	780
25	$20.0\times39.5\times41.5$	10.2	B32776G5256K000	14.0	7.0	12.0	1.9	17.5	640
25	$20.0\times39.5\times41.5$	-	B32776E5256K000	13.5	7.4	28.0	2.0	18.3	640
30	$28.0\times37.0\times42.0$	10.2	B32776G5306K000	16.5	5.8	11.0	1.9	17.6	440
30	$28.0\times37.0\times42.0$	—	B32776E5306K000	16.5	6.1	26.0	2.0	18.5	440
30	$43.0 \times 22.0 \times 41.5$	20.3	B32776T5306K000	16.5	5.8	13.0	1.9	17.3	280
35	$28.0 \times 42.5 \times 41.5$	10.2	B32776G5356+000	19.0	5.0	12.0	1.9	17.8	440
35	$28.0 \times 42.5 \times 41.5$	_	B32776E5356+000	18.0	5.3	29.0	2.0	19.0	440
45	$30.0 \times 45.0 \times 42.0$	20.3	B32776G5456K000	22.0	4.0	13.0	1.9	17.9	400
45	$30.0 \times 45.0 \times 42.0$	—	B32776E5456K000	21.0	4.4	32.0	2.1	19.7	400
50	$33.0\times48.0\times42.0$	20.3	B32776G5506K000	25.0	3.5	14.0	2.0	18.1	180

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ 

K = ±10%

1) Capacitance value measured at 1 kHz

2) Max ripple current I<sub>RMS</sub> at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$ 



B32776

MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Ordering codes and packing units (lead spacing 37.5 mm)

$\overline{C_{B}^{1)}}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	pcs.
Ψn	$w \times h \times l$	• •	(composition see	70 °C	70 °C	70 °C	iun o		MOQ
			below)	10 kHz	10 kHz		1 kHz	10 kHz	mod
μF	mm	mm	Solom,	A	mΩ	nH	10-3	10 <sup>-3</sup>	
· · · · · · · · · · · · · · · · · · ·	$M_{\rm R,70^\circ C} = 800 \text{ V DC}, V_{\rm op,85^\circ C} = 700 \text{ V DC}$						I		
		85 °C =							
	$24.0\times15.0\times41.5$	-	B32776T8685+000	6.0	22.1	18.0	1.7	15.1	1040
8.5		-	B32776T8855+000	7.5	17.8	18.0	1.7	15.1	780
14	$18.0\times32.5\times41.5$	-	B32776E8146+000	10.0	11.5	23.0	1.8	16.3	720
15	$20.0\times39.5\times41.5$	10.2			9.6	10.0	1.7	15.2	640
15	$20.0\times39.5\times41.5$	-	B32776E8156+000	11.5	10.3	24.0	1.7	15.7	640
20	$28.0\times37.0\times42.0$	10.2		14.5	7.5	10.0	1.7	15.3	440
20	$28.0\times37.0\times42.0$	-	B32776E8206+000	14.5	7.8	24.0	1.7	15.9	440
20	$43.0 \times 22.0 \times 41.5$	20.3	B32776T8206+000	14.5	7.2	14.0	1.7	15.1	280
22	$28.0\times37.0\times42.0$	10.2	B32776G8226+000	15.5	6.8	11.0	1.7	15.3	440
22	$28.0\times37.0\times42.0$	-	B32776E8226+000	15.0	7.1	25.0	1.7	16.0	440
25	$28.0\times42.5\times41.5$	10.2	B32776G8256+000	17.0	6.1	11.0	1.7	15.4	440
25	$28.0\times42.5\times41.5$	-	B32776E8256+000	16.5	6.4	28.0	1.8	16.3	440
30	$30.0 \times 45.0 \times 42.0$	20.3	B32776G8306+000	19.5	5.1	12.0	1.7	15.6	400
30	$30.0 \times 45.0 \times 42.0$	_	B32776E8306+000	19.0	5.5	30.0	1.8	16.7	400
35	$33.0\times48.0\times42.0$	20.3	B32776G8356+000	22.0	4.3	14.0	1.7	15.7	180
$V_{R,70}$	° <sub>C</sub> = 900 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	800 V DC		•				
5	24.0  imes 15.0  imes 41.5	—	B32776T9505+000	5.5	26.1	19.0	1.5	13.4	1040
7.5	$24.0 \times 19.0 \times 41.5$	_	B32776T9755K000	7.5	17.8	18.0	1.5	13.5	780
15	$20.0 \times 39.5 \times 41.5$	10.2	B32776G9156K000	12.5	9.1	12.0	1.5	13.6	640
15	$20.0 \times 39.5 \times 41.5$	_	B32776E9156K000	12.0	9.4	28.0	1.5	14.1	640
16	$43.0 \times 22.0 \times 41.5$	20.3	B32776T9166+000	14.0	8.1	14.0	1.5	13.5	280
20	$28.0 \times 37.0 \times 42.0$	10.2	B32776G9206K000	15.0	7.0	11.0	1.5	13.6	440
20	28.0 × 37.0 × 42.0	_	B32776E9206K000		7.3	26.0	1.6	14.2	440
22	28.0 × 42.5 × 41.5	10.2			6.3	12.0	1.5	13.7	440
22	$28.0 \times 42.5 \times 41.5$	_	B32776E9226K000		6.6	29.0	1.6	14.5	440
25	$30.0 \times 45.0 \times 42.0$	20.3	B32776G9256+000		5.5	13.0	1.5	13.8	400
25	$30.0 \times 45.0 \times 42.0$	_	B32776E9256+000	18.5	5.9	32.0	1.6	14.7	400
30	$33.0 \times 48.0 \times 42.0$	20.3			4.7	14.0	1.5	13.9	180
00	55.5 × 15.5 × 42.0	-0.0	20211000001000						

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

#### Composition of ordering code

- + = Capacitance tolerance code:
  - $J = \pm 5\%$
  - K = ±10%
- 1) Capacitance value measured at 1 kHz
- 2) Max ripple current I<sub>RMS</sub> at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$
- 3) Typical ESL value measured at resonance frequency (see specific graphs of Z vs freq)



B32776

### MKP DC link – high density series – up to 480 $\mu\text{F}$

### Ordering codes and packing units (lead spacing 37.5 mm)

$C_R^{1)}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	pcs.
	w × h × l		(composition see	70 °C	70 °C	70 °C			MOQ
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	
μF	mm	mm		A	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	
$V_{B,70}$	° <sub>C</sub> = 1100 V DC, V <sub>op</sub>	<sub>85 °C</sub> =	920 V DC	<u>.</u>	<u>.</u>		1		
	$24.0 \times 15.0 \times 41.5$	_	B32776T0395+000	5.0	30.5	18.0	1.4	12.1	1040
5	$24.0\times19.0\times41.5$	_	B32776T0505+000	6.5	23.6	18.0	1.4	12.1	780
12	$20.0\times39.5\times41.5$	10.2	B32776G0126+000	12.0	10.2	12.0	1.4	12.2	640
12	$20.0\times39.5\times41.5$	-	B32776E0126+000	11.5	10.5	28.0	1.4	12.6	640
13	$43.0 \times 22.0 \times 41.5$	20.3	B32776T0136+000	13.0	8.9	14.0	1.4	12.1	280
14	$28.0\times37.0\times42.0$	10.2	B32776G0146+000	13.5	8.7	21.0	1.4	12.2	440
14	$28.0\times37.0\times42.0$	-	B32776E0146+000	13.5	9.0	25.0	1.4	12.6	440
16	$28.0\times42.5\times41.5$	10.2	B32776G0166+000	15.5	7.4	12.0	1.4	12.3	440
16	$28.0\times42.5\times41.5$	-	B32776E0166+000	15.0	7.8	30.0	1.4	12.9	440
20	$30.0 \times 45.0 \times 42.0$	20.3	B32776G0206+000	18.0	6.0	14.0	1.4	12.4	400
20	$30.0 \times 45.0 \times 42.0$	-	B32776E0206+000	17.5	6.5	32.0	1.4	13.1	400
22	$33.0 \times 48.0 \times 42.0$	20.3	B32776G0226+000	21.0	4.9	15.0	1.3	11.4	180
$V_{R,70}$	° <sub>C</sub> = 1300 V DC, V <sub>op</sub> ,	<sub>85 °C</sub> =	1100 V DC						
2.7	$24.0\times15.0\times41.5$	—	B32776T1275+000	5.0	34.7	19.0	1.1	9.6	1040
3.5	$24.0\times19.0\times41.5$	-	B32776T1355+000	6.0	27.4	18.0	1.1	9.7	780
8.0	$20.0\times39.5\times41.5$	10.2	B32776G1805+000	11.0	12.1	12.0	1.1	9.7	640
8.0	$20.0\times39.5\times41.5$	-	B32776E1805+000	10.5	12.4	24.0	1.2	10.0	640
9.0	$43.0 \times 22.0 \times 41.5$	20.3	B32776T1905K000	12.0	10.7	13.0	1.1	9.7	280
10	$28.0\times37.0\times42.0$	10.2	B32776G1106+000	13.0	9.6	11.0	1.1	9.7	440
10	$28.0\times37.0\times42.0$	-	B32776E1106+000	12.5	9.9	26.0	1.2	10.0	440
12	$28.0\times42.5\times41.5$	10.2	B32776G1126+000	14.5	8.1	12.0	1.1	9.8	440
12	$28.0\times42.5\times41.5$	-	B32776E1126+000	14.0	8.5	28.0	1.2	10.1	440
14	$30.0 \times 45.0 \times 42.0$	20.3	B32776G1146+000	17.0	6.8	14.0	1.1	10.1	400
14	$30.0 \times 45.0 \times 42.0$	—	B32776E1146+000	16.5	7.3	32.0	1.2	10.4	400
16	$33.0\times48.0\times42.0$	20.3	B32776G1166+000	19.0	6.0	15.0	1.1	9.9	180

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ K =  $\pm 10\%$ 

1) Capacitance value measured at 1 kHz

2) Max ripple current I<sub>RMS</sub> at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$ 



B32778

MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Ordering codes and packing units (lead spacing 52.5 mm, $P_1 = 20.3$ mm)

$C_{B}^{1)}$	Max. dimensions	Ordering code	I <sub>BMS.max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>tvp</sub> <sup>3)</sup>	tan δ	tan δ	pcs.
U <sub>R</sub> ′	$w \times h \times l$	(composition see	<sup>I</sup> RMS,max / 70 °C	ZO °C	70 °C	ian o	ian o	MOQ
	WXIIXI	· ·				1 615	10141-	NOQ
-		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	
μF	mm		A	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	
V <sub>R,70</sub>	$v_{\rm C} = 450 \text{ V DC}, V_{\rm op,85}$	<sub>°c</sub> = 450 V DC			-	-	-	
55	$43.0\times22.0\times57.5$	B32778T4556+000	16.5	7.2	13.0	4.3	41.7	420
75	$30.0\times45.0\times57.5$	B32778G4756+000	21.0	5.6	12.0	4.4	42.6	280
80	$30.0\times45.0\times57.5$	B32778G4806+000	21.5	5.3	13.0	4.4	42.7	280
100	$35.0\times50.0\times57.5$	B32778G4107+000	26.0	4.3	14.0	4.5	43.3	108
110	$35.0\times50.0\times57.5$	B32778G4117K000	27.0	3.9	15.0	4.5	43.6	108
150	$130.0\times22.0\times57.5$	B32778J4157+000	43.5	2.7	4.0	4.4	42.1	80
170	$45.0\times57.0\times57.5$	B32778G4177+000	36.5	2.6	17.0	4.6	45.7	140
180	$60.0 \times 45.0 \times 57.5$	B32778G4187+000	39.0	2.5	19.0	4.6	44.6	200
480	$130.0\times58.0\times57.5$	B32778J4487K000	79.5	0.9	6.0	4.8	45.4	40
V <sub>R,70</sub>	$v_{c} = 575 \text{ V DC}, V_{op,85}$	<sub>°c</sub> = 500 V DC						
40	$43.0\times22.0\times57.5$	B32778T5406+000	15.5	8.5	13.0	3.6	34.5	420
60	$30.0\times45.0\times57.5$	B32778G5606+000	20.5	5.8	13.0	3.7	35.3	280
80	$35.0\times50.0\times57.5$	B32778G5806+000	25.5	4.4	15.0	3.7	36.0	108
110	$130.0\times22.0\times57.5$	B32778J5117+000	40.5	3.0	5.0	3.6	34.5	80
120	$45.0\times57.0\times57.5$	B32778G5127+000	34.5	3.1	17.0	3.8	37.2	140
130	$60.0\times45.0\times57.5$	B32778G5137+000	36.5	2.8	19.0	3.8	36.7	200
360	$130.0\times58.0\times57.5$	B32778J5367K000	75.0	1.0	6.0	4.0	37.3	40
V <sub>R,70</sub>	$v_{\rm C} = 800 \text{ V DC}, V_{\rm op,85}$	°c = 700 V DC						
30	$43.0\times22.0\times57.5$	B32778T8306+000	14.5	9.8	14.0	3.2	30.2	420
45	$30.0\times45.0\times57.5$	B32778G8456+000	19.5	6.6	14.0	3.2	30.9	280
50	$30.0\times45.0\times57.5$	B32778G8506+000	20.0	6.3	13.0	3.2	30.9	280
55	$35.0\times50.0\times57.5$	B32778G8556+000	23.0	5.6	14.0	3.2	31.1	108
60	$35.0\times50.0\times57.5$	B32778G8606+000	23.5	5.1	15.0	3.3	31.2	108
80	$130.0\times22.0\times57.5$	B32778J8806+000	37.5	3.6	4.0	3.2	30.2	80
90	$45.0\times57.0\times57.5$	B32778G8906+000	32.5	3.5	17.0	3.3	32.2	140
100	$60.0 \times 45.0 \times 57.5$	B32778G8107+000	34.5	3.2	19.0	3.3	31.9	200
270	$130.0\times58.0\times57.5$	B32778J8277K000	70.5	1.2	6.0	3.5	32.4	40

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ K =  $\pm 10\%$ 

1) Capacitance value measured at 1 kHz

2) Max ripple current I<sub>RMS</sub> at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$ 



B32778

### MKP DC link – high density series – up to 480 $\mu\text{F}$

### Ordering codes and packing units (lead spacing 52.5 mm, P<sub>1</sub> = 20.3 mm)

$C_{R}^{1)}$	Max. dimensions	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	pcs.
	$w \times h \times l$	(composition see	70 °C	70 °C	70 °Ĉ			MOQ
		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	
μF	mm		Α	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	
V <sub>R,70</sub>	<sub>°c</sub> = 900 V DC, V <sub>op,85</sub>	<sub>°c</sub> = 800 V DC						
25	$43.0 \times 22.0 \times 57.5$	B32778T9256+000	13.5	10.7	13.0	2.8	26.8	420
35	$30.0\times45.0\times57.5$	B32778G9356+000	18.0	7.7	13.0	2.9	27.3	280
50	$35.0\times50.0\times57.5$	B32778G9506K000	22.5	5.6	15.0	2.9	27.7	108
70	$45.0\times57.0\times57.5$	B32778G9706+000	31.0	3.8	18.0	3.0	28.5	140
70	$130.0\times22.0\times57.5$	B32778J9706K000	36.0	3.8	4.0	2.9	27.2	80
75	$60.0\times45.0\times57.5$	B32778G9756+000	32.5	3.6	20.0	2.9	28.2	200
210	$130.0\times58.0\times57.5$	B32778J9217K000	66.0	1.3	6.0	3.1	28.6	40
V <sub>R,70</sub>	<sub>°C</sub> = 1100 V DC, V <sub>op,85</sub>	<sub>°c</sub> = 920 V DC						
20	$43.0\times22.0\times57.5$	B32778T0206+000	13.0	11.9	13.0	2.6	24.1	420
30	$30.0\times45.0\times57.5$	B32778G0306+000	17.5	8.2	13.0	2.6	24.5	280
40	$35.0\times50.0\times57.5$	B32778G0406+000	21.5	6.2	15.0	2.7	25.9	108
58	$45.0\times57.0\times57.5$	B32778G0586+000	29.0	4.3	17.0	2.7	25.4	140
60	$60.0\times45.0\times57.5$	B32778G0606+000	30.5	4.0	19.0	2.7	25.2	200
60	$130.0\times22.0\times57.5$	B32778J0606+000	34.5	4.1	4.0	2.7	25.1	80
200	$130.0\times58.0\times57.5$	B32778J0207K000	66.0	1.4	6.0	3.0	26.8	40
V <sub>R,70</sub>	$_{\rm C} = 1300 \text{ V DC}, \text{ V}_{\rm op,85}$	<sub>°c</sub> = 1100 V DC						
14	$43.0\times22.0\times57.5$	B32778T1146+000	12.0	13.8	13.0	2.1	19.5	420
20	$30.0\times45.0\times57.5$	B32778G1206+000	16.0	9.7	13.0	2.1	19.8	280
25	$35.0\times50.0\times57.5$	B32778G1256+000	19.0	7.8	15.0	2.1	19.9	108
27	$35.0\times50.0\times57.5$	B32778G1276+000	19.5	7.3	15.0	2.1	20.0	108
38	$130.0\times22.0\times57.5$	B32778J1386+000	31.5	5.1	4.0	2.1	19.5	80
40	$45.0\times57.0\times57.5$	B32778G1406+000	26.5	5.0	17.0	2.2	20.3	140
42	$60.0\times45.0\times57.5$	B32778G1426+000	28.0	4.7	19.0	2.2	20.2	200
120	$130.0\times58.0\times57.5$	B32778J1127K000	58.5	1.7	6.0	2.3	20.5	40

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ K =  $\pm 10\%$ 

1) Capacitance value measured at 1 kHz

2) Max ripple current I<sub>RMS</sub> at 70 °C, 10 kHz for  $\Delta T \le 20$  °C at  $\Delta ESR_{typ} \le \pm 5\%$ 



MKP

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Technical data

Reference standard: IEC 61071.

All data given at T = 20 °C, unless otherwise specified.

Operating temperature range (case)	Max. ope	erating ter	nperature	, T <sub>on max</sub>	+105 °C	;	
operating temperature range (ease)		0	mperature		+105 °C	;	
	Lower category temperature T <sub>min</sub> -40 °C						
Insulation Resistance R <sub>ins</sub>	τ > 10 00	00 s (after	1 min.)				
given as time constant	For $V_B \ge$	500 V me	easured at	t 500 V			
$\tau = C_{R} \cdot R_{ins}$ , rel. humidity $\leq 65\%$			easured a				
(minimum as-delivered values)							
DC test voltage between terminals (10 s)	$1.5 \cdot V_{R}$						
Voltage test terminal to case (10 s)	2110 V A	AC, 50 Hz					
Pulse Handling Capability (V/µs)	I <sub>P</sub> (A) / C	(μF)					
Reliability: Failure rate $\lambda$	10 fit ( $\leq 1 \cdot 10^{-9}$ /h) at 0.5 $\cdot$ V <sub>R</sub> , 40 °C						
	For conversion to other operating conditions, refer to						
	chapter "Quality assurance", data book 2009 "Film						
	capacitors", page 442.						
Service life t <sub>SL</sub>	100 000 h at V <sub>B</sub> and 70 °C						
V <sub>R</sub> (V DC)	450	575	800	900	1100	1300	
Continuous operation voltage	450	575	800	900	1100	1300	
V <sub>op</sub> (V DC) at 70 °C							
Continuous operation voltage	450	500	700	800	920	1100	
$V_{op}$ (V DC) at 85 °C							
For temperatures between	1.33%/°C of V <sub>op</sub> derating compared to V <sub>op</sub> at 85 °C						
85 °C and 105 °C		•					

### Typical waveforms



**Restrictions:** 

 $\bm{V}_{R}\!\!:\!Maximum$  operating peak voltage of either polarity but of a non-reversing waveform, for which the capacitor has been designed for continuous operation.

 $\hat{v}_{\text{AC}} \leq \textbf{0.2} \, \cdot \, \textbf{V}_{\text{R}}$ 





### MKP DC link – high density series up to 480 $\mu$ F

Overvoltage	Maximum duration within one day	Observation
1.1 · V <sub>R</sub>	30% of on-load duration	System regulation
1.15 · V <sub>R</sub>	30 min.	System regulation
1.2 · V <sub>B</sub>	5 min.	System regulation
1.3 · V <sub>R</sub>	1 min.	System regulation

NOTE 1 An overvoltage equal to  $1.5 \cdot V_R$  for 30 ms is permitted 1000 times during the life of the capacitor.

The amplitudes of the overvoltages that may be tolerated without significant reduction in the life time of the capacitor depend on their duration, the number of application and the capacitor temperature.

In addition these values assume that the overvoltages may appear when the internal temperature of the capacitor is less than 0 °C but within the temperature category.

NOTE 2 The average applied voltage must not be higher than the specified voltage.

### Pulse handling capability

"dV/dt" represents the maximum permissible voltage change per unit of time for non-sinusoidal voltages, expressed in  $V/\mu s$ .

Note:

The values of dV/dt provided below must not be exceeded in order to avoid damaging the capacitor.

### dV/dt values

Lead spacing	27.5 mm			37.5 mm						
Туре	B32774		B32776							
V <sub>R</sub> (V DC)	450	800	1100	1300	450	575	800	900	1100	1300
dV/dt in V/µs	30	40	75	100	21	22	22	35	54	73

Lead spacing	52.5 m	52.5 mm				
Туре	B32778					
V <sub>R</sub> (V DC)	450	575	800	900	1100	1300
dV/dt in V/µs	14	14	15	22	35	50





Additional technical information can be found under "Design support" on www.epcos.com

### Impedance Z versus frequency f

(typical values)

Lead spacing 27.5 mm / B32774D4\*

### ESR versus frequency f

(typical values)

Lead spacing 27.5 mm / B32774D4\*





Impedance Z versus frequency f (typical values)

Lead spacing 27.5 mm / B32774D8\*



### ESR versus frequency f

(typical values)









## Impedance Z versus frequency f (typical values)

### Lead spacing 27.5 mm / B32774D0\*



# Impedance Z versus frequency f (typical values)

### Lead spacing 27.5 mm / B32774D1\*



### ESR versus frequency f

(typical values)

### Lead spacing 27.5 mm / B32774D0\*



### ESR versus frequency f

(typical values)

### Lead spacing 27.5 mm / B32774D1\*





37.5



MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### **Characteristics curves**

Impedance Z versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-E4x



Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G4x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E4x



ESR versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-G4x







Impedance Z versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-E5x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E5x



Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G5x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G5x





37.5



MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Characteristics curves

Impedance Z versus frequency f (typical values)

### Lead spacing 37.5 mm / B32776-E8x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E8x



Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G8x



ESR versus frequency f

(typical values)

Lead spacing 37.5 mm / B32776-G8x







Impedance Z versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-E9x



Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G9x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E9x



ESR versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-G9x





37.5



MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Characteristics curves

Impedance Z versus frequency f (typical values)





Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G0x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E0x



ESR versus frequency f

(typical values)

Lead spacing 37.5 mm / B32776-G0x







Impedance Z versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-E1x



Impedance Z versus frequency f (typical values) Lead spacing 37.5 mm / B32776-G1x



ESR versus frequency f (typical values) Lead spacing 37.5 mm / B32776-E1x



ESR versus frequency f (typical values)

Lead spacing 37.5 mm / B32776-G1x







MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Characteristics curves

### Impedance Z versus frequency f

(typical values)

### Lead spacing 37.5 mm / B32776-Tx / 2-pins



ESR versus frequency f (typical values)

### Lead spacing 37.5 mm / B32776-Tx / 2-pins

B32776



Impedance Z versus frequency f

(typical values)

Lead spacing 37.5 mm / B32776-Tx / 4-pins



ESR versus frequency f

(typical values)

Lead spacing 37.5 mm / B32776-Tx / 4-pins







Impedance Z versus frequency f (typical values)

Lead spacing 52.5 mm / B32778-G4x



Impedance Z versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G5x



ESR versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G4x



ESR versus frequency f (typical values)

Lead spacing 52.5 mm / B32778-G5x





52.5



MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Characteristics curves

Impedance Z versus frequency f (typical values)

### Lead spacing 52.5 mm / B32778-G8x



Impedance Z versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G9x



ESR versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G8x



ESR versus frequency f (typical values)

Lead spacing 52.5 mm / B32778-G9x







Impedance Z versus frequency f (typical values)

Lead spacing 52.5 mm / B32778-G0x



Impedance Z versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G1x



ESR versus frequency f (typical values) Lead spacing 52.5 mm / B32778-G0x



ESR versus frequency f (typical values)

Lead spacing 52.5 mm / B32778-G1x





52.5



MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### Characteristics curves

Impedance Z versus frequency f (typical values)





Impedance Z versus frequency f (typical values) Lead spacing 52.5 mm / B32778-Jx



ESR versus frequency f (typical values) Lead spacing 52.5 mm / B32778-Tx



ESR versus frequency f

(typical values)

Lead spacing 52.5 mm / B32778-Jx







Permissible current  $I_{\text{RMS}}$  versus frequency f at 70  $^\circ\text{C}$ 

### Lead spacing 27.5 mm

B32774-Dx







Permissible current I<sub>RMS</sub> versus frequency f at 70 °C

### Lead spacing 37.5 mm

B32776-Ex



### B32776-Gx







Permissible current I<sub>RMS</sub> versus frequency f at 70 °C

### Lead spacing 37.5 mm

B32776-Tx







MKP DC link – high density series – up to 480  $\mu\text{F}$ 

### **Characteristics curves**

Permissible current  $I_{RMS}$  versus frequency f at 70  $^{\circ}$  C

### Lead spacing 52.5 mm

B32778-Gx, 4 pins



### B32778-Tx, 4 pins







Permissible current  $I_{\text{RMS}}$  versus frequency f at 70  $^{\circ}$  C

### Lead spacing 52.5 mm

B32778-Jx, 12 pins







MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Curves Characteristics (Irms derating vs temperature)



Maximum I<sub>RMS</sub> current as function of the ambient temperature: I<sub>RMS</sub> (T<sub>amb</sub>) = Factor x I<sub>RMS</sub> (70 °C)

Figure 1

B32774 ... B32778

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Heat transference for self heating calculation



The equivalent heat coefficient "**G** ( $mW/^{e}$ **C**)" is given for measuring the temperature on the lateral surface of the plastic box as figure 1 shows. By using a thermocouple and avoiding effect of radiation and convection the temperature measured during operation conditions should be a result of the dissipated power divided by the equivalent heat coefficient.



B32774 ... B32778

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Self Heating by power dissipation & equivalent heat coefficient

The I<sub>RMS</sub> and consequently the power dissipation must be limited during operation in order to not exceed the maximum limit of  $\Delta T$  allowed for this series.  $\Delta T_{max}$  given for this series is equal or lower than 20 °C at rated temperature (70 °C), for higher ambient temperatures  $\Delta T_{max}$  (T) will have the same derating factor than I<sub>RMS</sub> vs temperature and then an equivalent derating as per:

 $\Delta T_{max}$  (T) = (Factor)<sup>2</sup> x  $\Delta T$  (70 °C).

For any particular  $I_{RMS}$  the  $\Delta T$  may be calculated by:

$$\Delta T (^{\circ}C) = P_{dis} (mW) / G(mW/^{\circ}C)$$

Where  $\Delta T$  (°C) is the difference between the temperature measured on the box (see figure 1) and the ambient temperature when capacitor is working during normal operation;

$$\Delta T (^{\circ}C) = T_{op}(^{\circ}C) - T_{amb}(^{\circ}C).$$

It represents the increasing of temperature provoked by the  $I_{\mbox{\tiny RMS}}$  during operation.

G (mW/°C) is the equivalent heat coefficient described above and  $P_{dis}$  (mW) is the dissipated power defined by:

$$P_{dis}(mW) = ESR_{typ}(m\Omega) \times I_{rms}^{2}(A_{RMS}).$$

#### Example for thermal calculation:

We will take as reference B32778G0306K (30  $\mu F/1100$  V) type for thermal calculation. Considering the following load and capacitor characteristics:

 $I_{\text{RMS}}$  : 12  $A_{\text{RMS}}$  at 20 kHz  $\quad T_{\text{amb}}$ : 85 °C  $\quad$  30 x 45 x 57.5 box G (mW/°C): 125

Then we have to find the  $\text{ESR}_{typ}$  at 20 kHz what is approx . 8.2 m $\Omega$ . So according to:

 $P_{dis}(mW) = ESR_{typ}(m\Omega) \times I_{ms}^{2}(A_{RMS})$ 

we have the following:

 $P_{dis}(mW) = 8.2 \text{ m}\Omega \text{ x } 12 \text{ A}_{RMS}^2 = 1181 \text{ mW}$ 

and as per:

 $\Delta T (^{\circ}C) = P_{dis} (mW) / G (mW/^{\circ}C)$ 

we have the following:

ΔT (°C) = 1181 (mW) / 125 (mW/°C) = 9.5 °C

What is below of the

 $\Delta T_{max}$  (85 °C) = (Factor)<sup>2</sup> x  $\Delta T$  (70 °C) = (0.7)<sup>2</sup> x 20 °C = 9.8 °C

On the other hand we may confirm that max I<sub>RMS</sub> at 20 kHz at 70 °C = 17.5 A<sub>RMS</sub>

And then max  $I_{RMS}$  for 85 °C of ambient temperature is defined as follows:

 $I_{RMS}$  (85 °C) = Factor x  $I_{RMS}$  (70 °C) = 0.7 x 17.5  $A_{RMS}$  = 12.25  $A_{RMS}$ 

What confirms once again that  $I_{\text{RMS}}$  (12  $A_{\text{RMS}}$  at 20 kHz) is below the max specified for such frequency and ambient temperature.





Life time expectancy - typical curve (450 V DC / B3277x-X4



Life time expectancy - typical curve (575 V DC / 800 V DC / 900 V DC / 1100 V DC / 1300 V DC / B3277X-5/8/9/0/1)



Note: Confidence level of 95%



MKP DC link – high density series up to 480  $\mu\text{F}$ 

# 

### **Testing and Standards**

Test	Reference	Conditions of test		Performance requirements
Electrical Parameters (Routine test)	IEC 61071-11	Voltage between terminals, 1.5 V <sub>R</sub> , during 10 s Insulation resistance, R <sub>INS</sub> at V <sub>R</sub> if V <sub>R</sub> < 500 V or 500 V if V <sub>R</sub> $\ge$ 500 V Capacitance, C at 1 kHz (room temperature) Dissipation factor, tan $\delta$ at 1/10 kHz (room temperature)		Within specified limits
Robustness of terminations (Type test)	IEC 60068-2-21	Tensile strength (test Ua1)Wire diameterTensile force $0.5 < d_1 \le 0.8 \text{ mm}$ 10 N $0.8 < d_1 \le 1.25 \text{ mm}$ 20 N		Capacitance and tan $\delta$ within specified limits
Resistance to soldering heat (Type test)	IEC 60068-2-20, test Tb, method 1A	Solder bath temperature at 260 $\pm$ 5 °C, immersion for 10 seconds		$\Delta C/C_0 \le 2\%$ I $\Delta$ tan $\delta$ I $\le 0.002$
Rapid change of temperature (Type test)	IEC 60384-16	$T_A$ = lower category temperature $T_B$ = upper category temperature Five cycles, duration t = 30 min.		$\begin{split} &  \Delta C/C_0 \ I \leq 2\% \\ &  \Delta \ tan \ \delta \ I \leq 0.002 \\ & R_{INS} \geq 50\% \ of \ initial \ limit \end{split}$
Vibration (Type test)	IEC 60384-16	Test F <sub>c</sub> : vibration sinusoidal Displacement: 0.75 mm Accleration: 98 m/s <sup>2</sup> Frequency: 10 Hz 500 Hz Test duration: 3 orthogonal axes, 2 hours each axe		No visible damage
Bump (Type test)	IEC 60384-16	Test Eb: Total 4000 bumps with 390 m/s <sup>2</sup> mounted on PCB 6 ms duration		No visible damage $ \Delta C/C_0   \le 2\%$ $ \Delta \tan \delta   \le 0.002$ $R_{INS} \ge 50\%$ of initial limit
Climatic sequence (Type test)	IEC 60384-16	Dry heat Tb / 16 h. Damp heat cyclic, 1st cycle + 55 °C / 24h / 95% 100% RH Cold Ta / 2h Damp heat cyclic, 5 cycles + 55 °C / 24h / 95% 100% RH		No visible damage $ \Delta C/C_0  \le 3\%$ $ \Delta \tan \delta  \le 0.001$ $R_{INS} \ge 50\%$ of initial limit
Damp Heat Steady State (Type test)	IEC 60384-16	Test Ca 40 °C / 93% RH / 56 days		No visible damage $ \Delta C/C_0  \le 5\%$ $ \Delta \tan \delta   \le 0.005$ $R_{INS} \ge 50\%$ of initial limit





MKP DC link – high density series up to 480  $\mu\text{F}$ 

Test	Reference	Conditions of test	Performance requirements
Endurance (Type test)	IEC 60384-16	70 °C / 1.25 V <sub>R</sub> / 1000 hours or 85 °C / 1.25 V <sub>op</sub> / 1000 hours or	No visible damage I∆C/C₀ I ≤ 5% at 1 kHz
(Type test)		100 °C / 1.25 V <sub>op</sub> / 1000 hours	$ \Delta C/C_0  \le 5\%$ at 1 kHz $ \Delta \tan \delta  \le 0.005$
			$R_{\text{INS}} \ge 50\%$ of initial limit

### Cautions and warnings

- Do not exceed the upper category temperature (UCT).
- Do not apply any mechanical stress to the capacitor terminals.
- Avoid any compressive, tensile or flexural stress.
- Do not move the capacitor after it has been soldered to the PC board.
- Do not pick up the PC board by the soldered capacitor.
- Do not place the capacitor on a PC board whose PTH hole spacing differs from the specified lead spacing.
- Do not exceed the specified time or temperature limits during soldering.
- Avoid external energy inputs, such as fire or electricity.
- Avoid overload of the capacitors.

The table below summarizes the safety instructions that must always be observed. A detailed description can be found in the relevant sections of the chapters "General technical information" and "Mounting guidelines".

Торіс	Safety information	Reference chapter "General technical information"
Storage conditions	Make sure that capacitors are stored within the specified range of time, temperature and humidity conditions.	4.5 "Storage conditions"
Flammability	Avoid external energy, such as fire or electricity (passive flammability), avoid overload of the capacitors (active flammability) and consider the flammability of materials.	5.3 "Flammability"



MKP DC link – high density series up to 480  $\mu$ F

	N	ΛKF	5	
I				

Торіс	Safety information	Reference chapter "Mounting guidelines"
Resistance to vibration	Do not exceed the tested ability to withstand vibration. The capacitors are tested to IEC 60068-2-6. EPCOS offers film capacitors specially designed for operation under more severe vibration regimes such as those found in automotive applications. Consult our catalog "Film Capacitors for Automotive Electronics".	5.2 "Resistance to vibration"
Soldering	Do not exceed the specified time or temperature limits during soldering.	1 "Soldering"
Cleaning	Use only suitable solvents for cleaning capacitors.	2 "Cleaning"
Embedding of capacitors in finished assemblies	When embedding finished circuit assemblies in plastic resins, chemical and thermal influences must be taken into account. Caution: Consult us first, if you also wish to embed other uncoated component types!	3 "Embedding of capacitors in finished assemblies"

### Display of ordering codes for EPCOS products

The ordering code for one and the same product can be represented differently in data sheets, data books, other publications and the website of EPCOS, or in order-related documents such as shipping notes, order confirmations and product labels. **The varying representations of the ordering codes are due to different processes employed and do not affect the specifications of the respective products**. Detailed information can be found on the Internet under <u>www.epcos.com/orderingcodes</u>.



### B32774 ... B32778

MKP DC link – high density series up to 480  $\mu\text{F}$ 

### Symbols and terms

Symbol	English	German
α	Heat transfer coefficient	Wärmeübergangszahl
$\alpha_{c}$	Temperature coefficient of capacitance	Temperaturkoeffizient der Kapazität
А	Capacitor surface area	Kondensatoroberfläche
βc	Humidity coefficient of capacitance	Feuchtekoeffizient der Kapazität
С	Capacitance	Kapazität
C <sub>R</sub>	Rated capacitance	Nennkapazität
$\Delta C$	Absolute capacitance change	Absolute Kapazitätsänderung
$\Delta C/C$	Relative capacitance change (relative	Relative Kapazitätsänderung (relative
	deviation of actual value)	Abweichung vom Ist-Wert)
$\Delta C/C_R$	Capacitance tolerance (relative deviation	Kapazitätstoleranz (relative Abweichung
	from rated capacitance)	vom Nennwert)
dt	Time differential	Differentielle Zeit
$\Delta t$	Time interval	Zeitintervall
$\Delta T$	Absolute temperature change	Absolute Temperaturänderung
	(self-heating)	(Selbsterwärmung)
$\Delta tan \delta$	Absolute change of dissipation factor	Absolute Änderung des Verlustfaktors
$\Delta V$	Absolute voltage change	Absolute Spannungsänderung
dV/dt	Time differential of voltage function (rate	Differentielle Spannungsänderung
	of voltage rise)	(Spannungsflankensteilheit)
$\Delta V / \Delta t$	Voltage change per time interval	Spannungsänderung pro Zeitintervall
E	Activation energy for diffusion	Aktivierungsenergie zur Diffusion
ESL	Self-inductance	Eigeninduktivität
ESR	Equivalent series resistance	Ersatz-Serienwiderstand
f	Frequency	Frequenz
f <sub>1</sub>	Frequency limit for reducing permissible	Grenzfrequenz für thermisch bedingte
	AC voltage due to thermal limits	Reduzierung der zulässigen
		Wechselspannung
f <sub>2</sub>	Frequency limit for reducing permissible	Grenzfrequenz für strombedingte
	AC voltage due to current limit	Reduzierung der zulässigen
		Wechselspannung
f <sub>r</sub>	Resonant frequency	Resonanzfrequenz
F <sub>D</sub>	Thermal acceleration factor for diffusion	Therm. Beschleunigungsfaktor zur
-	Devoting factor	Diffusion
F <sub>T</sub>	Derating factor	Deratingfaktor
1	Current (peak)	Stromspitze
I <sub>C</sub>	Category current (max. continuous	Kategoriestrom (max. Dauerstrom)
	current)	



MKP

### MKP DC link – high density series up to 480 $\mu\text{F}$

Symbol	English	German	
I <sub>RMS</sub>	(Sinusoidal) alternating current,	(Sinusförmiger) Wechselstrom	
	root-mean-square value		
İz	Capacitance drift	Inkonstanz der Kapazität	
k <sub>o</sub>	Pulse characteristic	Impulskennwert	
Ls	Series inductance	Serieninduktivität	
λ	Failure rate	Ausfallrate	
λο	Constant failure rate during useful	Konstante Ausfallrate in der	
	service life	Nutzungsphase	
$\lambda_{test}$	Failure rate, determined by tests	Experimentell ermittelte Ausfallrate	
$P_{diss}$	Dissipated power	Abgegebene Verlustleistung	
$P_{gen}$	Generated power	Erzeugte Verlustleistung	
Q	Heat energy	Wärmeenergie	
ρ	Density of water vapor in air	Dichte von Wasserdampf in Luft	
R	Universal molar constant for gases	Allg. Molarkonstante für Gas	
R	Ohmic resistance of discharge circuit	Ohmscher Widerstand des	
		Entladekreises	
Ri	Internal resistance	Innenwiderstand	
R <sub>ins</sub>	Insulation resistance	Isolationswiderstand	
R <sub>₽</sub>	Parallel resistance	Parallelwiderstand	
Rs	Series resistance	Serienwiderstand	
S	severity (humidity test)	Schärfegrad (Feuchtetest)	
t	Time	Zeit	
т	Temperature	Temperatur	
τ	Time constant	Zeitkonstante	
tan δ	Dissipation factor	Verlustfaktor	
$tan \ \delta_{\scriptscriptstyle D}$	Dielectric component of dissipation factor	Dielektrischer Anteil des Verlustfaktors	
tan δ <sub>P</sub>	Parallel component of dissipation factor	Parallelanteil des Verlfustfaktors	
tan δ <sub>s</sub>	Series component of dissipation factor	Serienanteil des Verlustfaktors	
T <sub>A</sub>	Temperature of the air surrounding the component	Temperatur der Luft, die das Bauteil umgibt	
T <sub>max</sub>	Upper category temperature	Obere Kategorietemperatur	
T <sub>min</sub>	Lower category temperature	Untere Kategorietemperatur	
t <sub>OL</sub>	Operating life at operating temperature	Betriebszeit bei Betriebstemperatur und	
	and voltage	-spannung	
T <sub>op</sub>	Operating temperature	Beriebstemperatur	
T <sub>R</sub>	Rated temperature	Nenntemperatur	
T <sub>ref</sub>	Reference temperature	Referenztemperatur	
t <sub>SL</sub>	Reference service life	Referenz-Lebensdauer	



### B32774 ... B32778

### MKP DC link – high density series up to 480 $\mu\text{F}$

Symbol	English	German
V <sub>AC</sub>	AC voltage	Wechselspannung
Vc	Category voltage	Kategoriespannung
$V_{C,RMS}$	Category AC voltage	(Sinusförmige)
		Kategorie-Wechselspannung
$V_{CD}$	Corona-discharge onset voltage	Teilentlade-Einsatzspannung
$V_{ch}$	Charging voltage	Ladespannung
$V_{\text{DC}}$	DC voltage	Gleichspannung
$V_{\text{FB}}$	Fly-back capacitor voltage	Spannung (Flyback)
Vi	Input voltage	Eingangsspannung
Vo	Output voltage	Ausgangssspannung
$V_{op}$	Operating voltage	Betriebsspannung
V <sub>p</sub>	Peak pulse voltage	Impuls-Spitzenspannung
$V_{pp}$	Peak-to-peak voltage Impedance	Spannungshub
V <sub>R</sub>	Rated voltage	Nennspannung
ν̂ <sub>R</sub>	Amplitude of rated AC voltage	Amplitude der Nenn-Wechselspannung
V <sub>RMS</sub>	(Sinusoidal) alternating voltage,	(Sinusförmige) Wechselspannung
	root-mean-square value	
$V_{\text{SC}}$	S-correction voltage	Spannung bei Anwendung "S-correction"
$V_{sn}$	Snubber capacitor voltage	Spannung bei Anwendung
		"Beschaltung"
Z	Impedance	Scheinwiderstand
е	Lead spacing	Rastermaß



The following applies to all products named in this publication:

- 1. Some parts of this publication contain statements about the suitability of our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application. As a rule, EPCOS is either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether an EPCOS product with the properties described in the product specification is suitable for use in a particular customer application.
- 2. We also point out that in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or lifesaving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
- 3. The warnings, cautions and product-specific notes must be observed.
- 4. In order to satisfy certain technical requirements, some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous). Useful information on this will be found in our Material Data Sheets on the Internet (www.epcos.com/material). Should you have any more detailed questions, please contact our sales offices.
- 5. We constantly strive to improve our products. Consequently, the products described in this publication may change from time to time. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order. We also reserve the right to discontinue production and delivery of products. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
- Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms of Delivery for Products and Services in the Electrical Industry" published by the German Electrical and Electronics Industry Association (ZVEI).
- 7. The trade names EPCOS, Alu-X, CeraDiode, CeraLink, CeraPlas, CSMP, CSSP, CTVS, DeltaCap, DigiSiMic, DSSP, FilterCap, FormFit, MiniBlue, MiniCell, MKD, MKK, MLSC, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, PhiCap, PQSine, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SiMic, SIMID, SineFormer, SIOV, SIP5D, SIP5K, TFAP, ThermoFuse, WindCap are trademarks registered or pending in Europe and in other countries. Further information will be found on the Internet at www.epcos.com/trademarks.