

3-1197673-0 Product Details

Detailed product features are not currently available online.

Product features can often be found by referring to the available documents. [Contact us](#) for information about this product.

No Image Available

AD-1377-CRIMP-TOOL-3-CVTY



Always EU RoHS/ELV Compliant (Statement of Compliance)

3-1197673-0

(AD-1377-CRIMP-TOOL-3-CVTY)

TE Internal Number: 992008-000

 Active

Documentation & Additional Information

Product Drawings:

- [AD-1377 CRIMP TOOL ASSEMBLY](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Related Products:

- [Tooling](#)

4


3

2

1

REVISIONS

LTR	DESCRIPTION	DATE
G	REVISED PER ECO-11-006285	04/14/2011



CAVITY SIZE MARKING
ON THE FARTHER SIDE
SEE DETAIL A-A

CRIMP LOCATOR

RATCHET

HANDLES

DETAIL A-A
CAVITY SIZE MARKING

NOTES:

- UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
 - THE AD-1377 CRIMP TOOL IS DESIGNED TO MAKE WIRE SPLICES UTILIZING TYCO ELECTRONICS CRIMP SPLICES OF THE FOLLOWING SIZES:
- | TOOL CAVITY | 12 - 16 | 16 - 20 | 20 - 26 |
|-----------------------|------------------------|------------------------|------------------------|
| CRIMP SPLICER
SIZE | I.D. .102
O.D. .097 | I.D. .153
O.D. .147 | I.D. .069
O.D. .101 |
- WHEN MADE WITH A PROPERLY CALIBRATED AD-1377 CRIMP TOOL, THESE WIRE SPLICES WILL MEET THE VOLTAGE DROP AND TENSILE STRENGTH REQUIREMENTS OF THE APPLICABLE TYCO ELECTRONICS CUSTOMER DRAWING FOR CRIMP SPLICING SYSTEMS.
 - A PROPERLY CALIBRATED AD-1377 CRIMP TOOL HAS THE FOLLOWING CHARACTERISTICS:
 - RATCHET ADJUSTMENT (SET AT THE FACTORY): A COMPRESSIVE FORCE OF 40-50 LBS APPLIED 1.25 ± .12 INCHES FROM THE END OF THE HANDLES SHALL BE REQUIRED TO COMPLETELY CLOSE THE JAWS BEFORE THE RATCHET MECHANISM RELEASES THE HANDLES.
 - JAW CLOSING: WITH THE JAWS FULLY CLOSED (TIPS TOUCHING AND RATCHET IN LAST NOTCH), A "GO" GAUGE SHALL FIT IN THE SPACE BETWEEN THE INDENTER AND ITS CORRESPONDING CAVITY. A "NO GO" GAUGE SHALL NOT FIT IN THIS SPACE. GAUGE SIZES ARE AS FOLLOWS:

TOOL CAVITY	"GO"	"NO GO"
12 - 16	.062 DIA.	.072 DIA.
16 - 20	.042 DIA.	.052 DIA.
20 - 26	.025 DIA.	.035 DIA.

THE TYCO ELECTRONICS AD-1386 CRIMP TOOL GAUGE IS RECOMMENDED FOR THIS PURPOSE.

Raychem Application Equipment
CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES. METRIC DIMENSIONS ARE IN BRACKETS. DECIMAL TOLERANCES .XXX ± 0.005 [0.13 mm] .XX ± 0.01 [0.25 mm] .X ± 0.1 [0.50 mm] ANGLE TOLERANCE .X ± 1 DEG. TYCO ELECTRONICS CORPORATION RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANY TIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION. © 1975-2011 Tyco Electronics Corporation. All rights reserved.	DRAWN UNGUYEN			
	PART NUMBER 992008-000	TITLE AD-1377 CRIMP TOOL ASSEMBLY		
	THIRD ANGLE PROJECTION	SIZE B	CODE IDENT. NO. 06090	DWG. NO. AD-1377-5
			SCALE: NTS	SHEET 1 OF 1

If this document is printed it becomes uncontrolled. Check for the latest revision

4

3

2

1