

Representative

Catalog Number: A116

 Product ID:
 7TAI029620R0000

 UPC Number:
 78621080827

 EAN Number:
 05414363935384

Status: Active

Non-Insulated Fork Terminal, Length .75 Inches, Width .25 Inches, Bolt Hole #6, Wire Range #22-#16 AWG, Copper, Tin Plated

- These non-insulated fork terminals are made of electrolytic copper for high conductivity.
- They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire).
- · Serrated barrel increases grip on wire.
- Application Tools: WT110M, WT111M, WT112M, WT2000, ERG4002
- Alternate Package Qty: A18-6F

North American Specifications (UNSPSC)		
UNSPSC	39121432 Electrical terminals	
IGCC	4603 Electrical terminals	
Brand Name	Sta-Kon	
Туре	Fork Terminal	
Special Features	These non-insulated fork terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire). Serrated barrel increases grip on wire.	
Standard	UL E9809	
Wire Size	22-16	
Voltage Rating	600V	
Material	Copper	
Color	Metallic	

European Specifications (ETIM)		
ETIM	EC001052 Solderless copper terminals for copper	
	conductors	
Flange shape	Fork shape	
Insulation	None	
Reel packaging	N	
AWG-range	22-16	
Material	Copper	
Surface protection	Tinned	

Packaging	
Inner Quantity	1000
Inner Dimensions (inches)	3.5x3x3
Outer Quantity	10000
Outer Dimensions (inches)	16.5x8.1x4.1
Weight Uom	1.25 lbs. per 1000

<b>Documents / Support Tools</b>	
Technical Data Sheet US	Available on Website
Technical Data Sheet CA	Available on Website

For further technical assistance, please contact us...



8155 T&B Blvd. Memphis, TN 38125 www.tnb.com MS 3B-50 8155 T&B Blvd. Memphis, TN 38125 Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com