
REVISION								
REV	DESCRIPTION	DATE	APPROVED					
A1	REVISED PER ECO-13-014894	9/19/13	I. MYONG					



## SELF-LOCKING SHIELD BAND TERMINATION SHRINK BOOT ACCOMMODATION ADAPTER


## NOTES


- 1. THIS PRODUCT IS DESIGNED TO TERMINATE A BRAIDED CABLE SHIELD AND A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR, AND DESIGNED TO MEET PERFORMANCE REQUIREMENTS OF AS85049/82.
- 2. ALL COMPONENTS SHALL BE PACKAGED AND SUPPLIED IN A PLASTIC BAG AND LABELED WITH M85049/82 DESIGNATION. e.g. M85049/82-14W02.
- 3. PART SUPPLIED WITH STANDARD DETENTED SELF-LOCKING WHICH PROVIDES A POSITIVE AUDIBLE DETENTED COUPLING.
- 4. THIS ADAPTER MATES TO CONNECTOR SAE-ASSO151 CRIMP, MIL-DTL-26482 SERIES 2, SAE-ASS1703 SERIES 3, AND MIL-DTL-83723 SERIES III.
- 5. FOR MATERIALS AND PLATING FINISHES INFORMATION REFER TO R85049.
  FOR ALTERNATIVE MATERIALS AND PLATING FINISHES CONTACT TE CONNECTIVITY.

If this document is printed it becomes uncontrolled. Check for the latest revision

CUSTOMER DRAWING © 2013 Tyco Electronics Corporation. All rights reserved. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TE Connectivity ANGLES: ± 1° TITLE: BACKSHELL, STRAIGHT, SELF-LOCKING TYCO ELECTRONICS RESERVES THE RIGHT TO AMEND THIS DRAWING SHIELD BAND TERMINATION, SHRINK AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS BOOT ACCOMMODATION, CATEGORY 3B SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE DRAWING NO: PRODUCT FOR THEIR APPLICATION. R85049/82 SCALE: THIRD ANGLE PROJ. | SHEET: CAD FILE: CAGE CODE: RPN: T. NGUYEN R85049-82\_CD.dwg 06090 N/A ⊕⊖ 1\_0F\_3

Raychem Adapters





If this document is printed it becomes uncontrolled. Check for the latest revision

© 2013 Tyco Electronics Corporation. All rights reserved.

Raychem Adapters
CUSTOMER DRAWING

STE TE CO	R85049/82						
CAD FILE:	CAGE CODE:	RPN:	SIZE:	SCALE:		SHEET:	
R85049-82_CD.DWG	06090	N/A	A	#		2_0F_3	

	FOR CONNECTOR SHELL SIZE (REF)				TABLE I — SHELL SIZE AND DIMENSIONS					
ORDER NUMBER	SAE- AS81703	MIL-DTL- 26482	SAE – AS50151 CRIMP	MIL-DTL- 83723 SERIES III	A MAX DIA	B DIA ±.010 ENTRY SIZE		C DIA REF		
		SERIES 2				02	03	02	03	
8		8	85	8	.885 (22.48)	N/A	.250 (6.35)	N/A	.395 (10.03)	
10		10	10S, 10SL	10	1.010 (25.65)	N/A	.312 (7.92)	N/A	.457 (11.61)	
12	7	12	12S AND 12	12	1.135 (28.83)	.312 (7.92)	.438 (11.13)	.457 (11.60)	.583 (14.81)	
14	12	14	14S AND 14	14	1.260 (32.00)	.438 (11.13)	.562 (14.27)	.583 (14.81)	.707 (17.96)	
16	19	16	16S AND 16	16	1.385 (35.18)	.500 (12.70)	.625 (15.88)	.645 (16.38)	.770 (19.56)	
18	27	18	18	18	1.510 (38.35)	.625 (15.88)	.750 (19.05)	.770 (19.56)	.895 (22.73)	
20	37	20	20	20	1.635 (41.53)	.625 (15.88)	.812 (20.62)	.770 (19.56)	.957 (24.31)	
22		22	22	22	1.760 (44.70)	.688 (17.48)	.938 (23.83)	.829 (21.06)	1.083 (27.51)	
24		24	24	24	1.885 (47.88)	.750 (19.05)	1.000 (25.40)	.895 (22.73)	1.145 (29.08)	
28			28		2.135 (54.23)	.875 (22.23)	1.125 (28.58)	1.020 (25.91)	1.270 (32.26)	

If this document is printed it becomes uncontrolled. Check for the latest revision

Raychem Adapters CUSTOMER DRAWING

 $\ensuremath{\texttt{©}}$  2013 Tyco Electronics Corporation. All rights reserved.

		DRAWING NO:					
TE Connectivity		R85049/82					
CAD FILE: R85049-82_CD.DWG	CAGE CODE: 06090	RPN: N/A	SIZE:	SCALE:	THIRD ANGLE PROJ.	SHEET: 3_OF_3	