

All categories Search term

Your shopping cart

Products MyHARTING Downloads / Catalogue order Repairservice

Han E HMC male contact Au AWG 26-22

[Spotted an error?](#) | [Print page](#) Back



Image is for illustration purposes only. Please refer to product description.

Accessories

- [Features](#)
- [Material properties](#)
- [Norms and specifications](#)
- [Connection data](#)
- [Dimensions and weight](#)
- [Supplementals](#)

Part number: 09 33 200 6117
Description: Han E HMC male contact Au AWG 26-22
Type sheet: PDF

[Login to MyHARTING](#) for pricing and stock check

Quantity:
 Shopping cart
 Email inquiry

Need assistance?



Customer service

Your HARTING customer service representative:

866-278-0306

[CustomerService-USA@HA ...](mailto:CustomerService-USA@HA...)

Catalogue

Industrial Connectors Han® - Page 506



[Browse](#)
[Download](#)

Features

Gender: male
RoHS conformity: Yes
Type of contact: Crimp contact
Series: Han E® HMC

[Top](#)

Connection data

Contact resistance: <= 1 mOhm
Stripping length: 7.5 mm
Wire cross section, min.: 0.14 mm²
Wire cross section, max.: 0.37 mm²
Wire gauge AWG, min.: AWG 26
Wire gauge AWG, max.: AWG 22

[Top](#)

Material properties

Material, contact: copper alloy
Surface, contacts: HMC gold plated contacts

[Top](#)

Dimensions and weight

Net Weight: 1.2 g

[Top](#)

Norms and specifications

Specification: IEC 60664-1
 IEC 61984

[Top](#)

Supplementals

Stripping length, min: 7.5 mm

[Top](#)

Downloads

Title	Download
Type sheet	PDF
Type sheet	DXF

Type sheet



CAD data 3D





CAD data 3D













Industrial Connectors Han® - Page 506



Accessories

Image	Part number	Description	Tech. info	Quantity
	09 99 000 0829	CONTACT LUBRICANT		

Recently viewed - [Delete](#)

 <p>Han E HMC male contact Au AWG 26-22</p> <p>Show product details</p>	 <p>Han 16B-HMC-asg2-LB-M25</p> <p>Show product details</p>
 <p>Han 24B-HMC-gs-R-M32</p> <p>Show product details</p>	 <p>Han 16B-HMC-g-R</p> <p>Show product details</p>
 <p>Han 10B-HMC-asg2-LB-M25</p> <p>Show product details</p>	 <p>Han E HMC male contact Au AWG 19</p> <p>Show product details</p>
 <p>Han 24B-HMC-asg2-LB-M25</p> <p>Show product details</p>	 <p>Han D M crimp contact 2,5 mm² Au/HMC</p> <p>Show product details</p>
 <p>Han 16B-HMC-asg2-LB-M25</p> <p>Show product details</p>	 <p>Han E HMC female contact Au AWG 26-22</p> <p>Show product details</p>

Recently searched - [Delete](#)

- All categories: [09302100803](#) (1)
- All categories: [19302160252](#) (1)
- All categories: [19302240292](#) (1)
- All categories: [11000009601](#) (1)
- All categories: [19410060301](#) (1)
- All categories: [han_eco](#) (188)
- All categories: [19410012700](#) (1)
- All categories: [yellock](#) (164)



