

TRIPP·LITE

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA

Telephone: 773.869.1234

PS/2 to USB Converter

MODEL NUMBER: 0DT60002



Description

Preserve Your IT investments

Flexible USB Support

- Supports USB keyboard with USB mouse
- Supports USB keyboard with PS/2 mouse
- Supports USB mouse with PS/2 keyboard

Features

- Compatible with PS/2 servers / KVM switches / KVM extenders
- Pure hardware solution no software/network conflicts
- No need for external power
- Compact size
- Plug & play
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

Highlights

- Compatible with PS/2 servers/KVM switches/KVM extenders
- Pure hardware solution no software/network conflicts
- No need for external power
- Compact size
- Plug & play
- Compliant with the Federal
 Trade Agreements Act (TAA) for
 GSA Schedule purchases

System Requirements

- PS/2 Computer / KVM Switch / KVM Extender
- USB and/or PS/2 keyboard and mouse
- Compatible with most keyboards; supports 104 keys only

Package Includes

• PS/2 to USB Converter



OVERVIEW		
UPC Code	654518212235	
Accessories Type	Adapter	
INPUT		
Product Length (in.)	11.4	
PHYSICAL		
Wire Gauge (AWG)	28	
Shipping Dimensions (hwd / in.)	5.500 x 3.900 x 0.500	
Shipping Dimensions (hwd / cm)	13.97 x 9.91 x 1.27	
Shipping Weight (lbs.)	0.1800	
Shipping Weight (kg)	0.08	
Unit Packaging Type	Polybag	
Material of Construction	ABS	
Color	Black	
Cable Outer Diameter (OD)	3.5mm	
Cable Jacket Rating	VW-1	
ENVIRONMENTAL		
Operating Temperature Range	41 to 104 F (5 to 40 C)	
Storage Temperature Range	-4 to 140 F (-20 to 60 C)	
Relative Humidity	0% to 80% RH, Non-Condensing	
CONNECTIONS		
Side A - Connector 1	(2) MINI DIN-6 (MALE)	
Side B - Connector 1	(2) USB A (FEMALE)	
Connector Plating	Nickel	
Contact Plating	Nickel	
FEATURES & SPECIFICATIONS		
USB Specification	USB 1.1 (up to 12 Mbps)	
CERTIFICATIONS		
Certifications	CE, FCC, RoHS, REACH	
WARRANTY		



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

Product Warranty Period (Worldwide)	3-year limited warranty
-------------------------------------	-------------------------

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies