

All categories 09302100803 

Your shopping cart

Products MyHARTING Downloads / Catalogue order Repairservice

## Han 10B-HMC-g-R

[Spotted an error?](#) | [Print page](#) | [Back](#)

Image is for illustration purposes only.  
Please refer to product description.

Combinables

[Features](#)[Material properties](#)[Dimensions and weight](#)[Version](#)[Norms and specifications](#)

<b>Part number:</b>	09 30 210 0803
<b>Description:</b>	Han 10B-HMC-g-R
<b>Type sheet:</b>	 <a href="#">PDF</a>

[Login to MyHARTING](#)  
for pricing and stock checkQuantity: [Shopping cart](#)[Email inquiry](#)

### Need assistance?

**Customer service****Your HARTING customer  
service representative:****866-278-0306**[CustomerService-USA@HA ...](mailto:CustomerService-USA@HA...)

### Catalogue

Industrial Connectors Han® -  
Page 530[Browse](#)[Download](#)

### Features

<b>Mating cycles:</b>	>= 10,000
<b>RoHS conformity:</b>	Yes
<b>Size:</b>	10 B
<b>Material, locking lever:</b>	polycarbonate + stainless steel
<b>Lever type:</b>	single locking lever
<b>Type of hood/housing:</b>	Hoods
<b>Series:</b>	Han® B HMC
<b>Limiting temperature, min.:</b>	-40 °C
<b>Limiting temperature, max.:</b>	125 °C

[Top](#)

### Material properties

<b>Colour, locking element:</b>	RAL 7037 (grey)
<b>Surface, hood/housing:</b>	powder-coated
<b>Material, seal:</b>	NBR
<b>Colour, hood/housing:</b>	RAL 7037 (grey)
<b>Material, hood/housing:</b>	aluminium die-cast

[Top](#)

### Dimensions and weight

<b>Net Weight:</b>	175.5 g
--------------------	---------

[Top](#)

### Version

<b>Hoods and Housings: Case of operation:</b>	Metal hoods/housings for industrial applications
<b>Size:</b>	-
<b>Cable entry:</b>	without cable entry
<b>Style:</b>	High construction

[Top](#)

### Norms and specifications

<b>Flammability locking lever acc. to UL 94:</b>	V 0
<b>Protection class acc. to UL 50:</b>	NEMA type 4/4X/12
<b>Approval GL:</b>	Yes
<b>Degree of protection acc. to DIN EN 60 529:</b>	IP65

[Top](#)

**Downloads**

Title	Download
Type sheet	PDF
Type sheet	DXF
Type sheet	CGM
CAD data 3D	STEP
CAD data 3D	JT
Industrial Connectors Han® - Page 530	PDF

**Combinables**

Image	Part number	Description	Tech. info	Quantity
	<a href="#">09 30 210 0305</a>	Han 10B-HMC-agg-LB		<input type="text" value="1"/> Shopping cart
	<a href="#">19 30 210 0291</a>	Han 10B-HMC-asg2-LB-M25		<input type="text" value="1"/> Shopping cart
	<a href="#">19 30 210 0292</a>	Han 10B-HMC-asg2-LB-M32		<input type="text" value="1"/> Shopping cart
	<a href="#">19 30 210 1250</a>	Han 10B-HMC-asg1-LB-M20		<input type="text" value="1"/> Shopping cart
	<a href="#">19 30 210 1290</a>	Han 10B-HMC-asg2-LB-M20		<input type="text" value="1"/> Shopping cart

**Recently viewed** - [Delete](#)

 <b>Han 10B-HMC-g-R</b> <a href="#">Show product details</a>	 <b>Han 16B-HMC-asg1-LB-M32</b> <a href="#">Show product details</a>
 <b>Han 24B-HMC-asg2-LB-M32</b> <a href="#">Show product details</a>	 <b>Han-Yellock Label (500/roll)</b> <a href="#">Show product details</a>
 <b>Han-Eco 6B-HBM</b> <a href="#">Show product details</a>	 <b>Han-Eco 10A-HBM</b> <a href="#">Show product details</a>

**Recently searched** - [Delete](#)

- All categories: [09302100803](#) (1)
- All categories: [19302160252](#) (1)
- All categories: [19302240292](#) (1)
- All categories: [11000009601](#) (1)
- All categories: [19410060301](#) (1)
- All categories: [han eco](#) (188)
- All categories: [19410012700](#) (1)
- All categories: [yellock](#) (164)

**Han-Eco PE module-f 16-6 AWG**

[Show product details](#)

**Han-Yellock carrier hood 60 lock button**

[Show product details](#)



[Home](#) | [Contact](#) | [Privacy Policy](#) | [Terms of Use](#) | [Sales and delivery conditions](#) | [Imprint](#)

HARTING contact: HARTING Inc. of N.America | Bowes Road1370 | 60123-5538 Elgin | USA  
HARTING support: 866-278-0306 | **E-mail address** (For questions regarding products, orders and user accounts)  
Website support: | **E-mail address** (For technical problems regarding the website)

Follow us on

