

<u>Important notes about Classic Panel Mount Indicator Catalog Pages</u>

SCROLL DOWN TO VIEW CATALOG PAGE

This catalog page is out-of-print and is used with the understanding that the information shown could be out-of-date. In many cases, part numbers shown on this page are discontinued. Most notably, many "Complete Assembly" parts, which consist of a cap and a base, can no longer be ordered by the 14-digit ordering code. To obtain these parts, please order the cap and base part numbers separately. This process provides the components contained with the original "Complete Assembly" part number.

All Dialight Classic Panel Mount Indicators need a leading 3-digit numerical series. In some cases, this catalog will show a 2-digit series. In this case, please add a leading zero. For example, 81-0211-300 becomes **0**81-0211-300.

Part numbers listed on Dialight catalog pages designate parts with Red lenses. For ordering lens colors other than red, consult the chart below. In most cases, the color is dictated by the 7th digit. For example, 095-093**2**-003 for a green cap.

| Lens Colors | | | | |
|----------------------|-------------------------------|--|--|--|
| 1 - Red 2 - Green | 5 - White 6 - Light Yellow | | | |
| 3 - Yellow | 7 - Clear | | | |
| 4 - Blue | | | | |

Click here for a cross reference guide to assembly part numbers.

Click here to view Frequently Asked Questions concerning Panel Mount Indicators.

SCROLL DOWN TO VIEW CATALOG PAGE



Miniature Incandescent Indicators

FOR REAR MOUNTING IN 9/16" CLEARANCE HOLE

FOR 6 TO 60V OPERATION

For materials and finishes of products in this group, see page 4D.

WITH TELEPHONE SLIDE BASE

See lamp ratings on page J.



37-0428-0431-305

Faceted lens

| | WITH SCREW-OI | | |
|-----------------------------------|--|--|---|
| | to a law of their street of the control of the cont | solder terminals | screw terminals |
| | 37 SERIES 33 SERIES | 1/16 PANEL (REF.) (I) KNURLED RINGS, 004 2 005 X. 697 MAX. (I) KNURLED RINGS, 004 X. 697 MAX. (I) KNURLED RI | + SIGN MARKED ON THE TEMMINAL CONNECTE TO THE CENTER CONTACT 4 - 36 NS THO. |
| | BASE PART NUMBERS | 33-0428-01-305 | 33-1328-01-305 |
| CAP PART NUMBERS | | COMPLETE ASSEMBLY PART NUMBERS | |
| 9/16- NS THD. (INTERNAL) | CONVEX 37-0111-300 back frosted 37-0131-300 unfrosted | 37-0428-0111-305 37-0428-0131-305 | 37-1328-0111-305 37-1328-0131-305 |
| 9/16- NS THO UNTERNAL) 41/164 MAX | FACETED 37-0431-300 unfrosted | 37-0428-0431-305 | 37-1328-0431-305 |

| CAP PART NUMBERS | | WITH FRICTION-FIT LENS CAPS | |
|----------------------|--|--|--|
| 33-023 33-033 | 1-300 back frosted 1-300 unfrosted 1-300 transparent 1-300 translucent lat faced lens, see page P. | 33-0428-0211-305 33-0428-0231-305 33-0428-0331-305 ■ 33-0428-0351-305 | 33-1328-0211-305 33-1328-0231-305 33-1328-0331-305 33-1328-0351-305 |

Specify translucent colors as follows: Red-0351... Green-0352... Yellow (Amber)-0373... White-0375... Light Yellow-0376.

Order complete with lamp to be assured of receiving the indicator light and correct lamp together for immediate use.



37-0428-0111-305

Convex lens



33-0428-0211-305

Flat lens

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Dialight: