

## <u>Important notes about Classic Panel Mount Indicator Catalog Pages</u>

### SCROLL DOWN TO VIEW CATALOG PAGE

This catalog page is out-of-print and is used with the understanding that the information shown could be out-of-date. In many cases, part numbers shown on this page are discontinued. Most notably, many "Complete Assembly" parts, which consist of a cap and a base, can no longer be ordered by the 14-digit ordering code. To obtain these parts, please order the cap and base part numbers separately. This process provides the components contained with the original "Complete Assembly" part number.

All Dialight Classic Panel Mount Indicators need a leading 3-digit numerical series. In some cases, this catalog will show a 2-digit series. In this case, please add a leading zero. For example, 81-0211-300 becomes **0**81-0211-300.

Part numbers listed on Dialight catalog pages designate parts with Red lenses. For ordering lens colors other than red, consult the chart below. In most cases, the color is dictated by the 7<sup>th</sup> digit. For example, 095-093**2**-003 for a green cap.

Lens Colors		
1 - Red 2 - Green	5 - White 6 - Light Yellow	
3 - Yellow	7 - Clear	
4 - Blue		


Click here for a cross reference guide to assembly part numbers.

Click here to view Frequently Asked Questions concerning Panel Mount Indicators.

SCROLL DOWN TO VIEW CATALOG PAGE

# Miniature Incandescent Indicators

FOR REAR MOUNTING IN 9/16" CLEARANCE HOLE FOR 2 TO 120V OPERATION



T-3 1/4 MINIATURE BAYONET BASE

See lamp ratings on page K.

Recognized under the component program of Underwriters' Laboratories Inc.

75W., 125V.



## MATERIALS AND FINISHES

- Mounting Bushing: Standard—brass, black nickel finish. Optional—white nickel finish.
- Lens Holder: Standard—brass, black nickel finish. Optional—polished chrome finish
- Standard Hardware: Three (3) knurled rings—brass, black nickel finish.
   Optional Hardware: One (1) mounting nut—brass, white nickel finish; one (1) knurled ring—brass, black nickel finish; one (1) internal-tooth lockwasher—steel, cadmium plated with yellow iridescent chromate finish.
- Terminals: Solder brass, hot tinned with elongated slot. Screw-brass, white nickel finish.

Note: Where optional metal finish is chosen for lens holder, the same finish will be supplied for knurled ring(s).

#### **Lens Colors**

1-Red	5-White translucent
2-Green*	6-Light yellow
3-Yellow (amber)	7—Clear colorless
4-Blue*	1.

\*Not recommended with Neon Glow Lamps,

The digit before the last dash in the part number designates the lens color. When color other than red is desired, change this digit to a figure noted above. Example: 37-0410-0216-205

Part numbers in this catalog designate products with RED lens. For ordering lens colors other than red, consult chart above.

#### How to designate the three digit part number suffix (-XXX)

Finish	Resistor	Hardware
white nickel     black nickel     polished chrome	0 — none	5 — three knurled rings 6 — knurled ring, internal-tooth lockwasher, mtg. nut

NOTE: The part numbers listed on this page indicate standard indicator lights. The above table provides the standard and optional designations for Finish and Hardware.



37-0410-0211-205 Flat lens

37 SERIES

# SOIder terminal SCIEW termina

WITH SCREW-ON LENS CAPS

BASE PART NUMBERS

CAP PART NUMBERS

COMPLETE ASSEMBLY PART NUMBERS

FLAT

37-0211-200 back frosted

37-0410-0211-205

37-1310-0211-205

9/16—NS THD.—
(INTERNAL)
41/64

37/64

MAX.—

37-0211-200 back frosted

For legends on flat faced lens, see page P.

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

# Dialight: