


**VS-PPC-J-1-SCRJ-MNBK**

Order No.: 1405206

SCRJ push-pull coupling

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1405206>SCRJ push-pull coupling, IP67, metal, CAT5e, with protective cover,  
color: Nickel-plated**Ethernet****Commercial data**

GTIN (EAN)	 4 046356 332804
Note	Made-to-order
sales group	D510
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 338 (PC-2011)

**Product notes**WEEE/RoHS-compliant since:  
12/06/2007

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****Mechanical characteristics**

Number of positions	2
Color	silver
Ambient temperature (operation)	-40 °C ... 70 °C

**Material data**

Housing material	Zinc die-cast
Material	Metal
Degree of protection	IP67

**Electrical characteristics**

Number of positions	2
---------------------	---

**Certificates / Approvals**




Certification

UL Listed

**Diagrams/Drawings**

Dimensioned drawing



SCRJ push-pull coupling

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;