

Fuse holder - SI-H-FKS 30 - 1727528

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 30 A

Product Features

- Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V
- With snap-in foot for secure pre-assembly on the PCB



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 025700
Weight per Piece (excluding packing)	3.228 g
Custom tariff number	85369085
Country of origin	Mexico

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440490
eCl@ss 8.0	27142107

ETIM

ETIM 3.0	EC002298
----------	----------

Fuse holder - SI-H-FKS 30 - 1727528

Classifications

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC000036

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Approvals

Approvals

Approvals

CSA / UL Recognized / EAC / EAC

Ex Approvals

Approvals submitted

Approval details

CSA

UL Recognized		
	B	C
Nominal current I _N	30 A	30 A
Nominal voltage U _N	32 V	300 V

EAC

Fuse holder - SI-H-FKS 30 - 1727528

Approvals

EAC

Accessories

Accessories

Fuse

Fuse - SI FORM C 2 A - 0913689



Flat-type plug-in fuse, type C, color code: gray, nominal current: 2 A

Fuse - SI FORM C 4 A DIN 72581 - 0913731



Flat-type plug-in fuse, type C, color code: pink, nominal current: 4 A

Fuse - SI FORM C 5 A DIN 72581 - 0913692



Flat-type plug-in fuse, type C, color code: light brown, nominal current: 5 A

Fuse - SI FORM C 7,5 A DIN 72581 - 0913702



Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A

Fuse holder - SI-H-FKS 30 - 1727528

Accessories

Fuse - SI FORM C 10 A DIN 72581 - 0913715



Flat-type plug-in fuse, type C, color code: red, nominal current: 10 A

Fuse - SI FORM C 15 A DIN 72581 - 0913676



Flat-type plug-in fuse, type C, color code: light blue, nominal current: 15 A

Fuse - SI FORM C 20 A DIN 72581 - 0913744



Flat-type plug-in fuse, type C, color code: yellow, nominal current: 20 A

Fuse - SI FORM C 25 A DIN 72581 - 0913757



Flat-type plug-in fuse, type C, color code: white, nominal current: 25 A

Fuse - SI FORM C 30 A DIN 72581 - 0913760




Flat-type plug-in fuse, type C, color code: light green, nominal current: 30 A


Drawings

Fuse holder - SI-H-FKS 30 - 1727528

Dimensional drawing



Drilling diagram



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1727528](#)