




TERMINALS & SPLICES

CRIMP RINGS & SPADES



TE CONNECTIVITY (TE) RING TONGUE I.S.

[Open Barrel Rings & Spades](#) | [Open Barrel Rings & Spades](#)

160344-2
TE Internal Number: 160344-2

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **3.2 mm [.126 in]**

Tongue Thickness **.6 mm [.02 in]**

Sealed **No**

Heavy Duty **No**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**



Product Drawings

[Ringzunge](#)
PDF (TIFF AVAILABLE)
English

[Ringzunge](#)
PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

[Customer View Model](#)
2D_DXF.ZIP
English

[3D PDF](#)
PDF
English

Product Specifications

[Product Specifications](#)

[Customer View Model](#)

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	No
	Barrel Type	Open Barrel
	Wire/Cable Type	Regular Wire
	Insulated	No
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	M3
	Shape Code	RING-001
	Barrel Style	Standard
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Body Features	Plating Material	Brass, Tin
	Inspection Slot	No
	Weight per Piece (g)	.312
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	3.2 mm [.126 in]
	Tongue Thickness	.6 mm [.02 in]
	Wire Insulation Diameter	1.9 – 2.8 mm [.075 – .11 in]
	Wire Size (AWG)	20 – 16
	Wire Size (mm ²)	.5 – 1.5
	Wire Size (CMA)	1022 – 2583
	Material Thickness	.64 mm [.025 in]
	Overall Length	11.7 mm [.46 in]
Operation/Application	Heavy Duty	No

Industry Standards

Government Qualified

No

Packaging Features

Packaging Method

Reel

Packaging Quantity

15000

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

