


VS-PPC-J-4X-1227

Order No.: 1405387

Power H distributor

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1405387>Power H distributor, 4 x MSTB contact inserts, metal housing, without
mounting screws

Commercial data	
GTIN (EAN)	 4 046356 419918
sales group	D563
Pack	1 pcs.
Customs tariff	85444290
Catalog page information	Page 363 (PC-2011)

Product notesWEEE/RoHS-compliant since:
06/16/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Product description

Power H distributor

Technical data

Mechanical characteristics	
Number of positions	5
Number of slots	4

Ambient temperature (operation)	-40 °C ... 70 °C
---------------------------------	------------------

Material data

Housing material	Zinc die-cast
Degree of protection	IP65/67

Electrical characteristics

Rated voltage (III/3)	24 V
Rated current	16 A

Additional products


Item	Designation	Description
------	-------------	-------------

General

1405390	VS-PPC-J-M	Mounting foot for the power H distributors, plastic
---------	------------	-----------------------------------------------------

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;