THIS DRAWING IS A CONTROLLED DOCUMENT.

DWG NO 1906007

USED ON



Left Side

Connector(s): LC-Duplex Secure
Mode: MM
Housing Color: Rose
Geom. Spec: N/A

Fiber Path

A - B
B - A

Right Side

Connector(s): ST
Mode: MM
Housing Color: N/A
Geom. Spec: N/A

Notes:

1. Product and Processing must meet requirements of Tyco Electronics Standard 230-702
2. Includes dust caps (not shown on print).
3. IL tested at 1300nm.
4. Label 2 will not be present on any cable assembly less than 5 meters long.

P	LTR	REVISION RECORD	DATE	DWN	APVD
	A	Rev Per EC# RELEASE	5/15/2007	-	DF

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC # -
1 PLC # -
2 PLC # -
3 PLC # -
4 PLC # -

Restricted To:

DWN: Cable Assy Configurator
CHK: Dave Fennell
APVD: Dave Fennell
MATERIAL: -
HEAT TREAT: -
AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608
NAME: FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST
SCALE: NTS
SIZE: A2
DRAWING NO: C- 1906007
SHEET: 1 of 4
REV: A

LOC CE
DIST 16

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSONS OR TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

CAC Customer Layout Rev: D

Part #	L (meters)	L (feet)	LC-Duplex Secure, Rose IL (dB)	LC-Duplex Secure, Rose RL (dB)	ST IL (dB)	ST RL (dB)
0-1906007-1	0.950 - 1.050	3.11 - 3.44	0.5	-	0.5	-
0-1906007-2	1.950 - 2.050	6.39 - 6.72	0.5	-	0.5	-
0-1906007-3	2.950 - 3.050	9.67 - 10.00	0.5	-	0.5	-
0-1906007-4	3.920 - 4.080	12.86 - 13.38	0.51	-	0.51	-
0-1906007-5	4.920 - 5.080	16.14 - 16.66	0.51	-	0.51	-
0-1906007-6	5.920 - 6.080	19.42 - 19.94	0.51	-	0.51	-
0-1906007-7	6.920 - 7.080	22.70 - 23.22	0.51	-	0.51	-
0-1906007-8	7.920 - 8.080	25.98 - 26.50	0.51	-	0.51	-
0-1906007-9	8.850 - 9.150	29.03 - 30.01	0.51	-	0.51	-
1-1906007-0	9.850 - 10.150	32.31 - 33.30	0.52	-	0.52	-
1-1906007-1	10.850 - 11.150	35.59 - 36.58	0.52	-	0.52	-
1-1906007-2	11.850 - 12.150	38.87 - 39.86	0.52	-	0.52	-
1-1906007-3	12.850 - 13.150	42.15 - 43.14	0.52	-	0.52	-
1-1906007-4	13.850 - 14.150	45.43 - 46.42	0.52	-	0.52	-
1-1906007-5	14.850 - 15.150	48.72 - 49.70	0.52	-	0.52	-
1-1906007-6	15.840 - 16.160	51.96 - 53.01	0.52	-	0.52	-
1-1906007-7	16.830 - 17.170	55.21 - 56.33	0.53	-	0.53	-
1-1906007-8	17.820 - 18.180	58.46 - 59.64	0.53	-	0.53	-
1-1906007-9	18.810 - 19.190	61.71 - 62.95	0.53	-	0.53	-
2-1906007-0	19.800 - 20.200	64.96 - 66.27	0.53	-	0.53	-
2-1906007-1	20.790 - 21.210	68.20 - 69.58	0.53	-	0.53	-
2-1906007-2	21.780 - 22.220	71.45 - 72.90	0.53	-	0.53	-
2-1906007-3	22.770 - 23.230	74.70 - 76.21	0.53	-	0.53	-
2-1906007-4	23.760 - 24.240	77.95 - 79.52	0.54	-	0.54	-
2-1906007-5	24.750 - 25.250	81.20 - 82.84	0.54	-	0.54	-
2-1906007-6	25.740 - 26.260	84.44 - 86.15	0.54	-	0.54	-
2-1906007-7	26.730 - 27.270	87.69 - 89.46	0.54	-	0.54	-
2-1906007-8	27.720 - 28.280	90.94 - 92.78	0.54	-	0.54	-
2-1906007-9	28.710 - 29.290	94.19 - 96.09	0.54	-	0.54	-
3-1906007-0	29.700 - 30.300	97.44 - 99.40	0.55	-	0.55	-
3-1906007-1	30.690 - 31.310	100.68 - 102.72	0.55	-	0.55	-
3-1906007-2	31.680 - 32.320	103.93 - 106.03	0.55	-	0.55	-
3-1906007-3	32.670 - 33.330	107.18 - 109.35	0.55	-	0.55	-
3-1906007-4	33.660 - 34.340	110.43 - 112.66	0.55	-	0.55	-
3-1906007-5	34.650 - 35.350	113.68 - 115.97	0.55	-	0.55	-
3-1906007-6	35.640 - 36.360	116.92 - 119.29	0.55	-	0.55	-
3-1906007-7	36.630 - 37.370	120.17 - 122.60	0.56	-	0.56	-
3-1906007-8	37.620 - 38.380	123.42 - 125.91	0.56	-	0.56	-
3-1906007-9	38.610 - 39.390	126.67 - 129.23	0.56	-	0.56	-
4-1906007-0	39.600 - 40.400	129.92 - 132.54	0.56	-	0.56	-
4-1906007-1	40.590 - 41.410	133.16 - 135.85	0.56	-	0.56	-
4-1906007-2	41.580 - 42.420	136.41 - 139.17	0.56	-	0.56	-

USED ON

Qty	U of M	Description	Item No.
2	piece	Trace Label	13
2	piece	Eyelet/Shrink tube assembly - White	12
AR	meter	2 fiber, 50/125, 2.0mm, Twinzip, Orange, OFNR (Riser)	11
2	piece	PVC Build-up tubing	10
2	piece	2.5mm ferrule cover	9
2	piece	ST Connector, Ceramic, Polymer Nut	8
2	piece	ST Short Boot - 1.6 to 2.0mm, Beige	7
2	piece	Crimp Eyelet	6
0.0139	sheet	Leg Label - "B"	5
0.0139	sheet	Leg Label - "A"	4
2	piece	LC Connector Assy, 1.6mm-2.0mm, MM	3
1	piece	LC Duplex clip, black	2
2	piece	LC, SC, FC Straight Boot, Beige	1

THIS DRAWING IS A CONTROLLED DOCUMENT.
DWG NO

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE OUTSIDE THE TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC CE
DIST 16

CAC Customer Layout Rev: D

P	LTR	REVISION RECORD	DATE	DWN	APVD
	A	Rev Per EC# RELEASE	5/15/2007	-	DF

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Restricted To:

DWN: Cable Assy Configurator
CHK: Dave Fennell
APVD: Dave Fennell
MATERIAL: -
HEAT TREAT: -
AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608
NAME: FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST
SCALE: NTS
SIZE: A2
DRAWING NO: C- 1906007
SHEET: 2 of 4
REV: A

Part #	L (meters)	L (feet)	LC-Duplex Secure, Rose		ST	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
4-1906007-3	42.570 - 43.430	139.66 - 142.48	0.56	-	0.56	-
4-1906007-4	43.560 - 44.440	142.91 - 145.80	0.57	-	0.57	-
4-1906007-5	44.550 - 45.450	146.16 - 149.11	0.57	-	0.57	-
4-1906007-6	45.540 - 46.460	149.40 - 152.42	0.57	-	0.57	-
4-1906007-7	46.530 - 47.470	152.65 - 155.74	0.57	-	0.57	-
4-1906007-8	47.520 - 48.480	155.90 - 159.05	0.57	-	0.57	-
4-1906007-9	48.510 - 49.490	159.15 - 162.36	0.57	-	0.57	-
5-1906007-0	49.500 - 50.500	162.40 - 165.68	0.58	-	0.58	-
5-1906007-1	50.490 - 51.510	165.64 - 168.99	0.58	-	0.58	-
5-1906007-2	51.480 - 52.520	168.89 - 172.30	0.58	-	0.58	-
5-1906007-3	52.470 - 53.530	172.14 - 175.62	0.58	-	0.58	-
5-1906007-4	53.460 - 54.540	175.39 - 178.93	0.58	-	0.58	-
5-1906007-5	54.450 - 55.550	178.64 - 182.25	0.58	-	0.58	-
5-1906007-6	55.440 - 56.560	181.88 - 185.56	0.58	-	0.58	-
5-1906007-7	56.430 - 57.570	185.13 - 188.87	0.59	-	0.59	-
5-1906007-8	57.420 - 58.580	188.38 - 192.19	0.59	-	0.59	-
5-1906007-9	58.410 - 59.590	191.63 - 195.50	0.59	-	0.59	-
6-1906007-0	59.400 - 60.600	194.88 - 198.81	0.59	-	0.59	-
6-1906007-1	60.390 - 61.610	198.12 - 202.13	0.59	-	0.59	-
6-1906007-2	61.380 - 62.620	201.37 - 205.44	0.59	-	0.59	-
6-1906007-3	62.370 - 63.630	204.62 - 208.75	0.59	-	0.59	-
6-1906007-4	63.360 - 64.640	207.87 - 212.07	0.6	-	0.6	-
6-1906007-5	64.350 - 65.650	211.12 - 215.38	0.6	-	0.6	-
6-1906007-6	65.340 - 66.660	214.37 - 218.70	0.6	-	0.6	-
6-1906007-7	66.330 - 67.670	217.61 - 222.01	0.6	-	0.6	-
6-1906007-8	67.320 - 68.680	220.86 - 225.32	0.6	-	0.6	-
6-1906007-9	68.310 - 69.690	224.11 - 228.64	0.6	-	0.6	-
7-1906007-0	69.300 - 70.700	227.36 - 231.95	0.61	-	0.61	-
7-1906007-1	70.290 - 71.710	230.61 - 235.26	0.61	-	0.61	-
7-1906007-2	71.280 - 72.720	233.85 - 238.58	0.61	-	0.61	-
7-1906007-3	72.270 - 73.730	237.10 - 241.89	0.61	-	0.61	-
7-1906007-4	73.260 - 74.740	240.35 - 245.20	0.61	-	0.61	-
7-1906007-5	74.250 - 75.750	243.60 - 248.52	0.61	-	0.61	-
7-1906007-6	75.240 - 76.760	246.85 - 251.83	0.61	-	0.61	-
7-1906007-7	76.230 - 77.770	250.09 - 255.15	0.62	-	0.62	-
7-1906007-8	77.220 - 78.780	253.34 - 258.46	0.62	-	0.62	-
7-1906007-9	78.210 - 79.790	256.59 - 261.77	0.62	-	0.62	-
8-1906007-0	79.200 - 80.800	259.84 - 265.09	0.62	-	0.62	-

USED ON

DWG NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANY OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC CE

DIST 16

CAC Customer Layout Rev: D

P	LTR	REVISION RECORD	DATE	DWN	APVD
	A	Rev Per EC# RELEASE	5/15/2007	-	DF

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Restricted To:

DWN Cable Assy Configurator
CHK Dave Fennell
APVD Dave Fennell
NAME FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST

MATERIAL -
HEAT TREAT -

AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608

SCALE NTS | SIZE A2 | DRAWING NO C- 1906007 | SHEET 3 of 4 | REV A

USED ON

Label 1 Per specification 107-1645-1



This label is used on all lengths on this drawing.

Label 2 Per specification 107-1645-1



This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.
DWG NO

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC	DIST
CE	16

CAC Customer Layout Rev: D

P	LTR	REVISION RECORD	DATE	DWN	APVD
	A	Rev Per EC# RELEASE	5/15/2007	-	DF

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Restricted To:

DWN Cable Assy Configurator		MATERIAL -	HEAT TREAT -
CHK Dave Fennell		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
APVD Dave Fennell			
NAME FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST			
SCALE NTS	SIZE A2	DRAWING NO C- 1906007	SHEET 4 of 4	REV A

8 7 6 5 4 3 2 1

D C B A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity Divested:

6278127-1 556223-8 2-6278900-0 6278884-5 1-1499842-2 314008-1 1985091-2 1987152-1 1-1499843-4 1-1499850-4 1-1906052-1 1-1906052-2 1-1906052-3 1-1906052-4 1-1906052-6 1-1906052-7 1-1906052-8 1-1906052-9 1-1906053-1 1-1906053-2 1-1906053-3 1-1906053-4 1-1906053-7 1-1906053-8 1-1906053-9 1-1906054-3 1-1906054-4 1-1906054-7 1-1906054-8 1-1906054-9 1-219597-0 1-219597-2 1435861-6 1435863-6 1435863-8 1499507-4 1-5492105-1 1-5492105-6 1-5492105-9 1-5492363-5 1-6206619-0 1-6206619-4 1-6206619-5 1-6278027-2 1-6278027-4 1-6278027-6 1-6278028-0 1-6278028-3 1-6278028-4 1-6278028-6 1-6278028-8 1-6278028-9 1-6278031-0 1-6278032-1 1-6278032-3 1-6278032-4 1-6278032-5 1-6278032-6 1-6278032-7 1-6278032-8 1-6278032-9 1-6278033-5 1-6278126-0 1-6278126-5 1-6278127-0 1-6278127-5 1-6278199-0 1-6278298-0 1-6278298-5 1-6278877-5 1-6278878-0 1-6278878-5 1-6278879-0 1-6278879-5 1-6278880-0 1-6278880-5 1-6278895-2 1-6278895-5 1-6278898-2 1-6278898-5 1-6278899-2 1-6278899-5 1-6278900-5 1-6278901-2 1-6278901-5 1-6374645-0 1-6374646-0 1-6374646-5 1-6374647-0 1-6374647-5 1-6435024-7 1-6435025-1 1-6435025-3 1-6588573-2 1-6588719-0 1-6588719-2 1-6588719-7 1-6588719-8 1-6588930-1 1-6693182-2