Safety Data Sheet

DURATOOL

Section 1. Chemical Product and Company Identification

Material Name

Other Designations

: Cellulose : Sponge (wet, sta-soft)

Company/Undertaking Identification: Premier Farnell

150 Armley Road Leeds LS12 2QQ Tel. : +44 (0) 870 129 8608

Telephone number for emergency:

+44 (0) 870 202530

Section 2. Composition Information on Ingredients

Chemical	Chemical Formula	%	CAS#
Cellulose	(C ₆ H ₁₀ O ₅) _n	29%	9004-34-6
Water	H ₂ O	51%	NA
Magnesium Chloride Hexahydrate	MgCl ₂ 6H ₂ O	19%	7786-30-3
Urea	CO(NH ₂) ₂	<1%	57-13-6
Quaternary Ammonium Chloride	C ₆ H ₅ CH ₂ N(CH ₃) ₂ RCI	<1%	8001-54-5

Section 3. Hazards Identification

Summary/Overview of Hazards: A sponge of regenerated cellulose; highly absorbent, soft, and resilient when wet; comes in various colours. The pores vary in size from coarse pore(roughly the size of a pea) to fine pore (roughly the size of a pinhead). This material is combustible.

Potential Routes of Exposure Target Organ	: Ingestion, Inhalation, Skin/Eye Contact : Eyes, Skin, Respiratory system
Symptoms of Overexposure (by route):	
Inhalation	: Irritation of the eyes, skin, and / or mucous membranes
Ingestion	: Choking
Dermal Contact	: Irritation of the eyes, skin, and / or mucous membranes
Acute Effects	: Irritation of the eyes, skin, and / or mucous membranes
Chronic Effects	: NA
Medical conditions aggravated by	
long-term exposure	: NA Flammability
Degree of Hazard (NFPA System)	\wedge
4 - Extreme	
3 - High	
2 - Moderate	Health o Reactivity
1 - Slight	
0 - Insignificant	None None
	Special Hazard

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com



Safety Data Sheet



Section 4. First Aid Measures

Eye Exposure	: Irrigate immediately
Skin Exposure	: Wash with soap and water
Ingestion	: Treat for choking
Inhalation	: Remove to fresh air

Section 5. Fire Fighting Measures

Extinguishing Media	: Water
Unusual Fire or Explosion Hazards	: None
Recommended Fire-Fighting Procedures	: Clear fire area of unprotected personnel. Do not enter confirmed fire space without full bunker gear (helmet with face shield, bunker coats, gloves and rubber boots) including a positive pressure NIOSH approved self-contained breathing apparatus. Utilize water as fire extinguishing medium.

Section 6. Accidental Release Measures

Recommended Spill/Leak Response Procedures:

Large Spills	: Remove potential sources of combustion. Collect and containerize spilled material, and dispose of in accordance with applicable regulations.
Small Spills	: Remove potential sources of combustion. Collect and containerize spilled material, and dispose of in accordance with applicable regulations.

Section 7. Handling and Storage

Storage Requirements	: Store away from hent and other possible ignition sources, including incompatible materials. (See also Section 10.)
Recommended Handling Precautions	: NA

Section 8. Exposure controls / Personal Protection

Applicable Exposure Limits:

Recommended Hygiene Practices

Substance	OSHA PEL	OSHA STEL	OSHA Ceiling	IDLH
Cellulose	15mg/m ³ (total dust) 5mg/m ³ (respirable dust)	NA	NA	NA
Recommende	d Engineering Controls	: NA		
Recommended Administrative Controls		: NA		
Recommended Personal Protective				

:NA

: Wash hands and / or contacted skin with soap and water after handling.

Equipment (PPE)





Section 9. Physical and Chemical Properties*

Appearance	Porous sponge	Melting Point	500 ~ 518°F	Autoignition Temperature	450°F
Odor	None	Water Solubility	Insoluble	Lower Explosive Limit (LEL)	NA
Odor Threshold	NA	Molecular Weight	160,000 ~ 60,000	Upper Explosive Limit (UEL)	NA
Vapor Pressure	NA	Specific Gravity	1.27 ~ 1.61	Vapor Density (air = 1)	NA
Boiling Point	Decomposes	Flash Point	NA		

*Properties listed are for cellulose.

Section 10. Stability and Reactivity

Polymerization : Will not occur
Chemical Incompatibilities : May react with strong oxidises, bromine pentafluoride, sodium nitrate or fluorine.
Conditions to Avoid : Heat, Sparks, Open flame, contact with incompatible materials.
Hazardous Products of Decomposition : Carbon monoxide may be formed during combustion

Section 11. Toxicological Information

LD ₅₀	: No data
LC50	: No data
LDlo	: No data
Carcinogenicity	: Not identified as a carcinogen
Mutagenicity	: Not indicated
Reproductive Effects	: Not indicated

Section 12. Ecological Information

Environmental Mobility	: No Data
Freshwater Acute Criteria	: Not Found
Freshwater Chronica Criteria	: Not Found
Bioconcentration Factor (BCF)	: Not Found

Section 13. Disposal Considerations

EPA Wast Codes	: NA
Recommended Disposal	
Methods/Technology	: Dispose by land filling.

Section 14. Transport Information

DOT Shipping Name	: NA
DOT Hazard Class	: NA
I.D.#	: NA
DOT Packing Group	: NA
DOT Label	: NA

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com





Section 15. Regulatory Information

EPA Designations	:-
Hazardous Waste (RCRA)	: NA
Hazardous Substance (CERCLA)	: No
Reportable Quantity (RQ)	: NA
Extremely Hazardous Substance	
SARA-302)	: Not
Threshold Planning Quantity (TPQ)	: NA
Toxic Chemical (SARA-313)	: No
Hazardous Air Pollutant (CAA)	: No

Section 16. Other Information

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com

