


VS-TO-0W-6-F-9010

Order No.: 1653029

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1653029>

Terminal outlet, surface mounting, IP20, six slots for contact inserts with the Freenet system

Commercial data

GTIN (EAN)	 4 017918 969981
Note	Made-to-order
sales group	D551
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 338 (PC-2011)

Product notesWEEE/RoHS-compliant since:
01/01/2005

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Mechanical characteristics**

Number of slots	6
Color	Pure white RAL 9010
Ambient temperature (operation)	5 °C ... 55 °C

Material data

Inflammability class acc. to UL 94	V0
Housing material	PC+ABS
Degree of protection	IP20

Certificates / Approvals



Certification

CUL Listed, UL Listed

Accessories

Item	Designation	Description
Female insert		
1652936	VS-08-BU-RJ45-5-F/PK	RJ45 socket insert, for the Freenet system, CAT5e, 8-pos., shielded, with cable connection (IDC fast connection), for solid wires AWG 24 ... 22
1652949	VS-08-BU-RJ45-6-F/PK	RJ45 socket insert, for the Freenet system, CAT6, 8-pos., shielded, with cable connection (IDC fast connection), for litz and solid wires AWG 24 ... 22
1654358	VS-SCRJ-GOF-KU	SCRJ coupling insert, duplex, for VS-PP-19-1HE-16-F patch panel and VS-TO...F...terminal outlets and VS-SI-FP-2F front plate, can be used for glass multi-mode, HCS and polymer fiber types

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;