


VS-08-SET3

Order No.: 1652648

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1652648>

RJ45 sleeve housing, IP67, with push-pull interlocking for panel mounting frames, for cable cross section 5.0 mm ... 6.5 mm, with pin insert VS-08-ST-RJ45, CAT5e, for litz wires AWG 26 and solid wires AWG 26 ... 24

Ethernet**Commercial data**

GTIN (EAN)	 4 046356 028707
Note	Made-to-order
sales group	D512
Pack	1 pcs.
Customs tariff	85369010

Product notes


WEEE/RoHS-compliant since:
01/01/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Diagrams/Drawings

Dimensioned drawing



RJ45 plug connectors, IP67, QUICKON fast connection technology

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;