



Form Type	Distribute	Version	2.0	Ref	IPC 1752A	Sectionals	Material Info	Subsectionals	D, A
Supplier Information									
Company Name	TE Connectivity	Request Document ID		Contact Name	Benfer David W	Contact Title	Product Compliance Engineer for DND		
Company Unique ID	TE Connectivity	Response Date	2018-04-13	Contact Email	dave.benfer@te.com				
Contact Phone Number	717-986-3725								
Legal Statement									
Supplier Acceptance	true								
Legal Statement									
The information provided in this document is based upon reasonable inquiry of our suppliers. This information is subject to change. This information does not in any way modify existing purchase specifications or existing contractual or other agreements terms between TE Connectivity (or its affiliated companies) and its customers.									
Product									
Manufacturer Item number	1888250-5	Amount	8216.63014257	Version	-	Identity			
Manufacturer Item Name	Low Profile,RJ45,1x1, GRN/YEL	Weight Uom	mg	Mfr Site		Authority			
Date		UOM	Each						
EUroHS-0508	Product(s) meets EU RoHS requirement without any exemptions								
ChinaRoHS-0508	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products								
EUREACH-0117	REACH Candidate Substances of Very High Concern ARE NOT Yet Reviewed								
Complex Article Description	REACH Candidate Substances of Very High Concern according to Once an Article Always an Article are Not Yet Reviewed								
Product Disclosure									
Sub-Item/Material/Substance	Level	Name	Substance Category	Substance CAS	Substance Concentration	Quantity	Mass per Unit	UOM	Exemption
Sub-Item	1	Assy,Module, with LED Contact				1.0	3712.157	mg	
Material	2	Phos Bronze				1.0	2238.1	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	1.0	2.2381	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	1.0	0.22381	mg	
Substance	3	Zinc	Supplier	7440-66-6	0.2	1.0	4.4762	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.0050	1.0	0.11191	mg	
Substance	3	Copper	Supplier	7440-50-8	90.0485	1.0	2015.37548	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.02	1.0	0.44762	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.35	1.0	7.83335	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	1.0	0.022381	mg	
Substance	3	Iron	Supplier	7439-89-6	0.1	1.0	2.2381	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.01	1.0	0.22381	mg	
Substance	3	Tin	Supplier	7440-31-5	9.0	1.0	201.429	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.1	1.0	2.2381	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	0.0111905	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.11191	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	1.11905	mg	
Material	2	Nickel Plate				1.0	15.003	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.1	1.0	0.015003	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.2	1.0	0.030006	mg	
Substance	3	Nickel	Nickel	7440-02-0	99.7	1.0	14.95799	mg	
Material	2	Gold Plate				1.0	1.32	mg	
Substance	3	Gold	Supplier	7440-57-5	99.7	1.0	1.31604	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.3	1.0	0.00396	mg	
Material	2	LCP-GF30				1.0	1084.0	mg	

Substance	3	Ethene, homopolymer	Supplier	9002-88-4	0.2	1.0	2.168	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	32.52	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	21.68	mg	
Substance	3	2,6-Naphthalenedi carboxylic acid, polymer with 1,4-benzenedicarb oxylic acid, 1,4-benzenediol, [1,1-biphenyl]-4,4-diol and 4-hydroxybenzoi c acid	Supplier	126710-21-2	65.8	1.0	713.272	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	29.0	1.0	314.36	mg	
Material	2	PBT-I-GF30-FR(17)				1.0	297.0	mg	
Substance	3	Dolomite (CaMg(CO3)2)	Supplier	16389-88-1	0.5	1.0	1.485	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	35.0	1.0	103.95	mg	
Substance	3	Benzenepropa noic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 1,1-[2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]me thyl]-1,3-propanediyl] ester	Supplier	6683-19-8	0.2	1.0	0.594	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	0.2	1.0	0.594	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	8.91	mg	
Substance	3	Talc (Mg3H2(SiO3)4)	Supplier	14807-96-6	2.0	1.0	5.94	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	1.0	1.0	2.97	mg	
Substance	3	Chlorite-group minerals	Supplier	1318-59-8	0.5	1.0	1.485	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	2.97	mg	
Substance	3	1,4-Benzenedicarb oxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	36.6	1.0	108.702	mg	
Substance	3	Phosphoric acid, zinc salt (2:3)	Supplier	7779-90-0	0.5	1.0	1.485	mg	
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	Supplier	1043-4-FR17	18.0	1.0	53.46	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	0.5	1.0	1.485	mg	
Substance	3	2-Propenenitrile, polymer with ethenylbenzene	Supplier	9003-54-7	1.0	1.0	2.97	mg	
Material	2	Tin Plate				1.0	3.134	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.2	1.0	0.006268	mg	
Substance	3	Tin	Supplier	7440-31-5	99.73	1.0	3.12554	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.07	1.0	0.0021938	mg	
Material	2	Copper Alloy				1.0	73.6	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.0368	mg	
Substance	3	Zinc	Supplier	7440-66-6	1.0	1.0	0.736	mg	
Substance	3	Silicon	Supplier	7440-21-3	1.2	1.0	0.8832	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	1.0	0.0736	mg	

Substance	3	Copper	Supplier	7440-50-8	92.7685	1.0	68.27762	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.06	1.0	0.04416	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	1.0	7.36E-4	mg	
Substance	3	Magnesium	Supplier	7439-95-4	0.3	1.0	0.2208	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.1	1.0	0.0736	mg	
Substance	3	Iron	Supplier	7439-89-6	0.2	1.0	0.1472	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.0050	1.0	0.00368	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	1.0	0.00736	mg	
Substance	3	Nickel	Nickel	7440-02-0	4.2	1.0	3.0912	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.00368	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	3.68E-4	mg	
Sub-Item	1	Shield 1x1, with LED's				1.0	2316.37314257	mg	
Material	2	Nickel Plate				1.0	18.37314257	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.1	1.0	0.01837314	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.2	1.0	0.03674629	mg	
Substance	3	Nickel	Nickel	7440-02-0	99.7	1.0	18.31802	mg	
Material	2	Brass				1.0	2298.0	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	1.0	2.298	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	1.149	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.0010	1.0	0.02298	mg	
Substance	3	Zinc	Supplier	7440-66-6	31.5225	1.0	724.38705	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	1.0	0.02298	mg	
Substance	3	Copper	Supplier	7440-50-8	68.0	1.0	1562.64	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	1.0	0.2298	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	1.149	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.01	1.0	0.2298	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	0.01149	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.1149	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	4.596	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	1.149	mg	
Sub-Item	1	Insulator, 1x1				1.0	97.0	mg	
Material	2	FACE STOCK				1.0	52.38	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	0.03	1.0	0.015714	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxy carbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	99.97	1.0	52.36429	mg	
Material	2	RELEASE PAPER				1.0	36.86	mg	
Substance	3	Pulp, cellulose	Supplier	65996-61-4	100.0	1.0	36.86	mg	
Material	2	ADHESIVE				1.0	7.76	mg	
Substance	3	2-Propenoic acid, homopolymer, sodium salt	Supplier	9003-04-7	100.0	1.0	7.76	mg	
Sub-Item	1	LED, Right Side, YEL				1.0	160.0	mg	
Material	2	Chip				1.0	0.05	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	47.0	1.0	0.0235	mg	
Substance	3	Gallium	Supplier	7440-55-3	50.0	1.0	0.025	mg	
Substance	3	Arsenic	Supplier	7440-38-2	3.0	1.0	0.0015	mg	
Material	2	Au wire				1.0	0.012	mg	
Substance	3	Gold	Supplier	7440-57-5	100.0	1.0	0.012	mg	
Material	2	Epoxy resin				1.0	27.3	mg	
Substance	3	Phenol, 4,4-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane	Supplier	25068-38-6	100.0	1.0	27.3	mg	
Material	2	Leadframe				1.0	132.608	mg	
Substance	3	Silver	Supplier	7440-22-4	0.54	1.0	0.71608	mg	
Substance	3	Copper	Supplier	7440-50-8	0.46	1.0	0.61	mg	
Substance	3	Iron	Supplier	7439-89-6	95.2	1.0	126.24282	mg	
Substance	3	Tin	Supplier	7440-31-5	3.0	1.0	3.97824	mg	

Substance	3	Nickel	Nickel	7440-02-0	0.8	1.0	1.06086	mg	
Material	2	Ag paste				1.0	0.03	mg	
Substance	3	Silver	Supplier	7440-22-4	67.0	1.0	0.0201	mg	
Substance	3	Phenol, 4,4-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane	Supplier	25068-38-6	33.0	1.0	0.0099	mg	
Sub-Item	1	Housing 1x1				1.0	1770.0	mg	
Material	2	PBT-I-GF30-FR(17)				1.0	1770.0	mg	
Substance	3	Dolomite (CaMg(CO3)2)	Supplier	16389-88-1	0.5	1.0	8.85	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	35.0	1.0	619.5	mg	
Substance	3	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 1,1-[2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl] ester	Supplier	6683-19-8	0.2	1.0	3.54	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	0.2	1.0	3.54	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	53.1	mg	
Substance	3	Talc (Mg3H2(SiO3)4)	Supplier	14807-96-6	2.0	1.0	35.4	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	1.0	1.0	17.7	mg	
Substance	3	Chlorite-group minerals	Supplier	1318-59-8	0.5	1.0	8.85	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	17.7	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	36.6	1.0	647.82	mg	
Substance	3	Phosphoric acid, zinc salt (2:3)	Supplier	7779-90-0	0.5	1.0	8.85	mg	
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	Supplier	1043-4-FR17	18.0	1.0	318.6	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	0.5	1.0	8.85	mg	
Substance	3	2-Propenenitrile, polymer with ethenylbenzene	Supplier	9003-54-7	1.0	1.0	17.7	mg	
Sub-Item	1	led, left side, gm				1.0	161.1	mg	
Material	2	Resin				1.0	36.0	mg	
Substance	3	Phenol, 4,4-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane	Supplier	25068-38-6	100.0	1.0	36.0	mg	
Material	2	Chip				1.0	0.05	mg	
Substance	3	Gallium	Supplier	7440-55-3	50.0	1.0	0.025	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	50.0	1.0	0.025	mg	
Material	2	Bonding Wire				1.0	0.012	mg	
Substance	3	Gold	Supplier	7440-57-5	73.0	1.0	0.00876	mg	
Substance	3	Silver	Supplier	7440-22-4	27.0	1.0	0.00324	mg	
Material	2	AG Paste				1.0	0.03	mg	
Substance	3	Phenol, 4,4-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane	Supplier	25068-38-6	25.0	1.0	0.0075	mg	
Substance	3	Silver	Supplier	7440-22-4	75.0	1.0	0.0225	mg	

Material	2	Leadframe				1.0	125.008	mg	
Substance	3	Nickel	Nickel	7440-02-0	1.0	1.0	1.25008	mg	
Substance	3	Tin	Supplier	7440-31-5	3.0	1.0	3.75024	mg	
Substance	3	Copper	Supplier	7440-50-8	0.5	1.0	0.62504	mg	
Substance	3	Silver	Supplier	7440-22-4	0.5	1.0	0.62504	mg	
Substance	3	Iron	Supplier	7439-89-6	95.0	1.0	118.7576	mg	