



 CONNECTORS

RJ22 CONNECTORS



✓ Active

 **PRODUCT DRAWING**
English

 **3D PDF**

TE CONNECTIVITY (TE)

4/4 PCB MOD.JACK SE SE

1-215875-3

TE Internal Number: 1-215875-3

Always EU RoHS/ELV Compliant

Port Configuration **Single**

Jack Configuration **1 x 1**

Connector Style **Jack**

Inverted Jack Face **No**

Profile **Low**



Product Drawings

MODULAR JACK SIDE ENTRY 4/4 FOR PRINTED CIRCUIT BOARD

PDF
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
3D

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Product Type Features	Connector Style	Jack
	Profile	Low
	PCB Mounting Orientation	Side Entry (Right Angle)
	Shielded	No
	Panel Stops	Without
	Product Type	Connector
Configuration Features	Port Configuration	Single
	Jack Configuration	1 x 1
	Keyed	No
Body Features	Inverted Jack Face	No
	Color	Black
Contact Features	Contact Mating Area Plating Thickness (µin)	50
	Solder Tail Contact Plating Material	Tin over Nickel
	Contact Base Material	Phosphor Bronze
	Number of Contacts Loaded	4
	Contact Mating Area Plating Material	Gold
Mechanical Attachment	PCB Mounting Style	Through Hole
	Panel Mount Retention	Without
	Flanged	No
Housing Features	Housing Material	PBT GF
Dimensions	PCB Thickness (Recommended)	1.6 mm [.062 in]
	Height	11.5 mm [.453 in]
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Quantity	1740
	Packaging Method	Loose Piece, Tray, Tray/Box
Product Compliance	Statement of Compliance	
	VIEW ALL PRODUCT COMPLIANCE	

