

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com



PushPull plug-in connector set according to IEC
61076-3-106 ver.4 (IEC24702), plastic with RJ45 insert

General ordering data

Type	IE-PS-V04P-RJ45-TH
Order No.	1963180000
Version	RJ45 crimp plug, Version 4, Cat.6 _A / Class E _A (ISO/IEC 11801 2010)
GTIN (EAN)	4032248653973
Qty.	10 pc(s).

Industrial Ethernet IE-PS-V04P-RJ45-TH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Technical data

Dimensions and weights

Net weight 27.9 g

Temperatures

Operating temperature -40 °C...70 °C Storage temperature
Installation temperature

General data

Connection 1	RJ45	Connection 2	Crimp
Description of article	Version 4	Housing main material	PA UL 94 V0
Insulation cross-section, min.	0.85 mm	Insulation cross-section, max.	1.05 mm
Category	Cat.6A / Class EA (ISO/IEC 11801 2010)	Contact surface	Gold over nickel
Connection diameter, solid	0.36...0.51 mm	Conductor connection cross-section, solid (AWG)	AWG 24...AWG 22
Connection diameter, flexible	0.46...0.61 mm	Conductor connection cross-section, flexible (AWG)	AWG 27...AWG 24
MICE classification M	M ₃	MICE classification I	I ₃
MICE classification C	C ₁	MICE classification E	E ₃
Sheath diameter, min.	5 mm	Sheath diameter, max.	10 mm
Shielding	360° all-round enclosure	Protection degree	IP67
Plugging cycles	750		

Standards

Connector standard IEC 61076-3-106 Var. 4, IEC 60603-7-5 1 Certificate no. (cULus) E316369

Downloads

Attestation of conformity ISO/IEC EN & TIA/EIA Screened Class EA Category 6A, 4 connector channel z1755b-07-E.pdf GOST Approval POCC DE.ME25.B01411.pdf
UL Approval DUXR.E316369.pdf

Classifications

ETIM 3.0	EC001121	ETIM 4.0	EC002641
ETIM 5.0	EC002641	ETIM 6.0	EC001121
UNSPSC	30-21-18-10	eClass 5.1	27-26-07-08
eClass 6.2	27-26-07-08	eClass 7.1	27-25-05-04
eClass 8.1	19-17-01-25	eClass 9.0	19-17-01-25
eClass 9.1	27-44-09-90		

Product information

Descriptive text accessories Plug inserts can also be ordered separately. Refer to Inserts.

Data sheet

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Technical data

Approvals

Approvals




ROHS

Conform

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Drawings**Dimensioned drawing**

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Mating connector (fully pluggable)

Sets - RJ45

PushPull plug-in connector set according to IEC
61076-3-106 ver.4 (IEC24702), plastic with RJ45 insert



General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
IE-BS-V04P- RJ45-FJ-A	1963500000	Flange RJ45, IP67, Version 4, without tools, EIA/TIA 586 A, Cat.6 _A / Class E _A (ISO/IEC 11801 2010)	4032248645596	10 pc(s).
IE-BS-V04P- RJ45-FJ-B	1963730000	Flange RJ45, IP67, Variant 4, no tools, PROFINET, Cat.6 _A / Class E _A (ISO/IEC 11801 2010)	4032248646050	10 pc(s).
IE-BS-V04P- RJ45-C	1963490000	Flange RJ45, IP67, Version 4, coupling, Cat.6 _A / Class E _A (ISO/IEC 11801 2010)	4032248645589	10 pc(s).

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories
dust caps


For protecting your devices against dust and dirt.

Dust caps
General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
IE-PP-V04P	1963890000	Plug housing protective cap	4032248646319	10 pc(s).

Colour coding rings


for identifying your plugs in variants 01 and 04
 Features:
 • 6 different colours

General ordering data

Delivery status	Available until	Type	Order No.	Version	GTIN (EAN)	Qty.
Discontinued	2013-10-31T00:00:00+01:00	IE-CR-IP67-WS20-WH	1962990000	Industrial Ethernet, Colour coding, White, color coding ring, white	4032248645176	10 pc(s).
Discontinued	2013-10-31T00:00:00+01:00	IE-CR-IP67-WS20-BU	1963020000	Industrial Ethernet, Colour coding, Blue, color coding ring, blue	4032248645206	10 pc(s).
Discontinued	2013-12-31T00:00:00+01:00	IE-CR-IP67-WS20-YE	1963030000	Industrial Ethernet, Colour coding, Yellow, color coding ring, yellow	4032248645213	10 pc(s).
Discontinued	2013-12-31T00:00:00+01:00	IE-CR-IP67-WS20-GN	1963040000	Industrial Ethernet, Colour coding, Green, color coding ring, green	4032248645220	10 pc(s).
Discontinued	2013-10-31T00:00:00+01:00	IE-CR-IP67-WS20-OG	1963010000	Industrial Ethernet, Colour coding, Orange,	4032248645190	10 pc(s).

Data sheet

**Industrial Ethernet
IE-PS-V04P-RJ45-TH**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

Discontinued	2013-11-30T00:00:00+01:00	IE-CR-IP67-WS20-GY	1963000000	Industrial Ethernet, Colour coding, Grey, color coding ring, grey	4032248645183	10 pc(s).
--------------	---------------------------	--------------------	----------------------------	---	---------------	-----------

Multicard



for labelling your cables

Features:

- for use in the laser printer
- made from polyester
- abrasion-resistant
- as accessory: pen and printing software

General ordering data

Type	Order No.	Version	GTIN (EAN)
ESG 9/11 K MC NE WS	1857440000	ESG, Device markers x 9 mm, PA 66, Colour: White, Self-adhesive	4032248402731