

Cabtite
CABTITE KVT 25**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com



Cabtite enables you to feed pre-assembled lines through the electrical cabinet wall while maintaining IP54-level protection. As the cable does not have to be split, the manufacturer's guarantee is not invalidated.

General ordering data

Type	CABTITE KVT 25
Order No.	1826660000
Version	Cable gland, detachable, Cabtite, Plastic, Light Grey, Height: 20.5 mm, Width: 40 mm, Depth: 37 mm, -5 °C - 70 °C
GTIN (EAN)	4032248329489
Qty.	10 pc(s).

Cabtite CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	40 mm	Width (inches)	1.575 inch
Height	20.5 mm	Height (inches)	0.807 inch
Depth	37 mm	Depth (inches)	1.457 inch
Net weight	16.15 g		

General information

AF size 1	32 mm	External thread	M 25
Inner cable diameter, max.	15.5 mm	Length of thread	14 mm
Material	Plastic	Note: protection class	IP54 with the correct choice of cable grommet
Operating temperature range, max.	70 °C	Operating temperature range, min.	-5 °C
Pitch of thread	1.5 mm	Protection degree	IP54

Classifications

ETIM 3.0	EC000441	ETIM 4.0	EC000441
ETIM 5.0	EC000441	ETIM 6.0	EC000441
UNSPSC	30-21-18-01	eClass 5.1	27-14-92-01
eClass 6.2	27-14-92-01	eClass 7.1	27-14-92-01
eClass 8.1	27-14-92-01	eClass 9.0	27-14-44-38
eClass 9.1	27-14-44-32		

Product information

Descriptive text ordering data	The splittable cable glands are supplied without locknut; this has to be ordered separately.
--------------------------------	--

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	1826660000_XXXXX_KVT_25_Cabtite_STP.stp

Cabtite

CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

small grommets



Cabtite enables you to feed pre-assembled lines through the electrical cabinet wall while maintaining IP54-level protection. As the cable does not have to be split, the manufacturer's guarantee is not invalidated.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
CABTITE KT 14	1826570000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 14.00 - 15.00 mm, -20 °C - 80 °C	4032248329397	10 pc(s).
CABTITE KT 13	1826560000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 13.00 - 14.00 mm, -20 °C - 80 °C	4032248329380	10 pc(s).
CABTITE KT 15 b	1827920000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 15.00 - 16.00 mm, -20 °C - 80 °C	4032248333431	10 pc(s).
CABTITE KT ASI	1826610000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 0.00 - 0.00 mm, -20 °C - 80 °C	4032248329434	10 pc(s).
CABTITE KT 2/6 b	1828150000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 6.00 - 6.00 mm, -20 °C - 80 °C	4032248333660	10 pc(s).
CABTITE KT BTK b	1828200000	Blanking plug/adaptor grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, -20 °C - 80 °C	4032248333714	10 pc(s).
CABTITE KT 2/5	1826630000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm	4032248329458	10 pc(s).

Cabtite

CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

		mm, 5.00 - 5.00 mm, -20 °C - 80 °C	
CABTITE KT 2/4	1826620000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 4.00 - 4.00 mm, -20 °C - 80 °C	4032248329441 10 pc(s).
CABTITE KT 15	1826580000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 15.00 - 16.00 mm, -20 °C - 80 °C	4032248329403 10 pc(s).
CABTITE KT 9 b	1827860000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 9.00 - 10.00 mm, -20 °C - 80 °C	4032248333172 10 pc(s).
CABTITE KT 7	1826500000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 7.00 - 8.00 mm, -20 °C - 80 °C	4032248329328 10 pc(s).
CABTITE KT 12 b	1827890000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 14.00 - 13.00 mm, -20 °C - 80 °C	4032248333202 10 pc(s).
CABTITE KT 4/5 b	1828160000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 5.00 - 5.00 mm, -20 °C - 80 °C	4032248333677 10 pc(s).
CABTITE KT 10 b	1827870000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 11.00 - 12.00 mm, -20 °C - 80 °C	4032248333189 10 pc(s).
CABTITE KT 10	1826530000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 10.00 - 11.00 mm, -20 °C - 80 °C	4032248329359 10 pc(s).
CABTITE KT 12	1826550000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm	4032248329373 10 pc(s).

Cabtite

CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

	mm, 12.00 - 13.00 mm, -20 °C - 80 °C	
CABTITE KT 3 1826460000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 3.00 - 4.00 mm, -20 °C - 80 °C	4032248329281 10 pc(s).
CABTITE KT 5 1827810000 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 5.00 - 6.00 mm, -20 °C - 80 °C	4032248333332 10 pc(s).
CABTITE KT 1826640000 2/6	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 6.00 - 6.00 mm, -20 °C - 80 °C	4032248329465 10 pc(s).
CABTITE KT 6 1827830000 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 6.00 - 7.00 mm, -20 °C - 80 °C	4032248333141 10 pc(s).
CABTITE KT 1827910000 14 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 14.00 - 15.00 mm, -20 °C - 80 °C	4032248333424 10 pc(s).
CABTITE KT 1828130000 2/4 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 4.00 - 4.00 mm, -20 °C - 80 °C	4032248333646 10 pc(s).
CABTITE KT 8 1826510000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 8.00 - 9.00 mm, -20 °C - 80 °C	4032248329335 10 pc(s).
CABTITE KT 7 1827840000 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 7.00 - 8.00 mm, -20 °C - 80 °C	4032248333158 10 pc(s).
CABTITE KT 1827900000 13 b	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19	4032248333417 10 pc(s).

Cabtite

CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

	mm, 13.00 - 14.00 mm, -20 °C - 80 °C	
CABTITE KT 9 1826520000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 9.00 - 10.00 mm, -20 °C - 80 °C	4032248329342 10 pc(s).
CABTITE KT 11 1826540000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 11.00 - 12.00 mm, -20 °C - 80 °C	4032248329366 10 pc(s).
CABTITE KT BTK 1828170000	*UNDEFINED TEXT*, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 0.00 - 0.00 mm, -20 °C - 80 °C	4032248333684 10 pc(s).
CABTITE KT 4 1826470000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 4.00 - 5.00 mm, -20 °C - 80 °C	4032248329298 10 pc(s).
CABTITE KT 2/5 b 1828140000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 5.00 - 5.00 mm, -20 °C - 80 °C	4032248333653 10 pc(s).
CABTITE KT 11 b 1827880000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 11.00 - 12.00 mm, -20 °C - 80 °C	4032248333196 10 pc(s).
CABTITE KT ASI b 1828120000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, -20 °C - 80 °C	4032248333639 10 pc(s).
CABTITE KT 8 b 1827850000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 8.00 - 9.00 mm, -20 °C - 80 °C	4032248333165 10 pc(s).
CABTITE KT 5 1826480000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 5.00 - 6.00 mm, -20 °C - 80 °C	4032248329304 10 pc(s).

Cabtite
CABTITE KVT 25

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmuller.com

Accessories

CABTITE KT 4/5 1826650000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 5.00 - 5.00 mm, -20 °C - 80 °C	4032248329472 10 pc(s).
CABTITE KT 3 b 1827790000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 3.00 - 4.00 mm, -20 °C - 80 °C	4032248333318 10 pc(s).
CABTITE KT 4 b 1827800000	Cable grommet, small design, Cabtite, Plastic, Black, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 4.00 - 5.00 mm, -20 °C - 80 °C	4032248333325 10 pc(s).
CABTITE KT 6 1826490000	Cable grommet, small design, Cabtite, Plastic, Light Grey, Height: 20 mm, Width: 20 mm, Depth: 19 mm, 6.00 - 7.00 mm, -20 °C - 80 °C	4032248329311 10 pc(s).