


REVISONS		DATE	BY	APPV
AD	39	08APR2014	NK	MM
A		REVISED PER ECO-14-000071		

- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
- TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- HOUSING: FLAME RETARDANT THERMOPLASTIC; COLOR: BLACK. CONTACT: COPPER ALLOY
- FINISH: 0.000381 [.000015] GOLD ON CONTACT AREA, ALL OVER 0.00127 [.000050] NICKEL ENTIRE POST.



RECOMMENDED HOLE LAYOUT

LOC	DIST	REV	DESCRIPTION	DATE	BY	APPV
AD	39	A	REVISED PER ECO-14-000071	08APR2014	NK	MM

NO. OF POSITIONS	PART NUMBER			
39	4-146467-0			
38	3-146467-9			
37	3-146467-8			
36	3-146467-7			
35	3-146467-6			
34	3-146467-5			
33	3-146467-4			
32	3-146467-3			
31	3-146467-2			
30	3-146467-1			
29	3-146467-0			
28	2-146467-9			
27	2-146467-8			
26	2-146467-7			
25	2-146467-6			
24	2-146467-5			
23	2-146467-4			
22	2-146467-3			
21	2-146467-2			
20	2-146467-1			
19	2-146467-0			
18	1-146467-9			
17	1-146467-8			
16	1-146467-7			
15	1-146467-6			
14	1-146467-5			
13	1-146467-4			
12	1-146467-3			
11	1-146467-2			
10	1-146467-1			
9	1-146467-0			
8	146467-9			
7	146467-8			
6	146467-7			
5	146467-6			
4	146467-5			
3	146467-4			
2	146467-3			
1	146467-2			
-	146467-1			
G	F	E	NO. OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DATE: 1/18/96
 CHK: T. HOFFMAN
 APPV: G. DUBNICZKI
 NAME: G. DUBNICZKI

TE Connectivity

HEADER ASSEMBLY, MOD II, STACKING, SINGLE ROW, .025 SQ.POST, UNSHROUDED

SIZE: A1
 WEIGHT: 100779
 SCALE: 4:1
 SHEET: 1 OF 1
 REV: A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-146467-7](#)