

Voltage tester - PROFIPOL - 1209101

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Voltage tester, for DC and AC voltages of 6 V to 400 V, IP65

Product Features

- Shock-proof, dust-proof, and splash-proof housing, IP65
- DC and AC voltage tests in the range from 6 V to 400 V
- Polarity test (+/-) for DC voltage
- LED indicator



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	197.5 g
Custom tariff number	90303310
Country of origin	Ireland

Technical data

Ambient conditions

Ambient temperature (operation)	-10 °C ... 55 °C
Degree of protection	IP65

General

Color	black
Voltage supply	2 x micro battery 1.5 V, LR03, AAA
Test certificate	EN/IEC 61243-3 (VDE 0682 Part 401)
Display scope	12 V, 24 V, 50 V, 120 V, 230 V, 400 V AC/DC diode display LED
Phase display	LED
Polarity display	LED (symbol "+/-")
Innenwiderstand_Messkreis	130.00 kΩ

Voltage tester - PROFIPOL - 1209101

Technical data

General

Minimum voltage	6 V DC
Max. voltage	400 V DC
Minimum voltage	6 V AC
Max. voltage	400 V AC

Classifications

eCl@ss

eCl@ss 4.0	27200312
eCl@ss 4.1	27200301
eCl@ss 5.0	27200301
eCl@ss 5.1	27200301
eCl@ss 6.0	27200301
eCl@ss 7.0	27200301
eCl@ss 8.0	27200308

ETIM

ETIM 2.0	EC000149
ETIM 3.0	EC000149
ETIM 4.0	EC000494
ETIM 5.0	EC000494

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Voltage tester - PROFIPOL - 1209101

Approvals

Approvals submitted

Approval details

EAC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1209101](#)