# Item # 1-4635 Right-hand, top-coming, standard reset knob



# Right-hand, top-coming, standard reset knob

These 5 figure stroke counters are especially designed for limited space and high count life applications. The advanced drive system translates into exceptionally high operating speeds, extended operating life, for fast and accurate readings. Ideal for copiers, printing presses, cut-off machines, and piece-part counting applications. Also available with a thumb lever for use as a tally counter.

## **Specifications**


Model No.	46		
Display	5 Figures, white on black, 0.19 inch (5mm) high		
Display Height	0.19 Inch		
Display Height	5 mm		
No. of Digits	5		
Reset Type	Standard knob		
Speed	500 counts/minute		
Operating Temperature	-15 to +140 °F		
Operating Temperature	-25 to +60 °C		
Mounting Hole Dia.	0.13 x 0.24 Inch		
Mounting Hole Dia.	3.3 x 6.1 mm		
Weight	2 oz		
Weight	57 gm		
Stock Availability	Yes		
Operating Life	Beyond 5 million counts		
Rotation	Top-coming		
Shaft Extension	Right-hand		
Shaft Diameter	0.156 Inch		

Shaft Diameter	4.0 mm
Minimum Count Stroke	40 °
Maximum Count Stroke	45 °











With Thumb Lever

### **Description**

These 5 figure stroke counters are especially designed for limited space and high count life applications. The advanced drive system translates into exceptionally high operating speeds, extended operating life, for fast and accurate readings. Ideal for copiers, printing presses, cut-off machines, and piece-part counting applications. Also available with a thumb lever for use as a tally counter.

#### **Options Features**

- Compact size
- Reliability
- Low cost

- Special levers
  - 10011-001S additional spring
  - 10007-009S lever and spring

### **Specifications**

Figures: 5 figures, white on black, 0.19" [5mm] high Reset:

Standard or large knob, non-reset

Speed: 500 counts/minute Rotation: Top-coming or top-going

Count Stroke: 40° Min. - 45° Max. Shaft Extension: Right-hand or left-hand

Shaft Diameter:

0.156" [4.0mm] Beyond 5 million counts Operating Life: Temp. Range: -15°F to +140°F [-25°C to +60°C]


Weight: 2 oz. [57g]

Models	Description	Models	Description
1-4615	Left-hand, top-coming, standard reset knob	2-4615	Left-hand, top-coming, large reset knob Left-hand, top-going, large reset knob Right-hand, top-coming, large reset knob Right-hand, top-going, large reset knob Right-hand, top-going, non-reset
1-4625	Left-hand, top-going, standard reset knob	2-4625	
1-4635	Right-hand, top-coming, standard reset knob	2-4635	
1-4645	Right-hand, top-going, standard reset knob	2-4645	
1-4635T	Right-hand, top-coming, std. reset knob, with thumb lever	5-4645	


Items in bold are normally in factory stock.

### **Dimensions**

## Right - Hand Shaft



Printing presses



Mounting holes: 0.13" x 0.24" [3.3 x 6.1mm] slots

### **Applications**

Copiers

Farm equipment



