
DRA	WING MADE IN THIRD ANGLE PROJECTION														USED ON			
														N 5-222	78-0	SPRING, COMP	05	11-11111-11111D 469247-1 TRACK, STRIP 30-
						159		<u> </u>	_ 1	3	- 111-11-			B 346923	8-1		94	1 1 + + D 679329-1 TRACK, STRIP 29 H
						158			1 1	1)								
			44	S	1	157				,			and the charges				92	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 A 1-21002-6 SCR. BUT HD CAP 6-32×25LG 27
			8	8.		150	, 1	11	1 1	1 - 1	And the second s	- 1 1	- Company	A 46921	8-1	SPACER, TOOL (FACES RAM)	9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
) -		-00			692655-7 ASSY, AIR FEED VALVE 155					Mary constitution of the second						90	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	- 1					983427-6 ELBOW, TURING, /8NPT 154					A CONTRACTOR OF THE CONTRACTOR						89	1 H B 679339-1 PLATE, SHEAR 24
	1-11								1 1		And the state of t						00	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
. I	-			+ +		122920-2 DOCUMENTATION PACKAGE 151						_		B 46969		SCR, ADJ SCR, SHC, 6-32×.25 LG	0/	11-11-11-11-11-11-11-11-11-B/3469232-1 PLATE, SHEAR 22-
OCUME						122920-1 DOCUMENTATION PACKAGE 150	<u> </u>		1 1			- 1 1 1				SCR, SHC, 6-32x.75L6	85	2222222222222222222222226 G
rep 0						844561-1 INSERTER TERMINAL 149					2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	 		1 2 2 7 0 0		3017, 317C, 6 3CX.13C6	84	11-1111 11111 A 13469230-1 BLOCK, SHEAR 19
NTROL	- -					4 682087-2 TOOL, RELIEF SET. SEC. 148						111					83	11-11111-11111 B 469235-1 SLIDE, SHEAR 18-
00 V			 			2 844566-1 TOOL, RELIEF SET. PRIM. 14							Control of the Contro				82	
NG 1S			1 - 4 4			C 469238-5 GUIDE, WIRE 146		Ž l	1 1	1 1)	A CONTRACTOR OF THE PARTY OF TH))	1			SCR, SHC, #6-32 x .87LG	81	16
DRAW I			1-1-11-11-			3 844578-1 SUPPORT, HOUSING 145	<u> </u>	1 1	1 1	1 - 1		-		B 46924(KEY, TOOLING	80	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 B 4-21006-0 SCR, SET, 8-32×.25LG 15
THIS	1-11) - - - -				3 568670-1 TOOL, RELIEF SET. (SEC) 144		- - 1	1		· <u> † -</u>	- -		B/346873		INSERTER, TERMINAL	79	
		- - - -				3 568671-1 TOOL, RELIEF SET (SEC) 143		- - -			11111-			B/3/468 73	3-1 1	NSERTER, TERMINAL	/8 77	1 1 1 1 1 1 1 1 1 1
	- -				1 / /			=	1 1	- -	+	- -	# 1	B 5-210	06-01	SCR, SET 10-32 × .25L6	7/	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1-11	<u> </u>				A 23238-1 DISCONNECT, QUICK 141 A 22294-6 ELBOW, PLASTIC TUBING 140		1 1 -		1 1 1	+					DEPRESSOR, SHEAR	75	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 A 2-21002-6 SCR, BUT HD, 10-32 x 38 LG 10
						1 27319-4 TUBING PLASTIC 1001110 140					-		#==	C 46924			74	1 1 1 1 1 1 1 1 1 1 1 1 1 1 C 469245-1 HOUSING, SHEAR. 9-
	1_1	1 1 1 1 1 -			7 1	3 468887-1 RETAINER CARRIER 138			1 1	1-11		~~~		C 46924			73	886666668644866666A3-21000-7SCR,SHC,10-32x.75LG8
	1-11		- 4 4 -		1 1	A 454406-1 SPACER, LUB BR'K'T 137	1 1 1		1 1							WASHER, FLAT, 3/8	72	11111
				And the second s		136										SPRING, COMP	71	1111-1-HH11HC 682086-1 HOUSING, APPLICATOR 6
						4 468003-2 CLAMP 135		\		1 1 1						PIN, COWLING	70	33333333333333333333333333333333333333
			- 1 - 1 - 1 - 1 - 1 - 1 - 1	<u> </u>		4 7-21000-5 SCR, SHC, 10-32x.25 LG 134		1 1	, market							SCR, SHC, 8-32 x.25LG	69	
1	111	1 1 1 1 1 1 1 1				3 469216-1 RETAINER, CARRIER 133							The state of the s			SCR, SHC, 3/8-16x.75LG	68	2222222222222222222222222 A 21017-2 SCR, DRIVE, #2 x.19 LG 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 B 461264-1 PLATE, IDENTIFICATION 2 E
	1-1-					4 452064-1 SPACER, GUARD (BUARD & PRESS) 132 3 843724-1 SUPPORT; HOUSING 131	<u>. </u>	1 1						A 3-2347		PLATE, TENSION ADJ SPRING, TURSION	66	11111111111111111111111111111111111111
						3 464625-1 RAM POST 13			1 8	1 1 1				B/3/46924		FINGER, FEED	65	-18-17-16-15-14-13-12-11-10-9-8-7-6-5-4-3-2-1 Size PART NO DESCRIPTION ITEM NO.
													The state of the s	A 46922		CLEVIS, FEED	64	
				7 - 1 - 1 - 1		3 3682088-1 TOOL, RELIEF SET (PRIMARY) 128		5	1 1			1	# maga	A 3746	51	PIN, CLEVIS	63	QTY REQD PER ASSY PARTS LIST
*		1000 - 10				3 682595-1 GUIDE, WIRE 127			1 1		The second secon	1 1		C 46106		ASS'Y, AIR FEED	62	MINI-APPL (C.H. 237±,005) G TERM UNIT (LINE 6 POSITION) LONG BODY MINI APP'L (C.H. 237±005) MODULAR PLUG (LINE & POSITION) SIDE LATCH.
						3 68 1407-1 GUIDE, WIRE 126	11-						~~}~}~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			GUIDE, WIRE	61	G TERM UNIT (LINE 6 POSITION) LONG BODY MODULAR PLUG (LINE 6 POSITION) SIDE LATCH.
1						C 683543-1 CAP RAM 125										KEY TOOLING	60	1.S. SHEET AI 8057 -18 TERM NO. \$55174 AJ IS SHEET AI 8057 -9 JERM 555020 AH
 				200		A 469218-2 SPACER, TOOL (THICK SIDE) 123	220	2 6 6	2 2	266	4 4 4	- 2 2	411515			SCR, SHC, 1/4-20x.50LG		MINI-APPL (C.H237±,005) G TERM UNIT OBSOLETE D
	+:+=					A 1-21000-9 SCR, SHC, 6-32 x .38LG 122								C/3/6870	85-11	NSERTER, TERMINAL	57	L(LINE 8 POSITION)
						A 2-21000-3 SCR, SHC, 6-32x .88LG 121	- - -		1 -			- - -	11	B 68140	08-10	GUIDE, STRIP	56	1,5, SHEET A18057 -17 TERM NO. 554739 AJ 15 SHEET AI 8064 -8 TERM 641335 AG
	1			1,117		120	333	333	33	3 3 3	3 3 3 3	333	133	A 2-2100	00-6	SCR, SHC, 8-32x.38LG !	55	G TERM UNIT OBSOLETE
	-		The state of the s			318575-1 GUARD, MODIFIED 119	222	222	22	222	2 2 2	5 2 2	555	B 1-2198	39-3			(LINE & POSITION SIDE LATOR) OBJUCETE
							222	222	22	222	2 + 1 + 1 3	222	2 2 2	A 1-2228	31-5	21 1111 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1.S.SHEET. AI 8057 -16 TERM NO. 555020 AH IS SHEET AI 8064 -7 TERM 641334 AG MINI-APPL (C.H237 ±005) MINI APPLICATOR (C.H237 ±.005)
	1111	<u> </u>		A CONTRACTOR OF THE PARTY OF TH		3 21007-2 SCR, SOC SET, 1/4-20 x 25LG 117			1 1	1))				B 46924		RETAINER, STRIP	52	G TERM UNIT (LINE & POSITION)
				The second secon		COOSIS I DAM DOCT IVE			<i>I</i> <i>I</i>	#				A 469219		PIN, ROLL, 093 DIA x 75 LG RELEASE, DRAG	<u>5</u>	(LINE 6 POSITION) OBSOLETE 1.S. SHEET A18057 -15 TERM NO. 641337 AL 1.S. SHEET A1 8057 -6 TERM 554169 AH
	+++	} 				690212-1 RAM, POST 115 A 22480-5 WASHER, WAVE 114			, ,	1 1		1 1 1		R 46922	7-1	DRAG	19	MINI-APPL (C.H. 1237 ±005) MINI APPLICATOR (CH 237 ±005)
	 					679600+9 PLASTIC WIRE DISC ASSY 113	22-		2 -	- 2 -	- 4 4 2		21-1-	A 1-21003	2-8	SCR, BUT HD CAP, 632×5016	48	G TERM UNIT MODULAR PLUG (LINE 6 POSITION)
1936.	titi					690223-2 SPACER, INS 112				-11-				B 68140	8-2 (0.1100 Amount	A	1.5. SHEET AI 8057 -14 TERM NO. 641333 AH I.S. SHEET AI 8057 -5 TERM 641337 AH
JULY,	lili					690124-6 SPACER 111	224	144	24	424	442	244				SCR, BUT HDCAP, G-32x.25LG	46	MINI-APPL (C.H. 237 ±005) MINI APPLICATOR (CH 237 ±005)
RESERVE	11	1 1 1 1 1			1 1	690125-1 SHIM, LAMINATED 110			- 1	1 - 1	C C C C C C C C C C C C C C C C C C C	-		B 469234			45	G TERM UNIT INEVER RELEASED MODULAR PLUG (LINE 2 POSITION) (LINE 4 POSITION LONGBODY) OBSOLETE
RIGHTS	- 1	111-1-1-1		- - -		3 469238-2 GUIDE, WIRE 109			1 -				- 			200 200 1000	77	1.S. SHEET AI8057 -13 TERM NO. 64-1336 AH I.S. SHEET AI 8057 -4 NOW 641333 AH
EASED F	 					TO TOO DELICE SET (DOWNE)	227		**************************************					A 1-21002		SCR, BUT HD, 6-32×.62 LG CSUPPORT, HOUSING	45	MINI-APPL (C.H., 237 ±,005)
REI	1-1					3 469416-2 TOOL RELIEF SET (PRIMARY) 10			_		- 111 111 -					SUPPORT, HOUSING 2	76	G TERM UNIT (LINE 4 POSITION) OBSOLETE
AP INC		<u>, , , , , , , , , , , , , , , , , , , </u>			1 1	692655-5 ASS'Y, AIR FEED VALVE 105			- '	` -	A the second sec			7,000			40	1.S. SHEET AT 8057 -12 TERM NO. 641335 AH 1.S. SHEET AT 8057 -3 NOW 641336 AG
						lo		11			Special control of the control of th		A CONTRACTOR OF THE PARTY OF TH				39	MINI-APPL (C.H237±,005) MINI APP'L (C.H237±,005) MODULAR PLUG (LINE 4 POSITION)
69			100000000000000000000000000000000000000	To Cylinatiza S J Japan S Li Salan Ann		103					- 111-111-		#	B 46923		SUPPORT, HOUSING	38	(HANDSET 4 POSITION)
NPUBL I SH	1	1 1 1 1 1	-	And the second s		3 454220-5 CAP, RAM 107		-1-1-			-		#	B 46923		SUPPORT, HOUSING	37	NINI APP'I (CH 237 ± 005) OBSOLETE MINI APP'L MODULAR PLUG (CH 237 ± 005)
GHT 1996	~		#			3/3/469/416-3 TOOL, RELIEF SET (PRIM) 101	223	2 2 2	22	555	14141	122	2 2	A 1-2100		SCR BUT HD, 4-40 x 25 LG 3	<u>36</u>	MODILIAD DILIG (LINE & POSITIONS) LONG BODY (LINNE)
HIS ORAN			<u> </u>	The second secon		D 462992-4 GUARD ASS'Y 100	11-1-1-			1 1	The second secon		A CONTRACTOR OF THE PARTY OF TH	A 46922	<u>U-I I</u>	RETÁINER, SHEAR SLIDE	30	INSISHEET AT 8057 -10 TERM NO. 555 76 AH IS SHEET AT DO STILL LITERM CAUSSA
<u> </u>	RE	AF REF REF REF REF	#			3 679532-1 INSERT GUARD 9		++-				+++	A COLUMN TO THE				37	
Loc	8 0	9 9 9 9 9 9	a a d a	8889	88	A 1-21002-4 SCR, BUT. HD, 4-40 x 38LG 9			1 1	1 1			100	A 3-2100	0-1	SCR, SHC, 8-32×1.00LG	32	AKI 0150-9590-99 ACT-11 0E76 9:99 JEBEATTY 4-4-89 AK ECN 0150-9329-93 12 5-99 SPK/SST 4-11-89 PELLUC AMP INCORPORATED Herrieburg, Pe. AN 0150-6568-96 15 TE 46 NAME (
A						3 469239-1 RETAINER, GUIDE 96										/www.	31	AJ 0150-6568-96 PS TRIGE NAME (APPLICATOR (MODULAR PLUG)
GG -	8-17-1	16-15-14-13-12-11	0-9-8-7	-6-5-4-3	-2-1	ZE PART NO DESCRIPTION ITEM	-18 -17 -1	16-15-14	-13 -12	-11-10 =	7-8-7-	6-5-4	-3 -2 -1	SIZ PART	NO	DESCRIPTION T	TTEM, NO	
AMP 3308-3 RE	V 5/76					12			10			0	•	0		7	<u></u>	5 CASE CODE OO779 CUSTOMER AND ASSEMBLY DRAWING RESTRICTED TO
		37 1 30	ı	4 4	ſ		π ■	•			•		e en eften to				4.3	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

1-469268-2