

## Philips screwdriver - SF-PH 2-100 S-VDE - 1212694

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Screwdriver, crosshead PH (lasered), insulated, size: PH 2 x 100, 2-component handle, with non-slip grip

### Product Features

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head



### Key commercial data

Packing unit	1 1
Custom tariff number	82054000
Country of origin	Czech Republic

### Technical data

#### Dimensions

Length (b)	105 mm
Width (a)	37 mm
Blade height	100 mm

#### General

Design	Phillips
--------	----------

### Classifications

#### eCl@ss

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401

# Philips screwdriver - SF-PH 2-100 S-VDE - 1212694

## Classifications

### eCl@ss

eCl@ss 7.0	21040409
eCl@ss 8.0	21040409

### ETIM

ETIM 3.0	EC000158
ETIM 4.0	EC000144
ETIM 5.0	EC000144

### UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

## Approvals

### Approvals

---

Approvals

VDE Zeichengenehmigung

---


Ex Approvals

---

Approvals submitted

---

### Approval details

VDE Zeichengenehmigung 
--

## Drawings

## Philips screwdriver - SF-PH 2-100 S-VDE - 1212694

Pictogram



Dimensioned drawing

