

Strain relief clamp - HC-B-ZG - 1685327

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Strain relief clamps contact inserts of series: B-, BB-, D 40, D 64, DD and HV, straight cable exit

RoHS

Key Commercial Data

Packing unit	10 STK
GTIN	
GTIN	4017918197001

Technical data

Dimensions


Clamping range of the strain relief clip	9.00 mm ... 19.00 mm
--	----------------------

General

Material	Steel, galvanized
Connection	Suitable for HC-DD... / HC-B... / HC-BB... / HC-BBB... / HC-D40... / HC-D64...

Drawings

Dimensional drawing



Dimensional drawing

Strain relief clamp - HC-B-ZG - 1685327

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.AI30.B.01102
-----	---	--------------------------

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1685327](#)