Restricted to: General Release

USED ON



Left Side
Connector(s): SC-Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: N/A

Fiber Path
A - B
B - A

Right Side
Connector(s): ST
Mode: MM
Housing Color: N/A
Geom. Spec: N/A

Notes:

1 IL tested at 1300nm.
2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
3 Label 2 will not be present on any cable assembly less than 5 meters long.
4 Includes dust caps (not shown on print).

P	LTR	REVISION RECORD	DATE	DWN	APVD
	B	Rev Per EC# 06-022682	9/28/2006	-	MK

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Customer Print

DWN	Cable Assy Configurator
CHK	Michael Kepko
APVD	Michael Kepko
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, SC-Duplex to ST
MATERIAL	-
HEAT TREAT	-

AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608

SCALE	SIZE	DRAWING NO	SHEET	REV
NTS	A2	C- 5492591	1 of 3	B

LOC CE
DIST 16

CAC Customer Layout Rev: D

THIS DRAWING IS A CONTROLLED DOCUMENT
5492591 ON SAVE
THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

Restricted to: General Release

USED ON

Part #	L (meters)	L (feet)	SC-Duplex, Beige IL (dB)	SC-Duplex, Beige RL (dB)	ST IL (dB)	ST RL (dB)
0-5492591-1	0.950 - 1.050	3.11 - 3.44	0.5	-	0.5	-
0-5492591-2	1.950 - 2.050	6.39 - 6.72	0.5	-	0.5	-
0-5492591-3	2.950 - 3.050	9.67 - 10.00	0.5	-	0.5	-
0-5492591-4	3.920 - 4.080	12.86 - 13.38	0.51	-	0.51	-
0-5492591-5	4.920 - 5.080	16.14 - 16.66	0.51	-	0.51	-
0-5492591-6	5.920 - 6.080	19.42 - 19.94	0.51	-	0.51	-
0-5492591-7	6.920 - 7.080	22.70 - 23.22	0.51	-	0.51	-
0-5492591-8	7.920 - 8.080	25.98 - 26.50	0.51	-	0.51	-
0-5492591-9	8.850 - 9.150	29.03 - 30.01	0.51	-	0.51	-
1-5492591-0	9.850 - 10.150	32.31 - 33.30	0.52	-	0.52	-
1-5492591-1	10.850 - 11.150	35.59 - 36.58	0.52	-	0.52	-
1-5492591-2	11.850 - 12.150	38.87 - 39.86	0.52	-	0.52	-
1-5492591-3	12.850 - 13.150	42.15 - 43.14	0.52	-	0.52	-
1-5492591-4	13.850 - 14.150	45.43 - 46.42	0.52	-	0.52	-
1-5492591-5	14.850 - 15.150	48.72 - 49.70	0.52	-	0.52	-
1-5492591-6	15.840 - 16.160	51.96 - 53.01	0.52	-	0.52	-
1-5492591-7	16.830 - 17.170	55.21 - 56.33	0.53	-	0.53	-
1-5492591-8	17.820 - 18.180	58.46 - 59.64	0.53	-	0.53	-
1-5492591-9	18.810 - 19.190	61.71 - 62.95	0.53	-	0.53	-
2-5492591-0	19.800 - 20.200	64.96 - 66.27	0.53	-	0.53	-
2-5492591-1	20.790 - 21.210	68.20 - 69.58	0.53	-	0.53	-
2-5492591-2	21.780 - 22.220	71.45 - 72.90	0.53	-	0.53	-
2-5492591-3	22.770 - 23.230	74.70 - 76.21	0.53	-	0.53	-
2-5492591-4	23.760 - 24.240	77.95 - 79.52	0.54	-	0.54	-
2-5492591-5	24.750 - 25.250	81.20 - 82.84	0.54	-	0.54	-
2-5492591-6	25.740 - 26.260	84.44 - 86.15	0.54	-	0.54	-
2-5492591-7	26.730 - 27.270	87.69 - 89.46	0.54	-	0.54	-
2-5492591-8	27.720 - 28.280	90.94 - 92.78	0.54	-	0.54	-
2-5492591-9	28.710 - 29.290	94.19 - 96.09	0.54	-	0.54	-
3-5492591-0	29.700 - 30.300	97.44 - 99.40	0.55	-	0.55	-
3-5492591-1	30.690 - 31.310	100.68 - 102.72	0.55	-	0.55	-
3-5492591-2	31.680 - 32.320	103.93 - 106.03	0.55	-	0.55	-
3-5492591-3	32.670 - 33.330	107.18 - 109.35	0.55	-	0.55	-
3-5492591-4	33.660 - 34.340	110.43 - 112.66	0.55	-	0.55	-
3-5492591-5	34.650 - 35.350	113.68 - 115.97	0.55	-	0.55	-
3-5492591-6	35.640 - 36.360	116.92 - 119.29	0.55	-	0.55	-
3-5492591-7	36.630 - 37.370	120.17 - 122.60	0.56	-	0.56	-
3-5492591-8	37.620 - 38.380	123.42 - 125.91	0.56	-	0.56	-
3-5492591-9	38.610 - 39.390	126.67 - 129.23	0.56	-	0.56	-
4-5492591-0	39.600 - 40.400	129.92 - 132.54	0.56	-	0.56	-
5-5492591-0	49.500 - 50.500	162.40 - 165.68	0.58	-	0.58	-

Qty	U of M	Description	Item No.
2	piece	LC, SC, FC Straight Boot, Beige	1
0.0139	sheet	Leg Label - "A"	2
0.0139	sheet	Leg Label - "B"	3
2	piece	Crimp Eyelet	4
2	piece	SC Simplex Housing, Beige	5
2	piece	ST Short Boot - 1.6 to 2.0mm, Beige	6
2	piece	ST Connector, Ceramic, Metal Nut	7
4	piece	2.5mm ferrule cover	8
2	piece	PVC Build-up tubing	9
AR	meter	2 fiber, 50/125, 2.0mm, Twinzip, Orange, OFNR (Riser)	10
2	piece	SC Duplex Clip	11
2	piece	Eyelet/Shrink tube assembly - White	12
2	piece	CONN SUBASSY, MM, SC 1.6MM	13
2	piece	Trace Label	14

DWG NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES, AND AFFILIATES. COPYRIGHT AND ANY OTHER INTELLECTUAL PROPERTY RIGHTS IN THE INFORMATION ARE OWNED BY TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES, AND AFFILIATES. IT MAY NOT BE DISCLOSED TO THIRD PARTIES, COPIED OR USED WITHOUT THE PRIOR WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC	DIST
CE	16

CAC Customer Layout Rev: D

P	LTR	REVISION RECORD	DATE	DWN	APVD
B		Rev Per EC# 06-022682	9/28/2006	-	MK

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Customer Print

DWN: Cable Assy Configurator
CHK: Michael Kepko
APVD: Michael Kepko
NAME: FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, SC-Duplex to ST

MATERIAL: -
HEAT TREAT: -

AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608

SCALE: NTS | SIZE: A2 | DRAWING NO: C- 5492591 | SHEET: 2 of 3 | REV: B

8 7 6 5 4 3 2 1

D C B A

Restricted to: General Release

USED ON

Label 1 Per specification 107-1645-1

Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

Label 2 Per specification 107-1645-1

Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWG NO

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC	DIST
CE	16

P	LTR	REVISION RECORD	DATE	DWN	APVD
	B	Rev Per EC# 06-022682	9/28/2006	-	MK

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -

Customer Print

DWN	Cable Assy Configurator	MATERIAL -	HEAT TREAT -
CHK	Michael Kepko	AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
APVD	Michael Kepko		
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, SC-Duplex to ST		
SCALE NTS	SIZE A2	DRAWING NO C- 5492591	SHEET 3 of 3 REV B

CAC Customer Layout Rev: D

8 7 6 5 4 3 2 1

D C B A