


1906078  
REV. 07  
THIS DRAWING IS A CONTROLLED DOCUMENT

USED ON



**Left Side**  
 Connector(s): LC-Duplex Secure  
 Mode: MM  
 Housing Color: Aqua  
 Geom. Spec: N/A

**Fiber Path**  
 A - \_\_\_\_\_ - B  
 B - \_\_\_\_\_ - A

**Right Side**  
 Connector(s): SC-Duplex  
 Mode: MM  
 Housing Color: Beige  
 Geom. Spec: N/A

- Notes:
- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
  - 2 Includes dust caps (not shown on print).
  - 3 IL tested at 1300nm.
  - 4 Label 2 will not be present on any cable assembly less than 5 meters long.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT IS THE PROPERTY OF TYCO ELECTRONICS AND IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA 17105-3608

LOC	CE
DIST	16

A	Rev Per	EC#	RELEASE	4/21/2009	-	JB	
P	LTR	REVISION	RECORD	DATE	DN	APVD	

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Restricted To:

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	James Barry		
APVD	James Barry	<b>AMP</b> Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, XG - 50/125, OFNR (Riser) jacket, LC-Duplex Secure to SC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1906078	1 of 4
			REV
			A

D  
C  
B  
A







# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity Divested:](#)

[5-1906751-0](#)