


SAC-3P- 5,0-280/M12FS BK


Order No.: 1400360

as shown in the figure, but with a gray wire and black handle

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1400360>

Sensor/Actuator cable, 3-position, PUR halogen-free, Gray RAL 7001,
Free conductor end, on Socket, straight M12, A-coded, Cable length: 5
m

Commercial data

GTIN (EAN)	 4 046356 490559
Note	Made-to-order
sales group	D110
Pack	1 pcs.
Customs tariff	85444290

Product notes

WEEE/RoHS-compliant since:
01/28/2009

[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.


Certificates / Approvals

Certification

CUL Listed, GOST, UL Listed


Diagrams/Drawings

Dimensioned drawing




M12 x 1 female connector, straight

Circuit diagram



Contact assignment of the M12 socket

Schematic diagram



Pin assignment M12 socket, 3-pos., A-coded, view female side

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;