



TERMINALS & SPLICES

## CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**  
English

TE CONNECTIVITY (TE)

### SOL. RING TONGUE, #4, M5

SOLISTRAND | SOLISTRAND

160119

TE Internal Number: 160119

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter (in) **.207**

Tongue Thickness **1.78 mm [ .07 in ]**

Sealed **No**

Heavy Duty **No**



### Product Drawings

[TERMINAL, RING TONGUE, SOLISTRAND](#)

PDF (TIFF AVAILABLE)

English

[TERMINAL, RING TONGUE, SOLISTRAND](#)

PDF (TIFF AVAILABLE)

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

### Product Type Features

Sealed	<b>No</b>
Barrel Type	<b>Closed Barrel</b>
Wire/Cable Type	<b>Regular Wire</b>
Insulated	<b>No</b>
Insulated Wire Support	<b>No</b>
Stud Size	<b>5, M3</b>

	Shape Code	<b>RING-080</b>
	Barrel Style	<b>Long</b>
	Wire/Cable Composition	<b>Solid or Stranded</b>
Configuration Features	Terminal Angle	<b>Straight</b>
	Number of Holes	<b>1</b>
Body Features	Plating Material	<b>Copper, Tin</b>
	Weight per Piece (g)	<b>10.598</b>
Contact Features	Terminal Shape	<b>Ring Tongue</b>
	Terminal Orientation	<b>Straight</b>
Dimensions	Stud Diameter (in)	<b>.207</b>
	Tongue Thickness	<b>1.78 mm [ .07 in ]</b>
	Wire Size (AWG)	<b>4</b>
	Wire Size (mm <sup>2</sup> )	<b>16.8 – 26.6</b>
	Barrel Inside Diameter	<b>11.76 mm [ .463 in ]</b>
	Material Thickness	<b>1.8 mm [ .071 in ]</b>
	Overall Length	<b>33.22 mm [ 1.308 in ]</b>
	Barrel Inside Diameter (Min)	<b>7.52 mm [ .296 in ]</b>
Operation/Application	Heavy Duty	<b>No</b>
Industry Standards	Government Qualified	<b>No</b>
Packaging Features	Packaging Method	<b>Box</b>
	Packaging Quantity	<b>100</b>
Product Compliance	<a href="#">Statement of Compliance</a> PDF  <a href="#">VIEW ALL PRODUCT COMPLIANCE</a>	



