

1

2

3

4

5

6

7

8

10091767 - X 0 C - X X X L F

6-COLUMN DIFFERENTIAL SIGNAL

LEAD-FREE DESIGNATION ONLY WITH APPLICABLE PLATING CODES

LETTER

PEFORMANCE-BASED PLATING (SEE NOTE 2)

TARGET APPLICATION

LEAD FREE (LF)

B

TELCORDIA CO

NO

C

TELCORDIA UE

NO

D

TELCORDIA CO

YES

E

TELCORDIA UE

YES

NUMBER

PIN STYLE, HEIGHT

0

STANDARD GUIDE PIN MACHINED, 31.6mm

4

STANDARD GUIDE PIN MACHINED, 25.7mm

MODULE DESCRIPTION

LETTER DESIGNATION REPRESENTED IN DASH NUMBER

BASE MODULE

LEFT POLARIZING GUIDANCE MODULE (SEE SHEET 3)

J

A

B

C

D

E

F

G

H

RIGHT POLARIZING GUIDANCE MODULE (SEE SHEET 4)

Y

P

Q

R

S

T

U

V

W

OPEN MODULE (TWO WALL) (SEE SHEET 2)

O (ZERO)

LEFT WALL MODULE (SEE SHEET 5)

L

RIGHT WALL MODULE (SEE SHEET 6)

M

FOUR WALL MODULE (SEE SHEET 7)

1

TABLE 1: OPTIONAL PCB HOLE SIZE (SEE NOTE 11)

GROUND

UNGROUND

FINISHED

Ø2.35-2.55

Ø2.35-2.55

PAD

Ø5.50

N/A

PLATED

YES

NO

DRILL (mm/in)

2.58 / .1015

2.44 / .096

TABLE 2: OPTIONAL SCREW TYPE (SEE NOTE 10)

SCREW P/N

DESCRIPTION

BOARD THICKNESS

10091790-002LF

#2-56 X .375" PHILLIPS PANHEAD W/SQ CONICAL WASHER

1.60 - 5.00

10091790-003LF

#2-56 X .500" PHILLIPS PANHEAD W/SQ CONICAL WASHER

5.00 - 10.00

spec ref

SEE NOTES

tolerance std

TOLERANCES UNLESS OTHERWISE SPECIFIED

ASME Y14.5

surface

linear

0.X

±0.2

0.XX

±0.10

0.XXX

±0.050

ASME Y14.5

angular

0°

±°

dr

Jim Swain

2009/03/02

eng

Sandar Soe

2014/10/02

chr

-

appr

Chen-Hong Tan

2014/12/10

projection

MM

size

A2

scale

4:1

ecn no

ELX-S-18843-1

rel level

Released

product family

XCede

title

MODULE ASSEMBLY

VERTICAL HEADER, 6-COLUMN, 4-PAIR

cat. no.

SEE P/N TREE

Product - Customer Drw

sheet 1 of 8

FCI

www.fci.com

rev

E

Copyright FCI.


PDS: Rev :E

STATUS:Released


Printed: Dec 10, 2014

OPEN (2-WALL) MODULE




SEE NOTE 8




SEE NOTE 5



6.2 (4MM WIPE WIDE GROUNDS)
5.2 (3MM WIPE WIDE GROUNDS)
5.2 (3MM SMALL END GROUNDS)
5.2 (3MM WIPE SIGNALS)
4.2 (2MM WIPE SIGNALS)
SEE P/N TREE



TAIL LENGTH
SEE NOTE 12



SEE DETAIL A
(SHEET 8)

PCB HOLE PATTERN
COMPONENT SIDE
SCALE 6:1


spec ref	SEE NOTES	dr	Jim Swain	2009/03/02	projection	MM	size	A2	scale	4:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sandar Soe	2014/10/02	chr	-	ecn no	ELX-S-18843-1	rel level	Released
ASME Y14.5		appr	Chen-Hong Tan	2014/12/10	product family	XCede	rel level	Released	rev	E
surface	linear	0.X	±0.2	0.XX	±0.10	0.XXX	±0.050	angular	0°	±°
ASME Y14.5		www.fci.com	cat. no.	SEE P/N TREE	Product - Customer Drw	sheet 2 of 8	rev	E		

PDS: Rev :E


STATUS:Released

Printed: Dec 10, 2014



LEFT POLARIZING/GUIDE MODULE



SEE NOTE 5




- 6.2 (4MM WIPE WIDE GROUNDS)
- 5.2 (3MM WIPE WIDE GROUNDS)
- 5.2 (3MM SMALL END GROUNDS)
- 5.2 (3MM WIPE SIGNALS)
- 4.2 (2MM WIPE SIGNALS)
- SEE P/N TREE




GUIDE PIN

OPTIONAL KEYING PIN
(SEE P/N TREE)



SEE NOTE 8

TAIL LENGTH
SEE NOTE 12



SEE NOTE 11 & TABLE 1

SEE DETAIL A
(SHEET 8)

PCB HOLE PATTERN
COMPONENT SIDE
SCALE 6:1

ASSEMBLY BASE CONFIGURATION END DASH NO.	GUIDE PIN	POLARIZING KEY
	DIM 'R'	DIM 'S'
-X0X	31.6mm	22.8mm
-X4X	25.7mm	20.0mm


spec ref	SEE NOTES	dr	Jim Swain	2009/03/02	projection	MM	size	A2	scale	4:1
tolerance std	ASME Y14.5	eng	Sandar Soe	2014/10/02	chr	-	ecn no	ELX-S-18843-1	rel level	Released
surface	✓	appr	Chen-Hong Tan	2014/12/10	product family	XCede	dwg no	10091767	rev	E
linear	0.X ±0.2 0.XX ±0.10 0.XXX ±0.050	title	MODULE ASSEMBLY VERTICAL HEADER, 6-COLUMN, 4-PAIR	cat. no.	SEE P/N TREE	Product - Customer Drw	sheet 3 of 8			
angular	0° ±									

PDS: Rev :E

STATUS:Released


Printed: Dec 10, 2014

RIGHT POLARIZING/GUIDE MODULE



SEE NOTE 8

—SEE NOTE 5



POSN AI-

◀ (17.50 MAX)


24.8

6.2 (4MM WIPE WIDE GROUNDS)
5.2 (3MM WIPE WIDE GROUNDS)

5.2 (3MM SMALL END GROUNDS)
5.2 (3MM WIPE SIGNALS)
4.2 (2MM WIPE SIGNALS)
SEE P/N TREE


GUIDE PIN

OPTIONAL KEYING PIN
(SEE P/N TREE)



DIM 'R'

△ TAIL LENGTH
E SEE NOTE 12



SEE DETAIL A
(SHEET 8)

NOMINAL MODULE OUTLINE

PCB HOLE PATTERN
COMPONENT SIDE
SCALE 6:1

$$-\phi \begin{array}{l} 2.55 \\ 2.35 \end{array}$$

	$\varnothing 0.10$	X_BP	Y_BP
SEE	NOTE	II	& TABLE I

ASSEMBLY BASE CONFIGURATION END DASH NO.	GUIDE PIN	POLARIZING KEY
	DIM 'R'	DIM 'S'
-X0X	31.6mm	22.8mm
-X4X	25.7mm	20.0mm

spec ref		SEE NOTES		dr		Jim Swain		2009/03/02		projection		size		scale					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Sander Soe		2014/10/02						A2		4:1			
ASME Y14.5				chr		-		-											
				appr		Chen-Hong Tan		2014/12/10											
										product family		XCede		ecn no		ELX-S-10843-1			
														rel level		Released			
surface 		linear		0.X		±0.2				title		MODULE ASSEMBLY		dwg no		10091767		rev	
				0.XX		±0.10													
ASME Y14.5		angular		0.XXX		±0.050													
				±				www.fci.com		cat. no.		SEE P/N TREE		Product - Customer Drw		sheet 4 of 8			


PDS: Rev :E

STATUS:Released


Printed: Dec 10, 2014

LEFT WALL MODULE

SEE NOTE 8







SEE NOTE 5



6.2 (4MM WIPE WIDE GROUNDS)
5.2 (3MM WIPE WIDE GROUNDS)

5.2 (3MM SMALL END GROUNDS)
5.2 (3MM WIPE SIGNALS)
4.2 (2MM WIPE SIGNALS)
SEE P/N TREE



spec ref	SEE NOTES	dr	Jim Swain	2009/03/02	projection	MM	size	A2	scale	4:1
tolerance std	ASME Y14.5	eng	Sandar Soe	2014/10/02	chr	-	ecn no	ELX-S-18843-1	rel level	Released
surface	✓	appr	Chen-Hong Tan	2014/12/10	product family	XCede	cat. no.	SEE P/N TREE	Product - Customer Drw	sheet 5 of 8
linear	0.X ±0.2 0.XX ±0.10 0.XXX ±0.050	angular	0° ±°	www.fci.com	title	MODULE ASSEMBLY VERTICAL HEADER, 6-COLUMN, 4-PAIR	dwg no	10091767	rev	E


PDS: Rev :E

STATUS:Released


Printed: Dec 10, 2014

RIGHT WALL MODULE




SEE NOTE 8




SEE NOTE 5



6.2 (4MM WIPE WIDE GROUNDS)
5.2 (3MM WIPE WIDE GROUNDS)
5.2 (3MM SMALL END GROUNDS)
5.2 (3MM WIPE SIGNALS)
4.2 (2MM WIPE SIGNALS)
SEE P/N TREE



TAIL LENGTH
SEE NOTE 12



spec ref	SEE NOTES	dr	Jim Swain	2009/03/02	projection	MM	size	A2	scale	4:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sandar Soe	2014/10/02	chr	-	ecn no	ELX-S-18843-1	rel level	Released
ASME Y14.5		appr	Chen-Hong Tan	2014/12/10	product family	XCede	rel level	Released	rev	E
surface	linear	0.X	±0.2	0.XX	±0.10	0.XXX	±0.050	angular	0°	±°
ASME Y14.5		www.fci.com	cat. no.	SEE P/N TREE	Product - Customer Drw	sheet 6 of 8	rev	E		


PDS: Rev :E

STATUS:Released


Printed: Dec 10, 2014

4-WALL MODULE




SEE NOTE 8




SEE NOTE 5



6.2 (4MM WIPE WIDE GROUNDS)
5.2 (3MM WIPE WIDE GROUNDS)
5.2 (3MM SMALL END GROUNDS)
5.2 (3MM WIPE SIGNALS)
4.2 (2MM WIPE SIGNALS)
SEE P/N TREE



TAIL LENGTH
SEE NOTE 12



PCB HOLE PATTERN
COMPONENT SIDE
SCALE 6:1

spec ref	SEE NOTES	dr	Jim Swain	2009/03/02	projection	MM	size	A2	scale	3:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sandar Soe	2014/10/02	chr	-	ecn no	ELX-S-18843-1	rel level	Released
ASME Y14.5		appr	Chen-Hong Tan	2014/12/10	product family	XCede	rel level	Released	rev	E
surface	linear	0.X	±0.2	0.XX	±0.10	0.XXX	±0.050	angular	0°	±°
ASME Y14.5		www.fci.com	cat. no.	SEE P/N TREE	Product - Customer Drw	sheet 7 of 8				

PDS: Rev :E

STATUS:Released

Printed: Dec 10, 2014

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI:

[10091767-00C-20DLF](#) [10091767-L0C-20DLF](#) [10091767-M0C-20DLF](#) [10091767-J0C-10DLF](#) [10091767-Y0C-10DLF](#)
[10091767-L0C-10DLF](#) [10091767-M0C-10DLF](#) [10091767-00C-10DLF](#) [10091767-10C-10DLF](#) [10091767-00C-10B](#)
[10091767-00C-20B](#) [10091767-00C-30B](#) [10091767-00C-30DLF](#) [10091767-00C-40B](#) [10091767-00C-40DLF](#)
[10091767-00C-50B](#) [10091767-00C-50DLF](#) [10091767-00C-60B](#) [10091767-00C-60DLF](#) [10091767-00C-70B](#)
[10091767-00C-70DLF](#) [10091767-00C-80B](#) [10091767-10C-10B](#) [10091767-10C-20B](#) [10091767-10C-20DLF](#)
[10091767-10C-30B](#) [10091767-10C-30DLF](#) [10091767-10C-40B](#) [10091767-10C-40DLF](#) [10091767-10C-50B](#)
[10091767-10C-50DLF](#) [10091767-10C-60B](#) [10091767-10C-60DLF](#) [10091767-10C-70B](#) [10091767-10C-70DLF](#)
[10091767-10C-80B](#) [10091767-10C-80DLF](#) [10091767-A0C-10B](#) [10091767-A0C-10DLF](#) [10091767-A0C-20B](#)
[10091767-A0C-20DLF](#) [10091767-A0C-30B](#) [10091767-A0C-30DLF](#) [10091767-A0C-40B](#) [10091767-A0C-40DLF](#)
[10091767-A0C-50B](#) [10091767-A0C-50DLF](#) [10091767-A0C-60B](#) [10091767-A0C-60DLF](#) [10091767-A0C-70B](#)
[10091767-A0C-70DLF](#) [10091767-A0C-80B](#) [10091767-A0C-80DLF](#) [10091767-B0C-10B](#) [10091767-B0C-10DLF](#)
[10091767-B0C-20B](#) [10091767-B0C-20DLF](#) [10091767-B0C-30B](#) [10091767-B0C-30DLF](#) [10091767-B0C-40B](#)
[10091767-B0C-40DLF](#) [10091767-B0C-50B](#) [10091767-B0C-50DLF](#) [10091767-B0C-60B](#) [10091767-B0C-60DLF](#)
[10091767-B0C-70B](#) [10091767-B0C-70DLF](#) [10091767-B0C-80B](#) [10091767-B0C-80DLF](#) [10091767-C0C-10B](#)
[10091767-C0C-10DLF](#) [10091767-C0C-20B](#) [10091767-C0C-20DLF](#) [10091767-C0C-30B](#) [10091767-C0C-30DLF](#)
[10091767-C0C-40B](#) [10091767-C0C-40DLF](#) [10091767-C0C-50B](#) [10091767-C0C-50DLF](#) [10091767-C0C-60B](#)
[10091767-C0C-60DLF](#) [10091767-C0C-70B](#) [10091767-C0C-70DLF](#) [10091767-C0C-80B](#) [10091767-C0C-80DLF](#)
[10091767-D0C-10B](#) [10091767-D0C-10DLF](#) [10091767-D0C-20B](#) [10091767-D0C-20DLF](#) [10091767-D0C-30B](#)
[10091767-D0C-30DLF](#) [10091767-D0C-40B](#) [10091767-D0C-40DLF](#) [10091767-D0C-50B](#) [10091767-D0C-50DLF](#)
[10091767-D0C-60B](#) [10091767-D0C-60DLF](#) [10091767-D0C-70B](#) [10091767-D0C-70DLF](#) [10091767-D0C-80B](#)