

## VC-FSMA-M-KT-2 SET

Order No.: 1855703

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1855703>

Quick mounting plug set, with bend protection sleeve for polymer fiber cable, for the contact carrier module VC-AFOS 2, length: 27 mm, width: 7 mm, 2 pcs. each as set

Commercial data	
GTIN (EAN)	4017918177041
Note	Made-to-order
sales group	D220
Pack	1 pcs.
Customs tariff	85369010
Weight/Piece	0.0204 KG
Catalog page information	Page 357 (PC-2009)

**Product notes**WEEE/RoHS-compliant since:  
06/28/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Certificates / Approvals**

Certification

GOST

### Accessories


Item	Designation	Description
------	-------------	-------------

#### Tools

2744199	PSM-FO-STRIP	Stripping pliers for polymer fiber, for individual elements
2799348	PSM-SET-FSMA-POLISH	Polymer fiber polishing set, for F-SMA quick mounting connectors
1884982	VC-POLISHER/M FSMA	Polisher, metal, for repeated preparation of VARIOCON fiber optic ferrules

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;