

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Profile, self-adhesive, for accommodating SS-ZB labels, UC-EMP, US-EMP, length: 1 m

Product Features

- Self-adhesive marker carriers, sold by the meter for cutting to custom length
- The P-SS-ZB 100 is particularly suitable for accommodating UC-EMP ..., US-EMP ...
- Powerful adhesion and optimum grip on standard device surfaces



Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| GTIN |  4 017918 013929 |
| Weight per Piece (excluding packing) | 42.0 g |
| Custom tariff number | 39269097 |
| Country of origin | Italy |

Technical data

Dimensions

| | |
|------------|---------|
| Length (b) | 1000 mm |
| Width (a) | 10.9 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -15 °C ... 80 °C |
|---------------------------------|------------------|

General

| | |
|--|------|
| Color | gray |
| Flammability rating according to UL 94 | V0 |

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Technical data

General

| | |
|-----------------------|----------|
| Material | PVC |
| Adhesive | Acrylic |
| Adhesive strength | 210 µm |
| Marking mounting type | Adhesive |

Standards and Regulations

| | |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 23150301 |
| eCl@ss 4.1 | 23150301 |
| eCl@ss 5.0 | 27141143 |
| eCl@ss 5.1 | 27141143 |
| eCl@ss 6.0 | 27141143 |
| eCl@ss 7.0 | 27141143 |
| eCl@ss 8.0 | 27149129 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC001288 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11 | 39121708 |
| UNSPSC 12.01 | 39121708 |
| UNSPSC 13.2 | 39121708 |

Accessories

Accessories

Device marking

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Accessories

Contact marker – zack marker strip - SS-ZB WH - 5031171



Contact marker – zack marker strip, Strip, white, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

Contact marker – zack marker strip - SS-ZB YE - 5031650



Contact marker – zack marker strip, Strip, yellow, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

Snap-in markers - UC-EM (20X9) - 0825503



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Snap-in markers - UCT-EM (20X9) - 0801471



Snap-in markers, Sheet, white, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Labeled device marker

Snap-in markers - UC-EM (20X9) CUS - 0827629



Snap-in markers, can be ordered: by sheet, white, labeled according to customer specifications, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Accessories

Equipment marking - UCT-EM (20X9) CUS - 0801556



UniCard sheet, for labeling devices from other manufacturers, for overview table see download area, labeled according to customer specifications

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1013737](#)