


## Cover profile - A/F 30 METER - 1004856

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Flat-ribbon cover, for covering terminal strips, 2 mm thick, 3 cm wide, an additional requirement are 2 E/UK end brackets and 2 adjustable VAH cover holders. The max. supply length is 100 cm

The illustration shows a combination of versions A/F, A/U, VAH, A/F-HA



### Key Commercial Data

Packing unit	1 pc
GTIN	4 017918 012243
Weight per Piece (excluding packing)	90.0 g
Custom tariff number	39206100
Country of origin	Germany

### Technical data

#### Dimensions

Length (b)	1 m
Width (a)	30 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

#### General

Color	transparent
Flammability rating according to UL 94	V2
Material	Polycarbonate PC

#### Standards and Regulations

Flammability rating according to UL 94	V2
--	----

## Cover profile - A/F 30 METER - 1004856

### Classifications

#### eCl@ss

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27379200
eCl@ss 7.0	27141143
eCl@ss 8.0	27149214

#### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002498
ETIM 5.0	EC002848

#### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1004856](#)