



OSP CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)
4506 7985 02
MINIATURE COAX | MTE , RF

1059456-1
TE Internal Number: 1059456-1
Alias ID: 4506-7985-02

Always EU RoHS/ELV Compliant

Applies To **Cable**

Sealed **No**

50 Ohm **Yes**

75 Ohm **No**

Connector Style **Jack**

Product Drawings

FROM SWAN SERVER

PDF
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
3D

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Catalog Pages/Data Sheets

Blind Mate Connectors

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

**OSP Flange Mount Cable Jack Floating Rear Mount Direct Solder Attachment
1059456-1, 1059442-1, And 1046485-1**

PDF
English

**OSP Flange Mount Cable Jack Floating Rear Mount Direct Solder Attachment
1059456-1, 1059442-1, And 1046485-1**

TIF
English

Product Type Features	Applies To	Cable
	Sealed	No
	Connector Style	Jack
	Cable Type	.085 Semi-Rigid
	Product Type	Connector - RF
	Dielectric Material	TFE Fluorocarbon
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Style	Straight
	Body Material	Stainless Steel
	Body Plating Material	Gold
Contact Features	Center Contact Material	Beryllium Copper
	Center Contact Plating Material	Gold
Termination Features	Cable Termination Type	Solder
Mechanical Attachment	Panel Mount	With
	Panel Mount Retention Type	Floating Flange
	Panel Attachment Style	Rear Mount
Dimensions	Panel Thickness	3.18 mm [.125 in]
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

STANDARD POWER RELAYS	SMA CONNECTORS	IN-SERIES ADAPTERS	BETWEEN SERIES ADAPTERS
			
KUP-5D55-24=KU KUP-5D55-24	2004 7941 00 1051013-1	2087 1230 02 1055047-1	4585 2240 02 1059756-1



