

VC-M-KV-PG16(4- 6,5)

Order No.: 1853942



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853942>

Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 4 - 6.5

Commercial data	
GTIN (EAN)	4017918146351
Note	Made-to-order
sales group	D290
Pack	5 pcs.
Customs tariff	74153300
Weight/Piece	0.01828 KG
Catalog page information	Page 372 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
11/17/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Cable gland material	Nickel-plated brass
Material, pressure screw	Nickel-plated brass

Seal material	TPE
Cable seal material	TPE
Wrench size, union nut	24 mm
External cable diameter	4 mm ... 6.5 mm
Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 125 °C

Certificates / Approvals



Certification GOST

Accessories

Item	Designation	Description
------	-------------	-------------

Assembly

1854983	VC-M-KV-PG21- 0	Half screw connection made of metal with rubber seal without hole for sealing or for individual holes
---------	-----------------	-------------------------------------------------------------------------------------------------------

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;