


NOTES:


1. MATERIALS=
 - BACKSHELLS - ZINC DIECAST WITH NICKEL PLATING.
 - LATCH - STAINLESS STEEL.
 - PULL - MOLDED PLASTIC.
2. CABLE TYPE PLENUM (OFNP) WITH 8 MULTIMODE FIBERS, MINIMUM BEND RADIUS 25 MM.
2. ELECTRICAL PERFORMANCE PER SFF 8644.
3. PLUG MATES TO 1X1, 1X2 AND 1X4 RECEPTACLE - EMI HOUSING ASSEMBLY SERIES 76866.
4. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC).

ENTER DESCRIPTION EC NO: MF2014-0008 DRWN: BANDREI 2011/06/09 CHKD: WCHEN APPR: WCHEN 2013/07/11	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ±.0002	mm	INCH	DRAWN BY DATE BANDREI 2011/06/09		IPASS+ HD ACTIVE OPTICAL CABLE			
		3 PLACES ± 0.005 ±.005			CHECKED BY DATE					
		2 PLACES ± 0.13 ±.01			APPROVED BY DATE WCHEN 2013/07/11		DOCUMENT NO. SD-106415-2001			
1 PLACE ± 0.25 ± ---			MATERIAL NO. 1064152001		SHEET NO. 1 OF 2					
0 PLACE ± ±			ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										

PART NUMBER	LENGTH (METERS)	TOLERANCE (METERS)
1064152001	1	+0.2/-0.0
1064152002	2	+0.2/-0.0
1064152003	3	+0.2/-0.0
1064152004	4	+0.2/-0.0
1064152005	5	+0.2/-0.0
1064152007	7	+0.3/-0.0
1064152010	10	+0.4/-0.0
1064152015	15	+0.5/-0.0
1064152020	20	+0.6/-0.0
1064152025	25	+0.6/-0.0
1064152030	30	+0.6/-0.0
1064152040	40	+0.8/-0.0
1064152050	50	+1.0/-0.0
1064152075	75	+1.4/-0.0
1064152100	100	+2.0/-0.0



** RESERVED FOR POWER AND MANAGEMENT INTERFACE



SHIELDED INTEGRATED HD CONNECTOR MINIMUM PITCH

ENTER DESCRIPTION EC NO: MF2014-0008 DRAWN: BANDREI 2011/06/09 CHKD: WCHEN APPR: WCHEN 2013/07/11 REV: A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± .0002 3 PLACES ± 0.005 ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± --- ANGULAR ± 1/2°	DIMENSION STYLE IN/MM DRAWN BY DATE BANDREI 2011/06/09 CHECKED BY DATE APPROVED BY DATE WCHEN 2013/07/11	SCALE 1:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. 1064152001	TITLE IPASS+ HD ACTIVE OPTICAL CABLE
				MOLEX INCORPORATED	SHEET NO. 2 OF 2
				DOCUMENT NO. SD-106415-2001	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION