

4

3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
B		REVISED PER ECN-0512-0529-04		06FEB06	JDP	AMS	

1. WIRE BARREL WILL ACCEPT 10 AWG WIRE.
2. RECOMMENDED CRIMPING TOOL: DANIELS TOOL #M300-BT, POSITIONER PART NUMBER SP689, SETTING #3, STRIP LENGTH 8.13[.320].

3 0.00076 [.000030] MIN GOLD PLATE IN MATING AREA.  
 TIN LEAD PLATE IN CRIMP AREA.



CONTACT; COPPER ALLOY	148357-1
RETAINING RING; COPPER ALLOY	
MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	19APR96	Tyco Electronics Corporation	
		CHK	19APR96	Harrisburg, PA 17105-3608	
		APVD	19APR96	NAME	
		R. PATTERSON			
DIMENSIONS:		PRODUCT SPEC			
mm [INCHES]		APPLICATION SPEC			
		WEIGHT			
		SIZE			
		CAGE CODE			
		DRAWING NO			
		RESTRICTED TO			
MATERIAL		POWER CONTACT, FEMALE, F.M.L.B., CRIMP, AWG 10			
SEE TABLE		A3 00779 C-148357			
FINISH		SCALE			
3		4:1			
		SHEET			
		1 OF 1			
		REV			
		B			

AMP 1470-19 REV 31MAR2000