

## Protective covers - HC-B 24-SD-FLU/FS-AL - 1644601

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON protective cover, type B16, for supporting base element with single locking latch, with retaining cord, IP65, ALU



### Key commercial data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 904920
Weight per Piece (excluding packing)	89.09 g
Custom tariff number	85389099
Country of origin	Germany
Note	Made to Order (non-returnable)

### Technical data

#### Dimensions

Diameter of retaining cord eyelet	30 mm
-----------------------------------	-------

#### Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C

#### General

Type	B24
	For supporting base element with single locking latch
Material	Aluminum, die-cast
Seal present	no
Connection	The guide pins of the protective cover must be removed when using coding sockets, pins, and bolts.

# Protective covers - HC-B 24-SD-FLU/FS-AL - 1644601

## Classifications

### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27440208

### ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000437
ETIM 5.0	EC002314

### UNSPSC

UNSPSC 6.01	30212113
UNSPSC 7.0901	39121712
UNSPSC 11	39121712
UNSPSC 12.01	39121712
UNSPSC 13.2	39121712

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---


### Approval details

EAC
-----

## Drawings

## Protective covers - HC-B 24-SD-FLU/FS-AL - 1644601

Dimensioned drawing



---

Phoenix Contact 2015 © - all rights reserved  
<http://www.phoenixcontact.com>