

## HC-HV 3-AFQD

Order No.: 1773598

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1773598>HEAVYCON panel mounting base HV3, for double locking latch,  
height 27 mm, with cover**Commercial data**

GTIN (EAN)	 4 017918 115517
Note	Made-to-order
sales group	D003
Pack	1 pcs.
Customs tariff	85389099
Catalog page information	Page 245 (PC-2005)

**Product notes**WEEE/RoHS-compliant since:  
01/31/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General data**

Note	For contact inserts HV-HV3
Design	HV3
Height	27 mm
Width	43 mm
Length	93 mm

Housing type	Panel mounting base, straight
Locking type	For double locking latch
Protective cover	Yes
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Material, protective cover	PA
Length of the assembly cutout	65 mm
Width of the assembly cutout	35 mm

### Certificates / Approvals




Certification

GOST

### Diagrams/Drawings

Dimensioned drawing



Panel cutout

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;