

## CK1,6-ED-ST-POF

Order No.: 1884995

The illustration shows female and male contact versions

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884995>

Fiber optic male contact POF, turned, for VC-D contact carriers

Commercial data	
EAN	4017918172770
Pack	50 pcs.
Customs tariff	85389099
Weight/Piece	0.000787 KG
Catalog page information	Page 531 (PC-2009)

**Product notes**WEEE/RoHS-compliant since:  
01/01/2008

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****Electrical characteristics**

Note	For VC-D and HC-M12, D, DD contact carrier
------	--

**Mechanical characteristics**

Insertion/withdrawal cycles	≥ 500
-----------------------------	-------

**Material data**

Contact material	Nickel silver
------------------	---------------

### Certificates / Approvals



Certification

GOST

### Accessories

Item	Designation	Description
<b>General</b>		
1584839	CRIMPFOX-1,6-ED-POF-N	Crimping pliers for turned fiber optics contacts CK1,6-ED...POF
1636800	POLFOL 1 MIC-POF	Polishing foil for POF contacts
1636813	POLPAP 1500-POF	Polishing paper for POF contacts
1884869	VC-EW 1,6	Contact removal tool, for turned and rolled CK- 1.6-... contacts
<b>Tools</b>		
1686122	POLISHER-POF	<b>Polisher</b> , made of metal, for CK1,6-...POF contacts, POF conductor diameter: 2.2 mm
2744199	PSM-FO-STRIP	Stripping pliers for polymer fiber, for individual elements

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;