

VC-M-KV-PG21 2X7,2/1X10,5

Order No.: 1885648

The illustration shows a version of the product

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1885648>

Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (2 x 7.2 mm/1 x 10.5 mm) and a pressure screw, for cable screw connection thread VC-M-KV-PG21...

Commercial data

GTIN (EAN)	4017918176747
Note	Made-to-order
sales group	D290
Pack	5 pcs.
Customs tariff	74153300
Weight/Piece	0.03195 KG
Catalog page information	Page 373 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2009

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Material, pressure screw	Nickel-plated brass
Seal material	TPE
Cable seal material	TPE
Wrench size, union nut	30 mm

External cable diameter	6.8 mm ... 7.2 mm (2*line A) 10 mm ... 10.5 mm (1*line B)
Conductor sealing range	7.00 mm ... 7.20 mm (2*line A)
Clamping range of the strain relief clip	10.30 mm ... 10.50 mm (1*line B)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C

Certificates / Approvals



Certification GOST

Accessories


Item	Designation	Description
------	-------------	-------------

Assembly

1854983	VC-M-KV-PG21- 0	Half screw connection made of metal with rubber seal without hole for sealing or for individual holes
---------	-----------------	---

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;