


HC-DR-PG36

Order No.: 1686614



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1686614>

Notched seals/2 washers, for pressure screws, type PG 36

Commercial data	
GTIN (EAN)	 4 017918 189839
Note	Made-to-order
sales group	D092
Pack	10 pcs.
Customs tariff	85369010
Catalog page information	Page 597 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
10/26/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data	
Seal material	Perbunan
Cable seal material	Perbunan
Thread type connection side 1	Pg36
Conductor sealing range	24.00 mm ... 33.00 mm
Degree of protection	IP54
Ambient temperature (operation)	-20 °C ... 80 °C

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;