

All categories

Search term



Your shopping cart

Products

MyHARTING

Downloads / Catalogue order

Reparservice

Han-Eco 16B asg1 M40 with cable gland

[Spotted an error?](#) | [Print page](#) | [Back](#)

Image is for illustration purposes only.
Please refer to product description.

Combinables

Simply configure your entire
connector!

Combinable products

[Features](#)

[Dimensions and weight](#)

[Norms and specifications](#)

[Material properties](#)

[Version](#)

Part number:	19 41 116 0233
Description:	Han-Eco 16B asg1 M40 with cable gland
Type sheet:	PDF

[Login to MyHARTING](#)
for pricing and stock check

Quantity: [Shopping cart](#)[Email inquiry](#)

Need assistance?



Customer service

Your HARTING customer
service representative:

866-278-0306[CustomerService-USA@HA ...](mailto:CustomerService-USA@HA...)

Catalogue

Industrial Connectors Han® -
Page 703

[Browse](#)[Download](#)

Catalogue

Chapter Han-Eco® - Page 19

[Browse](#)[Download](#)

Features

RoHS conformity:	Please contact our customer service
Size:	16 B
Material, locking lever:	polyamide, fibre-glass reinforced
Lever type:	double locking lever
Type of hood/housing:	Surface mounted housings with integrated cable gland
Series:	Han-Eco®
Limiting temperature, min.:	-40 °C
Limiting temperature, max.:	125 °C

[Top](#)

Material properties

Colour, locking element:	RAL 9005 (black)
Flammability acc. to EN 45 545-2:2013:	Class R22: HL1, HL2
	Class R23: HL1, HL2, HL3
	Class R24: HL1, HL2, HL3
Material, seal:	NBR
Colour, hood/housing:	RAL 9005 (black)
Material, hood/housing:	polyamide, fibre-glass reinforced

[Top](#)

Dimensions and weight

Net Weight:	301 g
--------------------	-------

[Top](#)

Version

Hoods and Housings: Case of operation:	Plastic hoods/housings for industrial applications
No. of cable entries:	1
Size:	M40
Cable entry:	side entry

[Top](#)

Norms and specifications

Flammability acc. to NFF 16 101 / 16 102:	F2 / I3
Flammability locking lever acc. to UL 94:	V 0
Flammability hoods/housings	V 0

acc. to UL 94:	
Approval GL:	Yes
Degree of protection acc. to DIN EN 60 529:	IP65
Specification:	IEC 61984




































































































[Top](#)







































Downloads










Title	Download
Type sheet	PDF
Type sheet	DXF
CAD data 3D	IGES
CAD data 3D	STEP
CAD data 3D	VRML
CAD data 3D	JT
Industrial Connectors Han® - Page 703	PDF
Chapter Han-Eco® - Page 19	PDF

Combinables











Image	Part number	Description	Tech. info	Quantity
	09 14 001 3031	Han 100A single module, male		<input type="text" value="1"/> Shopping cart
	09 14 001 3131	Han 100A single module, female		<input type="text" value="1"/> Shopping cart
	09 14 002 2646	Han 70A axial module, male 6-16 mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 2741	Han 70A axial module, female 6-16 mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 2647	Han 70A axial module, male 14-22mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 2742	Han 70A axial module, female 14-22 mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 2641	Han 70A axial module, male 6-16mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 2642	Han 70A axial module, male 14-22 mm ²		<input type="text" value="1"/> Shopping cart
	09 14 002 3041	Han 70A crimp module, male		<input type="text" value="1"/> Shopping cart
	09 14 002 3141	Han 70A crimp module, female		<input type="text" value="1"/> Shopping cart
				<input type="text" value="1"/>

	09 14 005 2646	Han 70A Hybrid module, male 6-16mm²		Shopping cart
	09 14 005 2741	Han 70A Hybrid module, female 6-16mm²	  	<input type="text" value="1"/> Shopping cart
	09 14 005 2647	Han 70A Hybrid module, male 14-22mm²	  	<input type="text" value="1"/> Shopping cart
	09 14 005 2742	Han 70A Hybrid module, female 14-22mm²	  	<input type="text" value="1"/> Shopping cart
	09 14 002 2601	Han 40A axial module, male 2,5-8mm²	   	<input type="text" value="1"/> Shopping cart
	09 14 002 2701	Han 40A axial module, female 2,5-8 mm²	   	<input type="text" value="1"/> Shopping cart
	09 14 002 2602	Han 40A axial module, male 6-10 mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 002 2702	Han 40A axial module, female 6-10 mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 002 3002	Han 40A crimp module, male	    	<input type="text" value="1"/> Shopping cart
	09 14 002 3102	Han 40A crimp module, female	    	<input type="text" value="1"/> Shopping cart
	09 14 003 2601	Han C axial module, male 2,5-8mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 003 2701	Han C axial module female 2,5-8mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 003 2602	Han C axial module, male 6-10mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 003 2702	Han C axial module, female 6-10mm²	    	<input type="text" value="1"/> Shopping cart
	09 14 003 3001	Han C module, crimp male	   	<input type="text" value="1"/> Shopping cart
	09 14 003 3101	Han C module, crimp female	   	<input type="text" value="1"/> Shopping cart
	09 14 004 3041	Han CC Protected module, crimp male	    	<input type="text" value="1"/> Shopping cart
	09 14 004 3141	Han CC Protected module, crimp female	    	<input type="text" value="1"/> Shopping cart
	09 14 007 3001	Han CD module, crimp male	    	<input type="text" value="1"/> Shopping cart

	09 14 007 3101	Han CD module, crimp female		<input type="text" value="1"/> Shopping cart
	09 14 006 3001	Han E module, crimp male		<input type="text" value="1"/> Shopping cart
	09 14 006 3101	Han E module, crimp female		<input type="text" value="1"/> Shopping cart
	09 14 006 2633	Han E Quick-Lock module, male		<input type="text" value="1"/> Shopping cart
	09 14 006 2733	Han E Quick-Lock module, female		<input type="text" value="1"/> Shopping cart
	09 14 008 3001	Han EE module, crimp male		<input type="text" value="1"/> Shopping cart
	09 14 008 3101	Han EE module, crimp female		<input type="text" value="1"/> Shopping cart
	09 14 008 2633	Han EE Quick-Lock module, male		<input type="text" value="1"/> Shopping cart
	09 14 008 2733	Han EE Quick-Lock module, female		<input type="text" value="1"/> Shopping cart
	09 14 008 2634	Han EE Quick-Lock module, male 1,5mm ²		<input type="text" value="1"/> Shopping cart
	09 14 008 2734	Han EE Quick-Lock module, female 1,5mm ²		<input type="text" value="1"/> Shopping cart
	09 14 006 3041	Han E Protected module, crimp male		<input type="text" value="1"/> Shopping cart
	09 14 006 3141	Han E Protected module, crimp female		<input type="text" value="1"/> Shopping cart
	09 14 005 2616	Han ES module, cage clamp male		<input type="text" value="1"/> Shopping cart
	09 14 005 2716	Han ES module, cage clamp female		<input type="text" value="1"/> Shopping cart
	09 14 002 3025	Han HV single module, 16A 2500V male		<input type="text" value="1"/> Shopping cart
	09 14 002 3125	Han HV single module, 16A 2500V female		<input type="text" value="1"/> Shopping cart
	09 14 012 3001	Han DD module, crimp male		<input type="text" value="1"/> Shopping cart
	09 14 012 3101	Han DD module, crimp female		<input type="text" value="1"/> Shopping cart

	09 14 012 2632	Han DD Quick-Lock module, male	   	<input type="text" value="1"/> Shopping cart
	09 14 012 2732	Han DD Quick-Lock module, female	  	<input type="text" value="1"/> Shopping cart

Recently viewed - [Delete](#)

 Han-Eco 16B asg1 M40 with cable gland Show product details	 Han-Modular ECO hood IP65 (without PE) Show product details
 Han-Eco 10B coupler with M32 cable gland Show product details	 Han-Modular ECO base panel (with PE mark) Show product details
 Han-Eco 10B SM Hsg 1x M32 w/cable gland Show product details	 Han-Eco 6B SM Hsg 1x M32 w/cable gland Show product details
 Han-Modular ECO hood IP20 (with PE mark) Show product details	 Han-Eco 16B SE M40 with cable gland Show product details
 Han-Eco 16B-HBM Show product details	 Han-Eco 6B TE M32 with cable gland Show product details

Recently searched - [Delete](#)

- All categories: [09140010423](#) (1)
- All categories: [09302100803](#) (1)
- All categories: [19302160252](#) (1)
- All categories: [19302240292](#) (1)
- All categories: [11000009601](#) (1)
- All categories: [19410060301](#) (1)
- All categories: [han_eco](#) (188)
- All categories: [19410012700](#) (1)
- All categories: [yellock](#) (164)



[Home](#) | [Contact](#) | [Privacy Policy](#) | [Terms of Use](#) | [Sales and delivery conditions](#) | [Imprint](#)

HARTING contact: HARTING Inc. of N.America | Boves Road1370 | 60123-5538 Elgin | USA
HARTING support: 866-278-0306 | **E-mail address** (For questions regarding products, orders and user accounts)
Website support: | **E-mail address** (For technical problems regarding the website)

Follow us on

