

## Filler plugs - HC-BS-PG11 - 1674493

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Filler plugs, for Pg screw connections, type Pg11

The illustration shows version HC-BS-PG 21



### Key commercial data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 135393
Weight per Piece (excluding packing)	8.76 g
Custom tariff number	85369010
Country of origin	Germany
Note	Made to Order (non-returnable)

### Technical data

#### Dimensions

Length	9 mm
Length without connecting thread	3 mm
Connecting thread diameter	19 mm
Hexagon angular dimension GRP	20 mm
Length of the connecting thread	6 mm

#### Ambient conditions

Degree of protection	IP68
	IP68
Ambient temperature (operation)	-20 °C ... 80 °C

#### General

Material	Nickel-plated brass
Cable gland material	Nickel-plated brass

# Filler plugs - HC-BS-PG11 - 1674493

## Technical data

### General

O-ring material	NBR
Thread type on connection side	Pg11
Color	silver
	silver

## Classifications

### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209

### ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000032
ETIM 5.0	EC000032

### UNSPSC

UNSPSC 6.01	30212113
UNSPSC 7.0901	39121712
UNSPSC 11	39121712
UNSPSC 12.01	39121712
UNSPSC 13.2	39121712

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

## Filler plugs - HC-BS-PG11 - 1674493


### Approvals

#### Approval details


EAC

### Drawings

Dimensioned drawing



Dimensioned drawing



Filler plugs Pg11