

VC-M-KV-PG21 1X6/2X9

Order No.: 1885619

The illustration shows a version of the product



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1885619>

Multiple screw connection Pg21, made of metal, consisting of rubber seal with several holes (1 x 6 mm/2 x 9 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG21...

Commercial data

GTIN (EAN)	 4 017918 176716
Note	Made-to-order
sales group	D290
Pack	5 pcs.
Customs tariff	74153300
Catalog page information	Page 595 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
11/26/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Material	Brass, nickel-plated
Material, pressure screw	Nickel-plated brass
Seal material	TPE
Cable seal material	TPE

Wrench size, union nut	30 mm
Thread type on seal side	PG21
External cable diameter	5.5 mm ... 6 mm (Cable 1) 8.5 mm ... 9 mm (Cable 2) 8.5 mm ... 9 mm (Cable 3)
Conductor sealing range	5.80 mm ... 6.00 mm (1*line A)
Clamping range of the strain relief clip	8.80 mm ... 9.00 mm (2*line B)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C

Certificates / Approvals



Certification


GOST

Accessories

Item	Designation	Description
Assembly		
1854983	VC-M-KV-PG21- 0	Half screw connection made of metal with rubber seal without hole for sealing or for individual holes

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;