



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.







| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|---------------|-----------|-----|------|
| ES | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | A4 | | ECR-13-009628 | 14JUN2013 | M.T | YH.M |
| | | A5 | | ECR-13-017549 | 11NOV2013 | GRZ | TD |
| | | A6 | | ECR-14-007944 | 30MAY2014 | WW | RR |
| | | A7 | | ECR-15-010757 | 20JUL2015 | SL | RR |

NOTE

- SEE SHEET 4 FOR AVAILABLE CONFIGURATIONS
- MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME EIGHT COLORS AVAILABLE, INCLUDING: NATURAL, RED, BLUE, YELLOW, BLACK, GREY, GREEN, PURPLE WHITE VERSION IS PRELIMINARY CONTACT, COPPER ALLOY, 0.60MM THICK
- FINISH: OPTION 1: TIN PLATING OVER NICKEL UNDERPLATING OPTION 2: AG PLATING OVER NICKEL UNDERPLATING
- PCB LAYOUT AS SHOWN
- THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 ARE FOR NATURAL COLOR. THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 5
- PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.
- FOR PN 7-1971817-5 PIN LAYOUT AS FOLLOW
- PRELIMINARY PART NOT RELEASED FOR PRODUCTION




SECTION A-A



PCB LAYOUT - SOLDER SIDE FOR P/N: 7-1971817-5

| N | M | NO. OF POS. |
|-------|-------|-------------|
| 40.10 | 35.00 | 15 |
| 37.60 | 32.50 | 14 |
| 35.10 | 30.00 | 13 |
| 32.60 | 27.50 | 12 |
| 30.10 | 25.00 | 11 |
| 27.60 | 22.50 | 10 |
| 25.10 | 20.00 | 9 |
| 22.60 | 17.50 | 8 |
| 20.10 | 15.00 | 7 |
| 17.60 | 12.50 | 6 |
| 15.10 | 10.00 | 5 |
| 12.60 | 7.50 | 4 |
| 10.10 | 5.00 | 3 |




THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | | |
|------------------|---|---|--|
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.20 3 PLC ± 4 PLC ± | DWN: WINTER WANG 12NOV2012 CHK: HAPYE WU 12NOV2012 APVD: YUHONG MAO 12NOV2012 | NAME: RAST 2.5 TAB HEADER ASSY TH, VERTICAL, EXTERNAL LOCKING |
| MATERIAL: - | FINISH: ±1° | PRODUCT SPEC: 108-106079 APPLICATION SPEC: - | SIZE: A2 CAGE CODE: 00779 DRAWING NO: C-1971817 RESTRICTED TO: - |
| CUSTOMER DRAWING | | WEIGHT: - | SCALE: NTS SHEET 1 OF 5 REV A7 |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | | | | | | |


| QTY | TAB CONTACT | QTY | HOUSING | POS. | TE PART NO. | QTY | TAB CONTACT | QTY | HOUSING | POS. | TE PART NO. | | | |
|-----|----------------------------------|-------------|---|---------|---|----------------------------------|-------------|---|-------------|--|--|---------|------|-------------|
| 15 | TAB CONTACT w/ SILVER PLATING | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4) | 15 | 3-1971838-5 2-1971838-5 1-1971838-5 | TAB CONTACT w/ SILVER PLATING | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4) | 10 | 3-1971837-0 2-1971837-0 1-1971837-0 | RAST 2.5 TAB HEADER ASSY TH, VERTICAL, EXTERNAL LOCKING | | | |
| 9 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4) | 14 | 2-1971838-4 1-1971838-4 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4) | 9 | 6-1971837-9 5-1971837-9 4-1971837-9 3-1971837-9 2-1971837-9 1-1971837-9 | | | | |
| 14 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 13P (SEE THE DETAIL LAYOUT ON SHEET 4) | 13 | 1-1971838-3 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4) | 8 | 4-1971837-8 3-1971837-8 2-1971837-8 1-1971837-8 | | | | |
| 13 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4) | 12 | 2-1971838-2 1-1971838-2 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4) | 7 | 7-1971837-7 6-1971837-7 5-1971837-7 4-1971837-7 3-1971837-7 2-1971837-7 1-1971837-7 | | | | |
| 8 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4) | 11 | 2-1971838-1 1-1971838-1 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4) | 6 | 4-1971837-6 3-1971837-6 2-1971837-6 1-1971837-6 | | | | |
| 12 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4) | 10 | 3-1971837-5 2-1971837-5 1-1971837-5 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4) | 5 | 4-1971837-5 3-1971837-5 2-1971837-5 1-1971837-5 | | | | |
| 11 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4) | 9 | 7-1971837-4 6-1971837-4 5-1971837-4 4-1971837-4 3-1971837-4 2-1971837-4 1-1971837-4 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4) | 4 | 1971837-3 9-1971837-3 8-1971837-3 7-1971837-3 6-1971837-3 5-1971837-3 4-1971837-3 3-1971837-3 2-1971837-3 1-1971837-3 | | | | |
| QTY | | TAB CONTACT | QTY | HOUSING | POS. | | TE PART NO. | QTY | TAB CONTACT | QTY | | HOUSING | POS. | TE PART NO. |



| | | | | | | | | | | | | | | | | |
|--|-------|---------------------------|---|-----------------|----------------------|---------------|---|-------|-------|-------|---|-------|---|--------|-----|--------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN WINTER WANG 12NOV2012 |  TE Connectivity | | | | | | | | | | | | | |
| DIMENSIONS: mm | | CHK HAPYE WU 12NOV2012 | | | | | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD YUHONG MAO 12NOV2012 | | | | | | | | | | | | | | |
| <table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±0.20</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±1°</td></tr> <tr><td>FINISH</td><td></td></tr> </table> | | 0 PLC | | | ± | 1 PLC | ± | 2 PLC | ±0.20 | 3 PLC | ± | 4 PLC | ± | ANGLES | ±1° | FINISH |
| 0 PLC | ± | | | | | | | | | | | | | | | |
| 1 PLC | ± | | | | | | | | | | | | | | | |
| 2 PLC | ±0.20 | | | | | | | | | | | | | | | |
| 3 PLC | ± | | | | | | | | | | | | | | | |
| 4 PLC | ± | | | | | | | | | | | | | | | |
| ANGLES | ±1° | | | | | | | | | | | | | | | |
| FINISH | | | | | | | | | | | | | | | | |
| MATERIAL | | PRODUCT SPEC | SIZE A2 | CAGE CODE 00779 | DRAWING NO C-1971817 | RESTRICTED TO | | | | | | | | | | |
| | | APPLICATION SPEC | SCALE NTS | | SHEET 2 OF 5 | REV A7 | | | | | | | | | | |
| | | WEIGHT | CUSTOMER DRAWING | | | | | | | | | | | | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


| LOC | | DIST | | REVISIONS | | | |
|-----|-----|-------------|------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DWN | APVD | | |
| ES | 00 | | | | | | |

| QTY | TAB CONTACT | QTY | HOUSING | POS. | TE PART NO.  |
|-----|-------------------------------|-----|---|------|---|
| 15 | TAB CONTACT w/ TIN PLATING | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4) | 15 | 3-1971818-5 2-1971818-5 1-1971818-5 |
| 9 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4) | 14 | 2-1971818-4 |
| 14 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4) | 14 | 1-1971818-4 |
| 13 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 13P (SEE THE DETAIL LAYOUT ON SHEET 4) | 13 | 1-1971818-3 |
| 8 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4) | 12 | 2-1971818-2 |
| 12 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4) | 12 | 1-1971818-2 |
| 11 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4) | 11 | 2-1971818-1 1-1971818-1 |
| 11 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4) | 11 | 2-1971818-1 1-1971818-1 |


| QTY | TAB CONTACT | QTY | HOUSING | POS. | TE PART NO.  |
|-----|-------------------------------|--|---|--|---|
| 10 | TAB CONTACT w/ TIN PLATING | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4) | 10 | 3-1971817-0 2-1971817-0 1-1971817-0 |
| 6 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4) | 9 | 6-1971817-9 5-1971817-9 4-1971817-9 3-1971817-9 2-1971817-9 1-1971817-9 |
| 9 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4) | 9 | 6-1971817-9 5-1971817-9 4-1971817-9 3-1971817-9 2-1971817-9 1-1971817-9 |
| 8 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4) | 8 | 4-1971817-8 3-1971817-8 2-1971817-8 1-1971817-8 |
| 6 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4) | 8 | 4-1971817-8 3-1971817-8 2-1971817-8 1-1971817-8 |
| 7 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4) | 7 | 7-1971817-7 6-1971817-7 5-1971817-7 4-1971817-7 3-1971817-7 2-1971817-7 1-1971817-7 |
| 6 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4) | 7 | 7-1971817-7 6-1971817-7 5-1971817-7 4-1971817-7 3-1971817-7 2-1971817-7 1-1971817-7 |
| 6 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4) | 6 | 4-1971817-6 3-1971817-6 2-1971817-6 1-1971817-6 |
| 2 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4) | 6 | 4-1971817-6 3-1971817-6 2-1971817-6 1-1971817-6 |
| 5 | | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4) | 5 | 7-1971817-5 6-1971817-5 4-1971817-5 3-1971817-5 2-1971817-5 1-1971817-5 |
| 4 | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4) | 4 | 7-1971817-4 6-1971817-4 5-1971817-4 4-1971817-4 3-1971817-4 2-1971817-4 1-1971817-4 | |
| 3 | 1 | RAST 2.5 TAB HEADER HOUSING, EXTERNAL LOCKING, 3P (SEE THE DETAIL LAYOUT ON SHEET 4) | 3 | 1971817-3 9-1971817-3 8-1971817-3 7-1971817-3 6-1971817-3 5-1971817-3 4-1971817-3 3-1971817-3 2-1971817-3 1-1971817-3 | |

| | | | | |
|---|--|---|---|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN WINTER WANG 12NOV2012 |  TE Connectivity | |
| | | CHK HAPYE WU 12NOV2012 | | |
| | | APVD YUJHONG MAO 12NOV2012 | NAME RAST 2.5 TAB HEADER ASSY TH, VERTICAL, EXTERNAL LOCKING | |
| DIMENSIONS: mm | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | PRODUCT SPEC | |
|  | | 0 PLC ± 1 PLC ± 2 PLC ±0.20 3 PLC ± 4 PLC ± ANGLES ±1° FINISH | APPLICATION SPEC | |
| MATERIAL | | | WEIGHT | |
| | | | CUSTOMER DRAWING | |
| | | | SIZE A2 | CAGE CODE 00779 |
| | | | DRAWING NO C-1971817 | RESTRICTED TO |
| | | | SCALE NTS | SHEET 3 OF 5 |
| | | | | REV A7 |


| LOC | | DIST | | REVISIONS | | | |
|-----|---|------|---|-----------|------|----|------|
| | | | | REV | DATE | BY | APPV |
| - | - | - | - | | | | |




1-1971817-3
 1-1971837-3




1-1971817-4
 1-1971837-4




1-1971817-5
 1-1971837-5




1-1971817-6
 1-1971837-6




1-1971817-7
 1-1971837-7




1-1971817-8
 1-1971837-8




1-1971817-9
 1-1971837-9




1-1971817-0
 1-1971837-0




2-1971817-3
 2-1971837-3




2-1971817-4
 2-1971837-4




2-1971817-5
 2-1971837-5



2-1971817-6
 2-1971837-6




2-1971817-7
 2-1971837-7




2-1971817-8
 2-1971837-8




2-1971817-9
 2-1971837-9




2-1971817-0
 2-1971837-0




3-1971817-3
 3-1971837-3




3-1971817-4
 3-1971837-4




3-1971817-5
 3-1971837-5




3-1971817-6
 3-1971837-6




3-1971817-7
 3-1971837-7




3-1971817-8
 3-1971837-8




3-1971817-9
 3-1971837-9




3-1971817-0
 3-1971837-0




4-1971817-3
 4-1971837-3




4-1971817-4
 4-1971837-4




4-1971817-5
 4-1971837-5




4-1971817-6
 4-1971837-6



4-1971817-7
 4-1971837-7




3-1971817-8
 3-1971837-8




4-1971817-9
 4-1971837-9




5-1971817-0
 5-1971837-0




5-1971817-3
 5-1971837-3



5-1971817-4
 5-1971837-4




6-1971817-5
 6-1971837-5



5-1971817-7
 5-1971837-7




5-1971817-9
 5-1971837-9



6-1971817-3
 6-1971837-3




6-1971817-4
 6-1971837-4



7-1971817-5
 7-1971837-5




6-1971817-7
 6-1971837-7




7-1971817-7
 7-1971837-7




6-1971817-9
 6-1971837-9




7-1971817-3
 7-1971837-3




9-1971817-3
 9-1971837-3



7-1971817-4
 7-1971837-4




7-1971817-5
 7-1971837-5




8-1971817-3
 8-1971837-3




1971817-3
 1971837-3




4 POS




5 POS




6 POS




7 POS




8 POS




9 POS




10 POS




1-1971818-2
 1-1971838-2



1-1971818-3
 1-1971838-3




1-1971818-4
 1-1971838-4




1-1971818-5
 1-1971838-5


3 POS



2-1971818-2
 2-1971838-2




2-1971818-4
 2-1971838-4





2-1971818-5
 2-1971838-5


1-1971818-1
 1-1971838-1



1-1971818-1
 1-1971838-1



2-1971818-1
 2-1971838-1



3-1971818-5
 3-1971838-5

11 POS

12 POS

13 POS

14 POS


15 POS

| | | | | | |
|--|--|----------------------------|--|-----------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWG: WINTER WANG 12NOV2012 | | TE Connectivity | |
| DIMENSIONS: mm | | CHK: HAPYE_WU 12NOV2012 | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD: YUHONG MAO 12NOV2012 | | NAME: - | |
| 0 PLC ± | | PRODUCT SPEC | | - | |
| 1 PLC ± | | APPLICATION SPEC | | - | |
| 2 PLC ±0.20 | | WEIGHT | | - | |
| 3 PLC ± | | CUSTOMER DRAWING | | - | |
| 4 PLC ± | | SCALE | | - | |
| ANGLES ±1° | | NTS | | - | |
| FINISH | | SHEET 4 OF 5 | | - | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | | | | | | |

FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE, BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR. THE FOLLOWING SHOWS WHAT'S THE P/N FOR COLOR CONNECTOR



| COLOR | PART NUMBER OF THE CONNECTOR | | | | COMMENTS |
|---------|------------------------------|-------------|-------------------------|-------------|---|
| | WITH TIN PLATING CONTACT | | WITH AG PLATING CONTACT | | |
| NATURAL | #-1971817-# | #-1971818-# | #-1971837-# | #-1971838-# | THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2 & 3 & 4 |
| RED | #-1971938-# | #-1971939-# | #-2232141-# | #-2232142-# | THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9. |
| BLUE | #-2232143-# | #-2232144-# | #-2232145-# | #-2232146-# | |
| YELLOW | #-2232147-# | #-2232148-# | #-2232149-# | #-2232150-# | |
| BALCK | #-1971994-# | #-1971995-# | #-2232151-# | #-2232152-# | |
| GREY | #-1971976-# | #-1971977-# | #-2232153-# | #-2232154-# | |
| GREEN | #-1971988-# | #-1971989-# | #-2232155-# | #-2232156-# | |
| PURPLE | #-2232157-# | #-2232158-# | #-2232159-# | #-2232160-# | |
| WHITE | #-2232277-# | #-2232278-# | #-2232279-# | #-2232280-# | |

FOR EXAMPLE, IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 5-1971817-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 5-1971938-4



| | | | | |
|--|--|---------------------------|--|----------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN WINTER WANG 12NOV2012 | TE Connectivity | |
| DIMENSIONS: mm | | CHK HAPYE WU 12NOV2012 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD YUHONG MAO 12NOV2012 | NAME RAST 2.5 TAB HEADER ASSY TH, VERTICAL, EXTERNAL LOCKING | |
| 0 PLC ± | | PRODUCT SPEC 108-106079 | SIZE A2 | |
| 1 PLC ± | | APPLICATION SPEC | CAGE CODE 00779 | DRAWING NO C-1971817 |
| 2 PLC ±0.20 | | | RESTRICTED TO | |
| 3 PLC ± | | | SCALE NTS | SHEET 5 OF 5 |
| 4 PLC ± | | | REV A7 | |
| ANGLES ±1° | | WEIGHT - | CUSTOMER DRAWING | |
| FINISH | | | | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1971838-3](#)