




Introducing
Industrial Ethernet IP20
Field Installable RJ45
Modular Plug

Industrial Ethernet IP20 Field Installable RJ45 Modular Plug

KEY FEATURES

- Tool-less IDC termination
- Metallic locking tab
- Rigid plastic case
- For use on stranded and solid wire
- Shielded
- Mates with standard RJ45 modular jacks
- Accepts cable diameters between 6.3 and 6.7mm
- Easy to assemble. Only 3 parts.
- 22 AWG solid and stranded wire – 4 position
- 26 AWG stranded wire – 8 position

DESCRIPTION

The Category 5e IP20 field installable RJ45 modular plug is designed for use in industrial applications. The metallic locking tab and rigid plastic case make it ideal for use in harsh environments. The 4 position version is capable of data transmission rates of 10/100 Mb/s and the 8 position version is capable of 1000 Mb/s. The tool-less IDC contact design makes it easy to terminate in the field.

APPLICATIONS

Industrial field installation of an RJ45 plug

ELECTRICAL

Category 5e performance

Rated Voltage – 24V DC

Rated Current – 500mA per pin

Compliant to IEC 60603-7-1

MECHANICAL

Durability – 750 cycles

Cable Retention Force

- 180° – 98N
- 90° – 78.4N

Temperature Rating – -40°C to 70°C unless limited by cable

Vibration – Tested in accordance with EIA364-28

- 5g Peak

Physical Shock – Tested in accordance with EIA 364-27

- 50g Peak

MATERIALS

Case Housing – Polycarbonate

Terminal Housing – Nylon UL 94V-0 rated

Terminal Contact – Nickel underplated, copper alloy with gold plating

Shell – Copper Alloy with nickel plating

Locking tab – Stainless Steel

STANDARDS AND SPECIFICATIONS




Product Specification – 108-78381

Application Specification – 114-5402

Compliant to IEC 60603-7-1

Industrial Ethernet IP20 Field Installable RJ45 Modular Plug

PRODUCT DIMENSIONS



PRODUCT OFFERING

PN 1903526-1
• 4 position connector

PN 1903527-1
• 8 position connector

Custom length cable assemblies upon request

ACCESSORIES

Cable
• PN 1939707-1
• PN 1981897-1
• PN 1939708-1

Cable Stripper
• PN 1981944-1

Unmanaged Industrial Ethernet
Switches

- PN 1987033-1
- PN 1987033-2
- PN 1987031-1
- PN 1987031-2
- PN 1987032-1
- PN 1987032-2
- PN 1987155-1
- PN 1987155-2
- PN 1987195-1
- PN 3-1987195-3

Media Converter
• PN 1987152-1

Device Server
• PN 1987150-1

APPLICATION TOOLING

No tooling necessary.

FOR MORE INFORMATION

Technical Support

Internet:	www.tycoelectronics.com
E-mail:	newproducts@tycoelectronics.com
USA:	1-800-522-6752
Canada:	1-905-470-4425
Mexico:	1-800-733-8926
C. America:	52-55-1106-0803
South America:	55-11-2103-6000
Hong Kong:	852-2735-1628
Japan:	81-44-844-8013
UK:	44-8706-080208

Tyco Electronics Corporation
Harrisburg, PA

tycoelectronics.com

Copyright 2007 By Tyco Electronics Corporation
1-1773449-7-5K-MS/FP 1-08
TE Logo and Tyco Electronics are trademarks.

