



Featuring ten programmable pushbuttons and a three axes Resistive joystick, the IPD Launch is an economical option for security professionals. Easy to operate and install with USB interface, the IPD Launch is a joystick solution for any size security installation.

KEY FEATURES

- 3 axes joystick for P/T/Z control**
- Ten pushbutton switches**
- USB 1.1 HID compliant "game controller"**
- Easy to use and operate**



IPD Launch

USB desktop controllers

SPECIFICATIONS


Joystick performance	-	Resistive three axes joystick
	-	X/Y/Z for positioning control
Joystick travel	-	36° for X and Y axes
	-	56° for Z axis
Centering	-	Dual spring, omni-directional
Joystick shaft	-	Nickel plated brass
Joystick boot	-	Thermostatic elastomer
Joystick handle	-	Glass filled nylon
Pushbutton performance	-	10 tactile pushbuttons on housing rated for 3,000,000 life cycles
Desktop housing	-	High impact ABS
Power	-	Via USB interface (5V DC)
	-	Consumption 32mA
Operating conditions	-	-25 to +85°C (-13 to +185°F)
Approvals	-	EN 55024:1998, EN 55022, CE
	-	FCC Part 15 Subpart B Class B
	-	RoHs compliant
Weight	-	435 g (0.96lb)
Interface	-	USB port
Connectors	-	USB Type A Male
	-	Cable Length: 2m; 6ft. 6.8in.
Systems support integration	-	Windows 7, Vista, XP, 2000
Supported protocols	-	USB HID 1.1 game controller
	-	Direct X (Gaming Control)
	-	Joystick: Three HID axes
	-	Pushbuttons: 10 HID buttons
	-	Uses standard DirectX HID drivers
	-	Connects directly to workstation PC
Environmental	-	For indoor use only

NOTE:
All values are nominal

IPD Launch


USB desktop controllers

DIMENSIONAL DRAWINGS



Note: Dimensions are in mm/(inch)

USB 1.1 HID COMPLIANT GAME CONTROLLER



Note: To order the IPD Launch please refer to Part Number 100-450.